

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
.2FR.5-5	Frit 1/32", 0.2 micron	.25mm thick, 316SS, 5/pkg	PKG	5	PC	9,200	O
.5FR.5-5	Frit 1/32", 0.5 micron	.25mm thick, 316SS, 5/pkg	PKG	5	PC	8,300	O
.5FR1-10	Frit 1/16", 0.5 micron	.75mm thick, 316SS, 10/pkg	PKG	10	PC	2,800	
.5FR1HC-10	Frit 1/16", 0.5 micron	.75mm thick, HC, 10/pkg	PKG	10	PC	9,200	O
.5FR2-10	Frit 1/8", 0.5 micron	1mm thick, 316SS, 10/pkg	PKG	10	PC	2,800	O
.5FR2HC-10	Frit 1/8", 0.5 micron	1mm thick, HC, 10/pkg	PKG	10	PC	9,200	O
.5FR4-10	Frit 1/4", 0.5 micron	1mm thick, 316SS, 10/pkg	PKG	10	PC	2,800	O
10FR1-10	Frit 1/16", 10 micron	.75mm thick, 316SS, 10/pkg	PKG	10	PC	2,800	O
10FR2-10	Frit 1/8", 10 micron	1mm thick, 316SS, 10/pkg	PKG	10	PC	3,300	O
10FR4-10	Frit 1/4", 10 micron	1mm thick, 316SS, 10/pkg	PKG	10	PC	3,300	O
10FR4HC-10	Frit 1/4", 10 micron	1mm thick, HC, 10/pkg	PKG	10	PC	12,000	O
10SR4-10	Screen 1/4", 10 micron, 316SS, 10/pkg		PKG	10	PC	2,800	
1FR2-10	Frit 1/8", 1 micron	.04" thckn., 316SS, 10/pkg	PKG	10	PC	5,500	O
1FR2HC-10	Frit 1/8", 1 micron	.04" thckn., HC, 10/pkg	PKG	10	PC	10,000	O
1SR.5-10	Screen 1/32" OD, 1 micron, 316SS, 10/pkg		PKG	10	PC	3,700	O
1SR1-10	Screen 1/16" OD, 1 micron, 316SS, 10/pkg		PKG	10	PC	3,700	
1SR2-10	Screen 1/8" OD, 1 micron, 316SS, 10/pkg		PKG	10	PC	3,700	
210UW	10 port 2-pos valve, manual/2"so	1/8*.75mm, 75C/5000psi liq, N60/H	PC			185,000	
24UW	4 port 2-pos valve, manual/2"so	1/8*.75mm, 75C/5000psi liq, N60/H	PC			163,000	
26UW	6 port 2-pos valve, manual/2"so	1/8*.75mm, 75C/5000psi liq, N60/H	PC			174,000	
28UW	8 port 2-pos valve, manual/2"so	1/8*.75mm, 75C/5000psi liq, N60/H	PC			185,000	
2C10UW	10 port 2-pos valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, N60/H	PC			185,000	
2C4UW	4 port 2-pos valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, N60/H	PC			163,000	
2C6UW	6 port 2-pos valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, N60/H	PC			174,000	
2C8UW	8 port 2-pos valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, N60/H	PC			185,000	
2CI4UW.2	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, .2ul, N60/H	PC			173,000	
2CI4UW.5	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, .5ul, N60/H	PC			173,000	OR
2CI4UW1	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, 1ul, N60/H	PC			173,000	OR
2CI4UW2	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, 2ul, N60/H	PC			173,000	OR
2CI4UWE.2	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 175C/1000psi liq, .2ul, N60/E	PC			155,000	
2CI4UWE.5	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 175C/1000psi liq, .5ul, N60/E	PC			155,000	
2CI4UWE1	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 175C/1000psi liq, 1ul, N60/E	PC			155,000	
2CI4UWE2	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 175C/1000psi liq, 2ul, N60/E	PC			155,000	
2CI4WE.06	4 port 2-pos int vol valve, manual/2"so	1/16*.4mm, 175C/1000psi liq, .06ul, N60/E	PC			155,000	
2CI4WE.1	4 port 2-pos int vol valve, manual/2"so	1/16*.4mm, 175C/1000psi liq, .1ul, N60/E	PC			155,000	
2CI4WE.2	4 port 2-pos int vol valve, manual/2"so	1/16*.4mm, 175C/1000psi liq, .2ul, N60/E	PC			155,000	
2CI4WE.5	4 port 2-pos int vol valve, manual/2"so	1/16*.4mm, 175C/1000psi liq, .5ul, N60/E	PC			155,000	O
2CSC10MWE	10 mpos common outlet path, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			230,000	
2CSC12MWE	12 mpos common outlet path, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			250,000	
2CSC16MWE	16 mpos common outlet path, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			250,000	
2CSC6MWE	6 mpos common outlet path, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			210,000	
2CSD10MWE	10 mpos dead-end path, MW, manual/2"so	1/16*.75mm, 200C/400psi gas, N60/E	PC			220,000	
2CSD12MWE	12 mpos dead-end path, MW, manual/2"so	1/16*.75mm, 200C/400psi gas, N60/E	PC			240,000	
2CSD16MWE	16 mpos dead-end path, MW, manual/2"so	1/16*.75mm, 200C/400psi gas, N60/E	PC			240,000	
2CSD6MWE	6 mpos dead-end path, MW, manual/2"so	1/16*.75mm, 200C/400psi gas, N60/E	PC			210,000	
2CSF10MWE	10 mpos flow-through, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			250,000	
2CSF12MWE	12 mpos flow-through, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			270,000	
2CSF16MWE	16 mpos flow-through, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			270,000	
2CSF6MWE	6 mpos flow-through, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			240,000	
2CST10MWE	10 mpos trapping path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			250,000	
2CST12MWE	12 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			270,000	
2CST16MWE	16 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			270,000	
2CST6MWE	6 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			240,000	
2CSTF10MWE	10 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			260,000	
2CSTF12MWE	12 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			280,000	
2CSTF16MWE	16 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			280,000	
2CSTF6MWE	6 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			240,000	
2FR.5-5	Frit 1/32", 2 micron	.25mm thick, 316SS, 5/pkg	PKG	5	PC	2,800	
2FR1-10	Frit 1/16", 2 micron	.75mm thick, 316SS, 10/pkg	PKG	10	PC	5,500	O
2FR1HC-10	Frit 1/16", 2 micron	.75mm thick, HC, 10/pkg	PKG	10	PC	14,700	O
2FR1K	Frit 1", 2 micron	1.5mm thick, 316SS	PC			650	
2FR2-10	Frit 1/8", 2 micron	1mm thick, 316SS, 10/pkg	PKG	10	PC	3,700	
2FR2HC-10	Frit 1/8", 2 micron	1mm thick, HC, 10/pkg	PKG	10	PC	4,600	
2FR4-10	Frit 1/4", 2 micron	1mm thick, 316SS, 10/pkg	PKG	10	PC	2,800	
2FR4HC-10	Frit 1/4", 2 micron	1mm thick, HC, 10/pkg	PKG	10	PC	13,400	O
2FR6	Frit 3/8", 2 micron	1mm thick, 316SS	PC			460	
2FR6HC	Frit 3/8", 2 micron	1mm thick, HC	PC			920	
2FR8	Frit 1/2", 2 micron	1mm thick, 316SS	PC			550	
2FR8HC	Frit 1/2", 2 micron	1mm thick, HC	PC			1,290	
2I4UWE.2	4 port 2-pos int vol valve, manual/2"so	1/8*.75mm, 175C/1000psi liq, .2ul, N60/E	PC			155,000	O
2I4UWE.5	4 port 2-pos int vol valve, manual/2"so	1/8*.75mm, 175C/1000psi liq, .5ul, N60/E	PC			155,000	
2I4UWE1	4 port 2-pos int vol valve, manual/2"so	1/8*.75mm, 175C/1000psi liq, 1ul, N60/E	PC			155,000	O
2I4UWE2	4 port 2-pos int vol valve, manual/2"so	1/8*.75mm, 175C/1000psi liq, 2ul, N60/E	PC			155,000	
2L10UW	10 port 2-pos valve, manual/2"so	1/8*1.0mm, 75C/5000psi liq, N60/H	PC			186,000	
2L4UW	4 port 2-pos valve, manual/2"so	1/8*1.7mm, 75C/5000psi liq, N60/H	PC			164,000	
2L6UW	6 port 2-pos valve, manual/2"so	1/8*1.7mm, 75C/5000psi liq, N60/H	PC			175,000	
2L8UW	8 port 2-pos valve, manual/2"so	1/8*1.3mm, 75C/5000psi liq, N60/H	PC			186,000	
2NI4WE.06	4 port 2-pos int vol valve, manual/2"so	1/32*.25mm, 175C/1000psi liq, .06ul, N60/E	PC			180,000	
2NI4WE.1	4 port 2-pos int vol valve, manual/2"so	1/32*.25mm, 175C/1000psi liq, .1ul, N60/E	PC			180,000	
2NI4WE.2	4 port 2-pos int vol valve, manual/2"so	1/32*.25mm, 175C/1000psi liq, .2ul, N60/E	PC			180,000	
2NI4WE.5	4 port 2-pos int vol valve, manual/2"so	1/32*.25mm, 175C/1000psi liq, .5ul, N60/E	PC			180,000	
2RAD	Right angle drive, 2" standoff		PC			77,000	
2SC10MWE	10 mpos common outlet path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			230,000	
2SC12MWE	12 mpos common outlet path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			250,000	
2SC16MWE	16 mpos common outlet path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			250,000	
2SC6MWE	6 mpos common outlet path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			210,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
2SD10MWE	10 mpos dead-end path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			220,000	
2SD12MWE	12 mpos dead-end path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			240,000	
2SD16MWE	16 mpos dead-end path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			240,000	
2SD6MWE	6 mpos dead-end path, MW, manual/2"so	1/8*1mm, 200C/400psi gas, N60/E	PC			210,000	
2SF10MWE	10 mpos flow-through, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			250,000	
2SF12MWE	12 mpos flow-through, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			270,000	
2SF16MWE	16 mpos flow-through, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			270,000	
2SF6MWE	6 mpos flow-through, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			240,000	
2SOA	Standoff assembly 2"	for 2 pos actuator	PC			17,800	
2SOAMP	Standoff assembly 2", keyed	for m-electric actuator	PC			22,000	
2SOAMP	Standoff assembly 2"	for mpos actuator	PC			17,800	
2SOAMP	Standoff assembly 2"	for M series pumps	PC			17,800	
2SR.5-10	Screen 1/32", 2 micron, 316SS, 10/pkg		PKG	10	PC	2,800	
2SR1-10	Screen 1/16", 2 micron, 316SS, 10/pkg		PKG	10	PC	2,800	
2SR2-10	Screen 1/8", 2 micron, 316SS, 10/pkg		PKG	10	PC	2,800	
2SR4-10	Screen 1/4", 2 micron, 316SS, 10/pkg		PKG	10	PC	2,800	O
2ST10MWE	10 mpos trapping path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			250,000	
2ST12MWE	12 mpos trapping path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			270,000	
2ST16MWE	16 mpos trapping path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			270,000	
2ST6MWE	6 mpos trapping path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			240,000	
2STF10MWE	10 mpos trap/flow path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			260,000	
2STF12MWE	12 mpos trap/flow path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			280,000	
2STF16MWE	16 mpos trap/flow path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			280,000	
2STF6MWE	6 mpos trap/flow path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			240,000	
3SOAMP	Standoff assembly 3"	for M series pumps	PC			19,600	
410UWE	10 port 2-pos valve, manual/4"so	1/8*.75mm, 225C/400psi gas, N60/E	PC			167,000	
410UWT	10 port 2-pos valve, manual/4"so	1/8*.75mm, 330C/300psi gas, N60/T	PC			167,000	
44UWE	4 port 2-pos valve, manual/4"so	1/8*.75mm, 225C/400psi gas, N60/E	PC			145,000	
44UWT	4 port 2-pos valve, manual/4"so	1/8*.75mm, 330C/300psi gas, N60/T	PC			145,000	
46UWE	6 port 2-pos valve, manual/4"so	1/8*.75mm, 225C/400psi gas, N60/E	PC			155,000	
46UWT	6 port 2-pos valve, manual/4"so	1/8*.75mm, 330C/300psi gas, N60/T	PC			155,000	
48UWE	8 port 2-pos valve, manual/4"so	1/8*.75mm, 225C/400psi gas, N60/E	PC			167,000	
48UWT	8 port 2-pos valve, manual/4"so	1/8*.75mm, 330C/300psi gas, N60/T	PC			167,000	
4C10UWE	10 port 2-pos valve, manual/4"so	1/16*.75mm, 225C/400psi gas, N60/E	PC			167,000	
4C10UWT	10 port 2-pos valve, manual/4"so	1/16*.75mm, 330C/300psi gas, N60/T	PC			167,000	
4C10WE	10 port 2-pos valve, manual/4"so	1/16*.4mm, 225C/400psi gas, N60/E	PC			167,000	
4C10WT	10 port 2-pos valve, manual/4"so	1/16*.4mm, 350C/300psi gas, N60/T	PC			167,000	
4C4UWE	4 port 2-pos valve, manual/4"so	1/16*.75mm, 225C/400psi gas, N60/E	PC			145,000	
4C4UWT	4 port 2-pos valve, manual/4"so	1/16*.75mm, 330C/300psi gas, N60/T	PC			145,000	
4C4WE	4 port 2-pos valve, manual/4"so	1/16*.4mm, 225C/400psi gas, N60/E	PC			145,000	
4C4WT	4 port 2-pos valve, manual/4"so	1/16*.4mm, 350C/300psi gas, N60/T	PC			145,000	
4C6UWE	6 port 2-pos valve, manual/4"so	1/16*.75mm, 225C/400psi gas, N60/E	PC			155,000	
4C6UWT	6 port 2-pos valve, manual/4"so	1/16*.75mm, 330C/300psi gas, N60/T	PC			155,000	
4C6WE	6 port 2-pos valve, manual/4"so	1/16*.4mm, 225C/400psi gas, N60/E	PC			155,000	
4C6WT	6 port 2-pos valve, manual/4"so	1/16*.4mm, 350C/300psi gas, N60/T	PC			155,000	
4C8UWE	8 port 2-pos valve, manual/4"so	1/16*.75mm, 225C/400psi gas, N60/E	PC			167,000	
4C8UWT	8 port 2-pos valve, manual/4"so	1/16*.75mm, 330C/300psi gas, N60/T	PC			167,000	
4C8WE	8 port 2-pos valve, manual/4"so	1/16*.4mm, 225C/400psi gas, N60/E	PC			167,000	
4C8WT	8 port 2-pos valve, manual/4"so	1/16*.4mm, 350C/300psi gas, N60/T	PC			167,000	
4N10WE	10 port 2-pos valve, manual/4"so	1/32*.25mm, 225C/400psi gas, N60/E	PC			192,000	
4N10WT	10 port 2-pos valve, manual/4"so	1/32*.25mm, 350C/300psi gas, N60/T	PC			192,000	
4N4WE	4 port 2-pos valve, manual/4"so	1/32*.25mm, 225C/400psi gas, N60/E	PC			170,000	
4N4WT	4 port 2-pos valve, manual/4"so	1/32*.25mm, 350C/300psi gas, N60/T	PC			170,000	
4N6WE	6 port 2-pos valve, manual/4"so	1/32*.25mm, 225C/400psi gas, N60/E	PC			180,000	
4N6WT	6 port 2-pos valve, manual/4"so	1/32*.25mm, 350C/300psi gas, N60/T	PC			180,000	
4N8WE	8 port 2-pos valve, manual/4"so	1/32*.25mm, 225C/400psi gas, N60/E	PC			192,000	
4N8WT	8 port 2-pos valve, manual/4"so	1/32*.25mm, 350C/300psi gas, N60/T	PC			192,000	
4SOA	Standoff assembly 4"	for 2 pos actuator	PC			17,800	
4SOAMP	Standoff assembly 4"	for mpos actuator	PC			17,800	
4SOAMP	Standoff assembly 4"	for M series pumps	PC			17,800	
4SOUTH	Handle with 4" standoff, Valco UW-type	2-pos valve with 1 or 2 mounting holes	PC			0	
4SOUTHMP	Handle with 4" standoff, Valco UW-type	2-pos valve with no mounting holes	PC			0	
4SOWK	4" standoff assy for 2 pos viv W/WK	with 1 or 2 mounting holes	PC			17,800	
4SOWKMP	4" Standoff assy for 2 pos viv W/WK	with no mounting holes,and Cheminert viv	PC			17,800	
4UW	!!! RECOMMEND 24UW	SUPPLIED WITH LARGER HANDLE	PC			0	
4UWE	4 port 2-pos valve, manual	1/8*.75mm, 225C/400psi gas, N60/E	PC			128,000	
4VL4MWE2	4 port 2-pos valve, MW, manual/4"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			280,000	
4VL6MWE2	6 port 2-pos valve, MW, manual/4"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			290,000	
4VL8MWE2	8 port 2-pos valve, MW, manual/4"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			300,000	
6SOAMP	Standoff assembly 6"	for M series pumps	PC			17,800	
6UW	!!! RECOMMEND 26UW	SUPPLIED WITH LARGER HANDLE	PC			0	
6UWE	6 port 2-pos valve, manual	1/8*.75mm, 225C/400psi gas, N60/E	PC			139,000	
8UW	!!! RECOMMEND 28UW	SUPPLIED WITH LARGER HANDLE	PC			0	
8UWE	8 port 2-pos valve, manual	1/8*.75mm, 225C/400psi gas, N60/E	PC			150,000	
A10	Air actuator 10 mpos, close mount	36 deg rotation	PC			111,000	
A102	Air actuator 10 mpos, 2" standoff	36 deg rotation	PC			128,000	O
A10S	Air actuator 10 mpos, for standoff	36 deg rotation	PC			111,000	
A12	Air actuator 12 mpos, close mount	30 deg rotation	PC			111,000	
A122	Air actuator 12 mpos, 2" standoff	30 deg rotation	PC			128,000	O
A12S	Air actuator 12 mpos, for standoff	30 deg rotation	PC			111,000	
A16	Air actuator 16 mpos, close mount	22.5 deg rotation	PC			111,000	
A162	Air actuator 16 mpos, 2" standoff	22.5 deg rotation	PC			128,000	O
A16S	Air actuator 16 mpos, for standoff	22.5 deg rotation	PC			111,000	
A2C6UWEPI	6 port 2-pos valve, air actuated/2"so, int. purged	1/16*.75mm, 175C/400psi gas, N60/E	PC			220,000	
A2C14UWE.2	4 port 2-pos int vol valve, air act/2"so	1/16*.75mm, 175C/1000psi liq, .2ul, N60/E	PC			198,000	
A2C14UWE.2PI	4 port 2-pos int vol valve, air act/2"so,int.purg.	1/16*.75mm,175C/1000psi liq.2,N60/E	PC			220,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
A2CI4UWE.5	4 port 2-pos int vol valve, air act/2"so	1/16*.75mm, 175C/1000psi liq, .5ul, N60/E	PC			198,000	
A2CI4UWE.5PI	4 port 2-pos int vol valve, air act/2"so, int. purg	1/16*.75mm, 175C/1000psi liq, .5ul, N60/E	PC			220,000	
A2CI4UWE1	4 port 2-pos int vol valve, air act/2"so	1/16*.75mm, 175C/1000psi liq, 1ul, N60/E	PC			198,000	
A2CI4UWE1PI	4 port 2-pos int vol valve, air act/2"so,int.purg.	1/16*.75MM, 175C/1000PSI LIQ, 1UL, N60/E	PC			220,000	
A2CI4UWE2	4 port 2-pos int vol valve, air act/2"so	1/16*.75mm, 175C/1000psi liq, 2ul, N60/E	PC			198,000	
A2CI4UWE2PI	4 port 2-pos int vol valve, air act/2"so,int.purg.	1/16*.75mm, 175C/1000psi liq, 2ul, N60/E	PC			220,000	
A2CI4WE.06	4 port 2-pos int vol valve, air act/2"so	1/16*.4mm, 175C/1000psi liq, .06ul, N60/E	PC			198,000	
A2CI4WE.1	4 port 2-pos int vol valve, air act/2"so	1/16*.4mm, 175C/1000psi liq, .1ul, N60/E	PC			198,000	
A2CI4WE.2	4 port 2-pos int vol valve, air act/2"so	1/16*.4mm, 175C/1000psi liq, .2ul, N60/E	PC			198,000	
A2CI4WE.5	4 port 2-pos int vol valve, air act/2"so	1/16*.4mm, 175C/1000psi liq, .5ul, N60/E	PC			198,000	
A2CSC10MWE	10 mpos common outlet path, MW,air act/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			290,000	
A2CSC12MWE	12 mpos common outlet path, MW,air act/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			310,000	
A2CSC16MWE	16 mpos common outlet path, MW,air act/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			310,000	
A2CSC6MWE	6 mpos common outlet path, MW,air act/2"so	1/16*.75mm, 200C/200PSI GAS, N60/E	PC			270,000	
A2CSD10MWE	10 mpos dead-end path, MW, air act/2"so	1/16*.75mm, 200C/400psi gas, N60/E	PC			280,000	
A2CSD12MWE	12 mpos dead-end path, MW, air act/2"so	1/16*.75mm, 200C/400psi gas, N60/E	PC			300,000	
A2CSD16MWE	16 mpos dead-end path, MW, air act/2"so	1/16*.75mm, 200C/400psi gas, N60/E	PC			300,000	
A2CSD6MWE	6 mpos dead-end path, MW, air act/2"so	1/16*.75mm, 200C/400psi gas, N60/E	PC			270,000	
A2CSF10MWE	10 mpos flow-through, MW, air act/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			310,000	
A2CSF12MWE	12 mpos flow-through, MW, air act/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			330,000	
A2CSF16MWE	16 mpos flow-through, MW, air act/2"so	1/16*1mm, 200C/200psi gas, N60/E	PC			330,000	
A2CSF6MWE	6 mpos flow-through, MW, air act/2"so	1/16*1mm, 200C/200PSI GAS, N60/E	PC			300,000	
A2CST10MWE	10 mpos trapping path, MW, air act/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			310,000	
A2CST12MWE	12 mpos trapping path, MW, air act/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			330,000	
A2CST16MWE	16 mpos trapping path, MW, air act/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			330,000	
A2CST6MWE	6 mpos trapping path, MW, air act/2"so	1/16*.75mm, 300C/200PSI GAS, N60/E	PC			300,000	
A2CSTF10MWE	10 mpos trap/flow path, MW, air act/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			320,000	
A2CSTF12MWE	12 mpos trap/flow path, MW, air act/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			340,000	
A2CSTF16MWE	16 mpos trap/flow path, MW, air act/2"so	1/16*.75mm, 200C/200psi gas, N60/E	PC			340,000	
A2CSTF6MWE	6 mpos trap/flow path, MW, air act/2"so	1/16*.75mm, 200C/200PSI GAS, N60/E	PC			300,000	
A2I4UWE.2	4 port 2-pos int vol valve, air act/2"so	1/8*.75mm, 175C/1000psi liq, .2ul, N60/E	PC			198,000	
A2I4UWE.5	4 port 2-pos int vol valve, air act/2"so	1/8*.75mm, 175C/1000psi liq, .5ul, N60/E	PC			198,000	
A2I4UWE1	4 port 2-pos int vol valve, air act/2"so	1/8*.75mm, 175C/1000psi liq, 1ul, N60/E	PC			198,000	
A2I4UWE2	4 port 2-pos int vol valve, air act/2"so	1/8*.75mm, 175C/1000psi liq, 2ul, N60/E	PC			198,000	
A2NI4WE.06	4 port 2-pos int vol valve, air act/2"so	1/32*.25mm, 175C/1000psi liq, .06ul,N60/E	PC			230,000	
A2NI4WE.1	4 port 2-pos int vol valve, air act/2"so	1/32*.25mm, 175C/1000psi liq, .1ul,N60/E	PC			230,000	
A2NI4WE.2	4 port 2-pos int vol valve, air act/2"so	1/32*.25mm, 175C/1000psi liq, .2ul,N60/E	PC			230,000	
A2NI4WE.5	4 port 2-pos int vol valve, air act/2"so	1/32*.25mm, 175C/1000psi liq, .5ul,N60/E	PC			230,000	
A2SC10MWE	10 mpos common outlet path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			290,000	
A2SC12MWE	12 mpos common outlet path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			310,000	
A2SC16MWE	16 mpos common outlet path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			310,000	
A2SC6MWE	6 mpos common outlet path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			270,000	
A2SD10MWE	10 mpos dead-end path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			280,000	
A2SD12MWE	12 mpos dead-end path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			300,000	
A2SD16MWE	16 mpos dead-end path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			300,000	
A2SD6MWE	6 mpos dead-end path, MW, air act/2"so	1/8*1mm, 200C/400psi gas, N60/E	PC			270,000	
A2SF10MWE	10 mpos flow-through, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			310,000	
A2SF12MWE	12 mpos flow-through, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			330,000	
A2SF16MWE	16 mpos flow-through, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			330,000	
A2ST10MWE	10 mpos trapping path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			310,000	
A2ST12MWE	12 mpos trapping path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			330,000	
A2ST16MWE	16 mpos trapping path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			330,000	
A2STF10MWE	10 mpos trap/flow path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			320,000	
A2STF12MWE	12 mpos trap/flow path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			340,000	
A2STF16MWE	16 mpos trap/flow path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	PC			340,000	
A2STF6MWE	6 mpos trap/flow path, MW, air act/2"so	1/8*1MM, 200C/200PSI GAS, N60/E	PC			300,000	
A30	Air actuator 2-pos, close mount	30 deg rotation	PC			63,000	O
A304	Air actuator 2-pos, 4" standoff	30 deg rotation	PC			80,000	
A30S	Air actuator 2-pos, for standoff	30 deg rotation	PC			63,000	
A36	Air actuator 2-pos, close mount	36 deg rotation	PC			63,000	
A364	Air actuator 2-pos, 4" standoff	36 deg rotation	PC			80,000	
A36S	Air actuator 2-pos, for standoff	36 deg rotation	PC			63,000	
A4	Air actuator 4 mpos, close mount	90 deg rotation	PC			111,000	
A410UWE	10 port 2-pos valve, air actuated/4"so	1/8*.75mm, 225C/400psi gas, N60/E	PC			210,000	
A410UWT	10 port 2-pos valve, air actuated/4"so	1/8*.75mm, 330C/300psi gas, N60/T	PC			210,000	
A42	Air actuator 4 mpos, 2" standoff	90 deg rotation	PC			128,000	O
A44UWE	4 port 2-pos valve, air actuated/4"so	1/8*.75mm, 225C/400psi gas, N60/E	PC			188,000	
A44UWT	4 port 2-pos valve, air actuated/4"so	1/8*.75mm, 330C/300psi gas, N60/T	PC			188,000	
A45	Air actuator 2-pos, close mount	45 deg rotation	PC			63,000	
A454	Air actuator 2-pos, 4" standoff	45 deg rotation	PC			80,000	
A45S	Air actuator 2-pos, for standoff	45 deg rotation	PC			63,000	
A46UWE	6 port 2-pos valve, air actuated/4"so	1/8*.75mm, 225C/400psi gas, N60/E	PC			199,000	
A46UWT	6 port 2-pos valve, air actuated/4"so	1/8*.75mm, 330C/300psi gas, N60/T	PC			199,000	
A48UWE	8 port 2-pos valve, air actuated/4"so	1/8*.75mm, 225C/400psi gas, N60/E	PC			210,000	
A48UWT	8 port 2-pos valve, air actuated/4"so	1/8*.75mm, 330C/300psi gas, N60/T	PC			210,000	
A4C10UWE	10 port 2-pos valve, air actuated/4"so	1/16*.75mm, 225C/400psi gas, N60/E	PC			210,000	
A4C10UWT	10 port 2-pos valve, air actuated/4"so	1/16*.75mm, 330C/300psi gas, N60/T	PC			210,000	
A4C10WE	10 port 2-pos valve, air actuated/4"so	1/16*.4mm, 225C/400psi gas, N60/E	PC			210,000	
A4C10WT	10 port 2-pos valve, air actuated/4"so	1/16*.4mm, 350C/300psi gas, N60/T	PC			210,000	
A4C4UWE	4 port 2-pos valve, air actuated/4"so	1/16*.75mm, 225C/400psi gas, N60/E	PC			188,000	
A4C4UWT	4 port 2-pos valve, air actuated/4"so	1/16*.75mm, 330C/300psi gas, N60/T	PC			188,000	
A4C4WE	4 port 2-pos valve, air actuated/4"so	1/16*.4mm, 225C/400psi gas, N60/E	PC			188,000	
A4C4WT	4 port 2-pos valve, air actuated/4"so	1/16*.4mm, 350C/300psi gas, N60/T	PC			188,000	
A4C6UWE	6 port 2-pos valve, air actuated/4"so	1/16*.75mm, 225C/400psi gas, N60/E	PC			199,000	
A4C6UWT	6 port 2-pos valve, air actuated/4"so	1/16*.75mm, 330C/300psi gas, N60/T	PC			199,000	
A4C6WE	6 port 2-pos valve, air actuated/4"so	1/16*.4mm, 225C/400psi gas, N60/E	PC			199,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
A4C6WT	6 port 2-pos valve, air actuated/4"so	1/16*.4mm, 350C/300psi gas, N60/T	PC			199,000	OR
A4C8UWE	8 port 2-pos valve, air actuated/4"so	1/16*.75mm, 225C/400psi gas, N60/E	PC			210,000	
A4C8UWT	8 port 2-pos valve, air actuated/4"so	1/16*.75mm, 330C/300psi gas, N60/T	PC			210,000	
A4C8WE	8 port 2-pos valve, air actuated/4"so	1/16*.4mm, 225C/400psi gas, N60/E	PC			210,000	
A4C8WT	8 port 2-pos valve, air actuated/4"so	1/16*.4mm, 350C/300psi gas, N60/T	PC			210,000	
A4N10WE	10 port 2-pos valve, air actuated/4"so	1/32*.25mm, 225C/400psi gas, N60/E	PC			240,000	
A4N10WT	10 port 2-pos valve, air actuated/4"so	1/32*.25mm, 350C/300psi gas, N60/T	PC			240,000	
A4N4WE	4 port 2-pos valve, air actuated/4"so	1/32*.25mm, 225C/400psi gas, N60/E	PC			220,000	
A4N4WT	4 port 2-pos valve, air actuated/4"so	1/32*.25mm, 350C/300psi gas, N60/T	PC			220,000	
A4N6WE	6 port 2-pos valve, air actuated/4"so	1/32*.25mm, 225C/400psi gas, N60/E	PC			230,000	
A4N6WT	6 port 2-pos valve, air actuated/4"so	1/32*.25mm, 350C/300psi gas, N60/T	PC			230,000	
A4N8WE	8 port 2-pos valve, air actuated/4"so	1/32*.25mm, 225C/400psi gas, N60/E	PC			240,000	
A4N8WT	8 port 2-pos valve, air actuated/4"so	1/32*.25mm, 350C/300psi gas, N60/T	PC			240,000	
A4S	Air actuator 4 mpos, for standoff	90 deg rotation	PC			111,000	
A4VL4MWE2	4 port 2-pos valve, MW, air act/4"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			370,000	
A4VL6MWE2	6 port 2-pos valve, MW, air act/4"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			380,000	
A4VL8MWE2	8 port 2-pos valve, MW, air act/4"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			390,000	
A6	Air actuator 6 mpos, close mount	60 deg rotation	PC			111,000	
A60	Air actuator 2-pos, close mount	60 deg rotation	PC			63,000	
A604	Air actuator 2-pos, 4" standoff	60 deg rotation	PC			80,000	
A60S	Air actuator 2-pos, for standoff	60 deg rotation	PC			63,000	O
A62	Air actuator 6 mpos, 2" standoff	60 deg rotation	PC			128,000	O
A6S	Air actuator 6 mpos, for standoff	60 deg rotation	PC			111,000	
A8	Air actuator 8 mpos, close mount	45 deg rotation	PC			111,000	
A82	Air actuator 8 mpos, 2" standoff	45 deg rotation	PC			128,000	
A8S	Air actuator 8 mpos, for standoff	45 deg rotation	PC			111,000	
A90	Air actuator 2-pos, close mount	90 deg rotation	PC			63,000	O
A904	Air actuator 2-pos, 4" standoff	90 deg rotation	PC			80,000	
A90S	Air actuator 2-pos, for standoff	90 deg rotation	PC			63,000	O
AH2VLS4MWE2	4 mpos common outlet path, MW, air act high t/2"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			440,000	
AH2VLS6MWE2	6 mpos common outlet path, MW, air act high t/2"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			450,000	
AH2VLS8MWE2	8 mpos common outlet path, MW, air act high t/2"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			460,000	
AH2VLS10MWE2	10 mpos dead-end path, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			460,000	
AH2VLS4MWE2	4 mpos dead-end path, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			430,000	
AH2VLS6MWE2	6 mpos dead-end path, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			440,000	
AH2VLS8MWE2	8 mpos dead-end path, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			460,000	
AH2VLSF4MWE2	4 mpos flow-through, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			460,000	
AH2VLSF6MWE2	6 mpos flow-through, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			470,000	
AH2VLSF8MWE2	8 mpos flow-through, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	PC			490,000	
ASFV	Prime/Purge valve, air actuated/1"so	3*1/16".50 mm, 100C/10'000psi, SS	PC			72,000	
ASFV2HT	Prime/Purge valve, air actuated/2"so	3*1/8"1.50 mm, 300C/2'000psi, SS	PC			87,000	
ASFV2HT4	Prime/Purge valve, air actuated/4"so	3*1/8"1.50 mm, 300C/2'000psi, SS	PC			87,000	
ASFV40K.5	Prime/purge valve, air actuated/1.625"so	3*1/32".15 mm bore, 50C/40'000 psi, SS	PC			290,000	
ASFV40K1	Prime/purge valve, air actuated/1.625"so	3*1/16".15 mm bore, 50C/40'000 psi, SS	PC			340,000	
ASFV40K360	Prime/purge valve, air actuated/1.625"so	3*360um .15 mm bore, 50C/40'000 psi, SS	PC			0	
ASFVHT	Prime/Purge valve, air actuated/1"so	3*1/16".50 mm, 300C/6'000psi, SS	PC			87,000	
ASFVHT4	Prime/Purge valve, air actuated/4"so	3*1/16".50 mm, 300C/6'000psi, SS	PC			87,000	
ASFVL	Prime/Purge valve, air actuated/1"so	3*1/16".75 mm, 100C/10'000psi, SS	PC			75,000	
ASFVLHT	Prime/Purge valve, air actuated/2"so	3*1/16".75 mm, 300C/6'000psi, SS	PC			90,000	
ASFVLHT4	Prime/Purge valve, air actuated/4"so	3*1/16".75 mm, 300C/6'000psi, SS	PC			90,000	
ASFVO	On/Off valve, air actuated/1"so	2*1/16".50 mm bore, 100C/10'000 psi, SS	PC			67,000	
ASFVO2HT	On/Off valve, air actuated/2"so	2*1/8"1.50 mm bore, 300C/2'000 psi, SS	PC			82,000	
ASFVO2HT4	On/Off valve, air actuated, 4" so	2*1/8"1.50 mm bore, 300C/2'000 psi, SS	PC			82,000	
ASFVO40K.5	On/Off valve, air actuated/1.625"so	2*1/32".15 mm bore, 50C/40'000 psi, SS	PC			340,000	
ASFVO40K1	On/Off valve, air actuated/1.625"so	2*1/16".15 mm bore, 50C/40'000 psi, SS	PC			340,000	
ASFVO40K360	On/Off valve, air actuated/1.625"so	2*360um .15 mm bore, 50C/40'000 psi, SS	PC			0	
ASFVOD40K.5	Dual On/Off valve, air actuated/1.625"so	3*1/32".15 mm bore, 50C/40'000 psi, SS	PC			420,000	
ASFVOD40K1	Dual On/Off valve, air actuated/1.625"so	3*1/16".15 mm bore, 50C/40'000 psi, SS	PC			420,000	
ASFVOD40K360	Dual On/Off valve, air actuated/1.625"so	3*360um .15 mm bore, 50C/40'000 psi, SS	PC			0	
ASFVOHT	On/Off valve, air actuated/2"so	2*1/16".50 mm bore, 300C/6'000 psi, SS	PC			82,000	
ASFVOHT4	On/Off valve, air actuated/4"so	2*1/16".50 mm bore, 300C/6'000psi, SS	PC			82,000	
ASFVOL	On/Off valve, air actuated/1"so	2*1/16".75 mm bore, 100C/10'000 psi, SS	PC			67,000	
ASFVOLHT	On/Off valve, air actuated/2"so,	2*1/16".75 mm bore, 300C/6'000 psi, SS	PC			82,000	
ASFVOLHT4	On/Off valve, air actuated, 4" so	2*1/16".75 mm bore, 300C/6'000 psi, SS	PC			82,000	
AT10	Air actuator 10 mpos high T, close mount	36 deg rotation	PC			116,000	
AT104	Air actuator 10 mpos high T, 4" standoff	36 deg rotation	PC			134,000	
AT10S	Air actuator 10 mpos high T, for standoff	36 deg rotation	PC			116,000	O
AT12	Air actuator 12 mpos high T, close mount	30 deg rotation	PC			116,000	O
AT124	Air actuator 12 mpos high T, 4" standoff	30 deg rotation	PC			134,000	
AT12S	Air actuator 12 mpos high T, for standoff	30 deg rotation	PC			116,000	O
AT16	Air actuator 16 mpos high T, close mount	22.5 deg rotation	PC			116,000	
AT164	Air actuator 16 mpos high T, 4" standoff	22.5 deg rotation	PC			134,000	
AT16S	Air actuator 16 mpos high T, for standoff	22.5 deg rotation	PC			116,000	
AT30	Air actuator 2-pos high T, close mount	30 deg rotation	PC			69,000	
AT302	Air actuator 2-pos, high T, 2" standoff	30 deg rotation	PC			87,000	
AT30S	Air actuator 2-pos high T, for standoff	30 deg rotation	PC			69,000	
AT36	Air actuator 2-pos high T, close mount	36 deg rotation	PC			69,000	
AT362	Air actuator 2-pos, high T, 2" standoff	36 deg rotation	PC			87,000	
AT36S	Air actuator 2-pos high T, for standoff	36 deg rotation	PC			69,000	
AT4	Air actuator 4 mpos high T, close mount	90 deg rotation	PC			116,000	
AT44	Air actuator 4 mpos high T, 4"standoff	90 deg rotation	PC			134,000	
AT45	Air actuator 2-pos high T, close mount	45 deg rotation	PC			69,000	
AT452	Air actuator 2-pos, high T, 2" standoff	45 deg rotation	PC			87,000	
AT45S	Air actuator 2-pos high T, for standoff	45 deg rotation	PC			69,000	
AT4S	Air actuator 4 mpos high T, for standoff	90 deg rotation	PC			116,000	
AT6	Air actuator 6 mpos high T, close mount	60 deg rotation	PC			116,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
AT60	Air actuator 2-pos high T, close mount	60 deg rotation	PC			69,000	
AT602	Air actuator 2-pos, high T, 2" standoff	60 deg rotation	PC			87,000	
AT60S	Air actuator 2-pos high T, for standoff	60 deg rotation	PC			69,000	
AT64	Air actuator 6 mpos high T, 4" standoff	60 deg rotation	PC			134,000	
AT6S	Air actuator 6 mpos high T, for standoff	60 deg rotation	PC			116,000	
AT8	Air actuator 8 mpos high T, close mount	45 deg rotation	PC			116,000	
AT84	Air actuator 8 mpos high T, 4" standoff	45 deg rotation	PC			134,000	O
AT8S	Air actuator 8 mpos high T, for standoff	45 deg rotation	PC			116,000	O
AT90	Air actuator 2-pos high T, close mount	90 deg rotation	PC			69,000	
AT902	Air actuator 2-pos, high T, 2" standoff	90 deg rotation	PC			87,000	
AT90S	Air actuator 2-pos high T, for standoff	90 deg rotation	PC			69,000	
BNV1	Micrometering needle valve, bulkhead, 2-225 ml/min	1/16"tube,18"/45cm,2um frit, 225C,lubr., SS/Viton	PC			37,000	
BNV1-D	Micrometering needle valve, bulkhead, 2-225 ml/min	1/16" tube,18"/45cm,non-lubricated,225C, SS/Viton	PC			40,000	
BNV1-KZ	Micrometering needle valve, bulkhead, 2-225 ml/min	1/16" tube, 18"/45cm,non-lubricated,315C,SS/Kalrez	PC			45,000	
BNV1LF	Micrometering needle valve, bulkhead, 2-90 ml/min	1/16"tube,18"/45cm,2um frit,225C,lubr. SS/Viton	PC			40,000	
BNV1LF-D	Micrometering needle valve, bulkhead, 2-90 ml/min	1/16"tube,18"/45cm,2um frit,225C,non-lubr.SS/Viton	PC			43,000	
BNV1LF-KZ	Micrometering needle valve, bulkhead, 2-90 ml/min	1/16"tube,18"/45cm,2um frit,315C,non-lub.SS/Kalrez	PC			49,000	
C10UW	!!! RECOMMEND 2C10UW	SUPPLIED WITH LARGER HANDLE	PC			0	
C10UWE	10 port 2-pos valve, manual	1/16*.75mm, 225C/400psi gas, N60/E	PC			150,000	
C10W	10 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, N60/H	PC			150,000	
C10WE	10 port, 2-pos valve, manual	1/16*.4mm, 225C/400psi gas, N60/E	PC			150,000	
C1-1006	6 port 2-pos vlv, man/front loading+PFC	1/16*.25mm, 75C/5000psi liq, N60/H	PC			150,000	
C1-10R6	Rotor seal 6 port 2-pos valve	1/16*.25mm, 75C/5000psi liq, H	PC			15,700	
C1-1346	6 port 2-pos vlv, man/front loading+PFC	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			172,000	
C1-13R6	Rotor seal 6 port 2-pos valve	1/16*.25mm, 50C/5000psi liq, E	PC			15,700	
C1-2006	6 port 2-pos vlv, man/front loading+PFC	1/16*.4mm, 75C/5000psi liq, N60/H	PC			120,000	
C1-20R6	Rotor seal 6 port 2-pos valve	1/16*.4mm, 75C/5000psi liq, H	PC			15,700	
C12-310	Rotor seal 10 port 2-pos C22/C22Z-valve	1/16*.75mm tube, 75C/250psi liq, E2	PC			10,800	O
C12-314	Rotor seal 4 port 2-pos C22/C22Z-valve	1/16*.75mm tube, 75C/250psi liq, E2	PC			10,800	
C12-316	Rotor seal 6 port 2-pos C22/C22Z-valve	1/16*.75mm tube, 75C/250psi liq, E2	PC			10,800	
C12-318	Rotor seal 8 port 2-pos C22/C22Z-valve	1/16*.75mm tube, 75C/250psi liq, E2	PC			10,800	
C1-2346	6 port 2-pos vlv, man/front loading+PFC	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			142,000	
C1-23R6	Rotor seal 6 port 2-pos valve	1/16*.4mm, 50C/5000psi liq, E	PC			15,700	
C15-310	Rotor seal mpos dead-end path C15/C25Z-v	1/16*.75mm, 75C/250psi liq, E2	PC			10,800	
C-1C00H	Stator 10 port 2-pos (.180BC) C2-valve	1/16*.25mm, N60	PC			96,000	
C-1C04	Stator 4 port 2-pos C2-valve	1/16*.25mm, N60	PC			81,000	
C-1C06	Stator 6 port 2-pos C2-valve	1/16*.25mm, N60	PC			81,000	
C-1C08H	Stator 8 port 2-pos (.180BC) C2-valve	1/16*.25mm, N60	PC			89,000	
C-1C30H	Stator 10 port 2-pos (.180BC) C2-valve	1/16*.25mm, Ti	PC			157,000	
C-1C34	Stator 4 port 2-pos C2-valve	1/16*.25mm, Ti	PC			141,000	
C-1C36	Stator 6 port 2-pos C1/C2-valve	1/16*.25mm, Ti	PC			141,000	
C-1C38H	Stator 8 port 2-pos (.180BC) C2-valve	1/16*.25mm, Ti	PC			150,000	
C-1C40H	Stator 10 port 2-pos (.180BC) C2-valve	1/16*.25mm, PAEK	PC			121,000	
C-1C44	Stator 4 port 2-pos C2-valve	1/16*.25mm, PAEK	PC			105,000	
C-1C46	Stator 6 port 2-pos C1/C2-valve	1/16*.25mm, PAEK	PC			105,000	
C-1C48H	Stator 8 port 2-pos (.180) C2-valve	1/16*.25mm, PAEK	PC			121,000	
C1CF-1346	6 port 2-pos vlv, man/front loading, cont flow+PFC	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			182,000	
C1CF-1C06	Stator 6 port 2-pos. C1-valve, CF	1/16*.25mm, N60	PC			120,000	
C1CF-1C46	Stator 6 port 2-pos. C1-valve, CF	1/16*.25mm, PEAK	PC			143,000	
C1CF-2006	6 port 2-pos vlv, man/front loading, cont flow+PFC	1/16*.4mm, 75C/5000psi liq, N60/H	PC			130,000	
C1CF-2346	6 port 2-pos vlv, man/front loading, cont flow+PFC	1/16*.4mm, 75C/5000psi liq,PAEK/E	PC			152,000	
C1CF-2C06	Stator 6 port 2-pos. C1-valve, CF	1/16*.4mm, N60	PC			96,000	
C1CF-2C46	Stator 6 port 2-pos. C1-valve, CF	1/16*.4mm, PEAK	PC			121,000	
C1CFI-1006	6 port 2-pos vlv, man/front loading, cont flow+PFC	1/16*.25mm, 75C/5000psi liq, N60/H, V-knob	PC			160,000	
C1CFI-1346	6 port 2-pos vlv, man/front loading, cont flow+PFC	1/16*.25mm, 50C/5000psi liq, PEAK/E, V-Knob	PC			182,000	
C2-1004	4 port 2-pos valve, manual	1/16*.25mm, 75C/5000psi liq, N60/H	PC			124,000	
C2-1004D	4 port 2-pos valve, replacement	1/16*.25mm, 75C/5000psi liq, N60/H	PC			109,000	
C2-1004EUHA	4 port 2-pos valve, U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ, N60/H	PC			310,000	
C2-1006	6 port 2-pos valve, manual	1/16*.25mm, 75C/5000psi liq, N60/H	PC			124,000	
C2-1006D	6 port 2-pos valve, replacement	1/16*.25mm, 75C/5000psi liq, N60/H	PC			109,000	
C2-1006EUHA	6 port 2-pos valve, u-electric, RS232/485	1/16*.25mm, 50C/5000psi liq, N60/H	PC			310,000	
C2-1034	4 port 2-pos valve, manual	1/16*.25mm, 75C/5000psi liq, Ti/H	PC			180,000	
C2-1034D	4 port 2-pos valve, replacement	1/16*.25mm, 75C/5000psi liq, Ti/H	PC			165,000	OR
C2-1034EUHA	4 port 2-pos valve, U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ, Ti/H	PC			370,000	O
C2-1036	6 port 2-pos valve, manual	1/16*.25mm, 75C/5000psi liq, Ti/H	PC			180,000	
C2-1036D	6 port 2-pos valve, replacement	1/16*.25mm, 75C/5000psi liq, Ti/H	PC			165,000	O
C2-1036EUHA	6 port 2-pos valve, U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ, Ti/H	PC			370,000	O
C2-10R0H	Rotor seal 10 port 2-pos (.180BC) C2-valve	1/16*.25mm, 75C/5000psi liq, H	PC			15,700	
C2-10R4	Rotor seal 4 port 2-pos C2-valve	1/16*.25mm, 75C/5000psi liq, H	PC			15,700	
C2-10R6	Rotor seal 6 port 2-pos C2/C3-valve	1/16*.25mm, 75C/5000psi liq, H	PC			15,700	OR
C2-10R8H	Rotor seal 8 port 2-pos (.180BC) C2-valve	1/16*.25mm, 75C/5000psi liq, H	PC			15,700	
C2-1344	4 port 2-pos valve, manual	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			145,000	
C2-1344D	4 port 2-pos valve, replacement	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			130,000	
C2-1344EUHA	4 port 2-pos valve, U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ, PAEK/E	PC			330,000	
C2-1346	6 port 2-pos valve, manual	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			145,000	
C2-1346D	6 port 2-pos valve, replacement	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			130,000	
C2-1346EUHA	6 port 2-pos valve, U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ, PAEK/E	PC			330,000	
C2-13R0H	Rotor seal 10 port 2-pos C2-valve (B.C.180)	1/16*.25mm, 50C/5000psi liq, E	PC			15,700	
C2-13R4	Rotor seal 4 port 2-pos C2-valve	1/16*.25mm, 50C/5000psi liq, E	PC			15,700	
C2-13R6	Rotor seal 6 port 2-pos C2/C3-valve	1/16*.25mm, 50C/5000psi liq, E	PC			15,700	
C2-13R8H	Rotor seal 8 port 2-pos (.180BC) C2-valve	1/16*.25mm, 50C/5000psi liq, E	PC			15,700	
C2-2004	4 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, N60/H	PC			94,000	
C2-2004D	4 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			79,000	
C2-2004EUHA	4 port 2-pos valve, U-electric, RS232/485	1/16*.4MM, 50C/5000PSI LIQ, N60/H	PC			280,000	
C2-2006	6 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, N60/H	PC			94,000	
C2-2006D	6 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			79,000	

備考: O= Obsolete ; OR = On Request

上記金額は税別です。予告なく変更される場合があります。

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
C2-2006EUHA	6 port 2-pos valve, u-elec, RS232/485	1/16*.4mm, 50C/5000psi liq, N60/H	PC			280,000	
C2-2034	4 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, Ti/H	PC			150,000	
C2-2034D	4 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	PC			135,000	
C2-2034EUHA	4 port 2-pos valve, U-electric, RS232/485	1/16*.4MM, 50C/5000PSI LIQ, TI/H	PC			340,000	
C2-2036	6 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, Ti/H	PC			150,000	
C2-2036D	6 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	PC			135,000	
C2-2036EUHA	6 port 2-pos valve, U-electric, RS232/485	1/16*.4MM, 50C/5000PSI LIQ, TI/H	PC			340,000	
C2-20R0H	Rotor seal 10 port 2-pos (.180BC) C2-valve	1/16*.4mm, 75C/5000psi liq, H	PC			15,700	
C2-20R4	Rotor seal 4 port 2-pos C2-valve	1/16*.4mm, 75C/5000psi liq, H	PC			15,700	
C2-20R6	Rotor seal 6 port 2-pos C2/C3-valve	1/16*.4mm, 75C/5000psi liq, H	PC			15,700	
C2-20R8H	Rotor seal 8 port 2-pos (.180BC) C2-valve	1/16*.4mm, (.180 BC), 75C/5000psi liq, H	PC			15,700	
C22-310	Rotor seal 10 port 2-pos C12/C22Z-valve	1/4"-28*.75mm, 75C/250psi liq, E2	PC			10,800	
C22-314	Rotor seal 4 port 2-pos C22-valve	1/4"-28*.75mm, 75C/250psi liq, E2	PC			10,800	
C22-316	Rotor seal 6 port 2-pos C22-valve	1/4"-28*.75mm, 75C/250psi liq, E2	PC			10,800	
C22-318	Rotor seal 8 port 2-pos C12/C22Z-valve	1/4"-28*.75mm, 75C/250psi liq, E2	PC			10,800	
C22-3180	10 port 2-pos valve, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			111,000	
C22-3180D	10 port 2-pos valve, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			96,000	OR
C22-3180EUHA	10 port 2-pos valve, U-electric, RS232/485	1/4"-28*.75MM, 50C/250PSI LIQ, PPS/E2	PC			300,000	
C22-3184	4 port 2-pos valve, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			83,000	
C22-3184D	4 port 2-pos valve, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			68,000	
C22-3184EUHA	4 port 2-pos valve, u-electric, RS232/485	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			270,000	
C22-3186	6 port 2-pos valve, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			83,000	
C22-3186D	6 port 2-pos valve, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			68,000	
C22-3186EUHA	6 port 2-pos valve, u-electric, RS232/485	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			270,000	
C22-3188	8 port 2-pos valve, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			105,000	
C22-3188D	8 port 2-pos valve, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			90,000	
C22-3188EUHA	8 port 2-pos valve, u-electric, RS232/485	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			290,000	
C2-2344	4 port 2-pos valve, manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			115,000	
C2-2344D	4 port 2-pos valve, replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			100,000	
C2-2344EUHA	4 port 2-pos valve, U-electric, RS232/485	1/16*.4MM, 50C/5000PSI LIQ, PAEK/E	PC			300,000	
C2-2346	6 port 2-pos valve, manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			115,000	
C2-2346D	6 port 2-pos valve, replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			100,000	
C2-2346EUHA	6 port 2-pos valve, U-electric, RS232/485	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			300,000	
C22-380	Stator 10 port 2-pos C22-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	PC			65,000	
C22-384	Stator 4 port 2-pos C22-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	PC			46,000	
C22-386	Stator 6 port 2-pos C22-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	PC			46,000	
C22-388	Stator 8 port 2-pos C22-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	PC			61,000	
C2-23R0H	Rotor seal 10 port 2-pos (.180BC) C2-valve	1/16*.4mm, 50C/5000psi liq, E	PC			15,700	
C2-23R4	Rotor seal 4 port 2-pos C2-valve	1/16*.4mm, 50C/5000psi liq, E	PC			15,700	
C2-23R6	Rotor seal 6 port 2-pos C2/C3-valve	1/16*.4mm, 50C/5000psi liq, E	PC			15,700	
C2-23R8H	Rotor seal 8 port 2-pos (.180BC) C2-valve	1/16*.4mm, (.180 BC), 50C/5000psi liq, E	PC			15,700	
C22-610	Rotor seal 10 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	PC			10,800	
C22-614	Rotor seal 4 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	PC			10,800	
C22-616	Rotor seal 6 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	PC			10,800	
C22-618	Rotor seal 8 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	PC			10,800	
C22-6180	10 port 2-pos valve, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			111,000	
C22-6180D	10 port 2-pos valve, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			96,000	
C22-6180EUHA	10 port 2-pos, u-electric, RS-232/485	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			300,000	
C22-6184	4 port 2-pos valve, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			83,000	
C22-6184D	4 port 2-pos valve, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			68,000	
C22-6184EUHA	4 port 2-pos valve, u-electric/RS232/485	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			270,000	
C22-6186	6 port 2-pos valve, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			83,000	
C22-6186D	6 port 2-pos valve, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			68,000	
C22-6186EUHA	6 port 2-pos valve, u-electric/RS232/485	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			270,000	
C22-6188	8 port 2-pos valve, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			105,000	
C22-6188D	8 port 2-pos valve, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			90,000	
C22-6188EUHA	8 port 2-pos valve, U-electric, RS232/485	1/4"-28*1.5MM, 50C/250PSI LIQ, PPS/E2	PC			290,000	
C22-680	Stator 10 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	PC			65,000	
C22-684	Stator 4 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	PC			46,000	
C22-686	Stator 6 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	PC			46,000	
C22-688	Stator 8 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	PC			61,000	
C22Z-3180	10 port 2-pos valve, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			96,000	
C22Z-3180D	10 port 2-pos valve, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			81,000	
C22Z-3180EUHA	10 port 2-pos valve, u-electric, RS232/485	1/16*.75mm, 50C/250psi liq, PPS/E2	PC			280,000	
C22Z-3184	4 port 2-pos valve, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			83,000	
C22Z-3184D	4 port 2-pos valve, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			68,000	
C22Z-3184EUHA	4 port 2-pos valve, u-electric, RS232/485	1/16*.75mm, 50C/250psi liq, PPS/E2	PC			270,000	
C22Z-3186	6 port 2-pos valve, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			83,000	
C22Z-3186D	6 port 2-pos valve, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			68,000	
C22Z-3186EUHA	6 port 2-pos valve, u-electric, RS232/485	1/16*.75mm, 50C/250psi liq, PPS/E2	PC			270,000	
C22Z-3188	8 port 2-pos valve, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			93,000	
C22Z-3188D	8 port 2-pos valve, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			78,000	
C22Z-3188EUHA	8 port 2-pos valve, U-electric, RS232/485	1/16*.75MM, 50C/250PSI LIQ, PPS/E2	PC			280,000	
C22Z-380	Stator 10 port 2-pos C22Z-valve	1/16*.75mm, 75C/250psi liq, PPS	PC			56,000	
C22Z-384	Stator 4 port 2-pos C22Z-valve	1/16*.75mm, 75C/250psi liq, PPS	PC			46,000	
C22Z-386	Stator 6 port 2-pos C22Z-valve	1/16*.75mm, 75C/250psi liq, PPS	PC			46,000	
C22Z-388	Stator 8 port 2-pos C22Z-valve	1/16*.75mm, 75C/250psi liq, PPS	PC			53,000	
C24-10R-.2	Rotor seal 4port 2-pos int vol C24-valve	1/4"-28*.5mm, 75C/250psi liq, .2ul, E2	PC			10,800	
C24-10R-.5	Rotor seal 4port 2-pos int vol C24-valve	1/4"-28*.5mm, 75C/250psi liq, .5ul, E2	PC			10,800	
C24-10R-1	Rotor seal 4port 2-pos int vol C24-valve	1/4"-28*.5mm, 75C/250psi liq, 1ul, E2	PC			10,800	
C24-10R-2	Rotor seal 4port 2-pos int vol C24-valve	1/4"-28*.5mm, 75C/250psi liq, 2ul, E2	PC			10,800	
C24-1C8	Stator 4 port 2-pos int vol C24-valve	1/4"-28*.5mm, 75C/250psi liq, PPS	PC			46,000	
C24-2184-.5D	4 port 2-pos int vol valve, replacement	1/4"-28*.5mm, 75C/250psi liq, .5ul, PPS/E2	PC			68,000	
C24-2184-.5EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/4"-28*.5MM, 50C/250PSI LIQ, .5UL, PPS/E2	PC			270,000	
C24-2184-1	4 port 2-pos int vol valve, manual	1/4"-28*.5mm, 75C/250psi liq, 1ul, PPS/E2	PC			83,000	
C24-2184-1D	4 port 2-pos int vol valve, replacement	1/4"-28*.5mm, 75C/250psi liq, 1ul, PPS/E2	PC			68,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
C24-2184-2	4 port 2-pos int vol valve, manual	1/4"-28*.5mm, 75C/250psi liq, 2ul,PPS/E2	PC			83,000	
C24-2184-2D	4 port 2-pos int vol valve, replacement	1/4"-28*.5mm, 75C/250psi liq, 2ul,PPS/E2	PC			68,000	
C24Z-1C8	Stator 4 port 2-pos int vol C24Z-valve	1/16*.4mm, 75C/250psi liq, PPS	PC			46,000	
C24Z-2184-.2	4 port 2-pos int vol valve, manual	1/16*.4mm, 75C/250psi liq, .2ul, PPS/E2	PC			83,000	
C24Z-2184-.2D	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/250psi liq, .2ul, PPS/E2	PC			68,000	
C24Z-2184-.2EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.4MM, 50C/250PSI LIQ, .2UL, PPS/E2	PC			270,000	
C24Z-2184-.5	4 port 2-pos int vol valve, manual	1/16*.4mm, 75C/250psi liq, .5ul, PPS/E2	PC			83,000	
C24Z-2184-.5D	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/250psi liq, .5ul, PPS/E2	PC			68,000	
C24Z-2184-.5EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.4MM, 50C/250PSI LIQ, .5UL, PPS/E2	PC			270,000	
C24Z-2184-1	4 port 2-pos int vol valve, manual	1/16*.4mm, 75C/250psi liq, 1ul, PPS/E2	PC			83,000	
C24Z-2184-1D	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/250psi liq, 1ul, PPS/E2	PC			68,000	
C24Z-2184-1EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.4MM, 50C/250PSI LIQ, 1UL, PPS/E2	PC			270,000	
C25-310	Rotor seal 8/10 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, E2	PC			10,800	
C25-314	Rotor seal 4 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, E2	PC			10,800	
C25-316	Rotor seal 6 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, E2	PC			10,800	
C25-3180	10 mpos dead-end path, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			115,000	
C25-3180D	10 mpos dead-end path, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			100,000	
C25-3180EUHA	10 mpos dead-end path, u-electric, RS232/485	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			300,000	
C25-3184	4 mpos dead-end path, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			86,000	
C25-3184D	4 mpos dead-end path, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			71,000	
C25-3184EUHA	4 mpos dead-end path, u-electric, RS232/485	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			270,000	
C25-3186	6 mpos dead-end path, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			86,000	
C25-3186D	6 mpos dead-end path, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			71,000	
C25-3186EUHA	6 mpos dead-end path, u-electric/RS232-485	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			270,000	
C25-3188	8 mpos dead-end path, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			111,000	
C25-3188D	8 mpos dead-end path, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	PC			96,000	
C25-3188EUHA	8 mpos dead-end path, u-electric, RS232/485	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			300,000	
C25-380	Stator 10 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	PC			75,000	
C25-384	Stator 4 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	PC			53,000	
C25-386	Stator 6 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	PC			53,000	
C25-388	Stator 8 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	PC			72,000	
C25-610	Rotor seal 10 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	PC			10,800	
C25-614	Rotor seal 4 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	PC			10,800	
C25-616	Rotor seal 6 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	PC			10,800	
C25-618	Rotor seal 8 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	PC			10,800	
C25-6180	10 mpos dead-end path, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			115,000	
C25-6180D	10 mpos dead-end path, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			100,000	
C25-6180EUHA	10 mpos dead-end path, u-electric, RS232/485	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			300,000	
C25-6184	4 mpos dead-end path, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			86,000	
C25-6184D	4 mpos dead-end path, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			71,000	
C25-6184EUHA	4 mpos dead-end path, u-electric, RS232/485	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			270,000	
C25-6186	6 mpos dead-end path, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			86,000	
C25-6186D	6 mpos dead-end path, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			71,000	
C25-6186EUHA	6 mpos dead-end path, u-electric, RS232/485	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			270,000	
C25-6188	8 mpos dead-end path, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			111,000	
C25-6188D	8 mpos dead-end path, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	PC			96,000	
C25-6188EUHA	8 mpos dead-end path, u-electric, RS232/485	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			300,000	
C25-680	Stator 10 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	PC			75,000	
C25-684	Stator 4 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	PC			53,000	
C25-686	Stator 6 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	PC			53,000	
C25-688	Stator 8 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	PC			72,000	
C25G-24520D	20 mpos dead-end path, replacement	1/16*.67mm, 50C/100psi liq, PEEK(E4)/M	PC			167,000	
C25G-24520EUTA	20 mpos dead-end path, u-electric, RS232/485	1/16*.67mm, 50C/100psi liq, PEEK(E4)/M	PC			380,000	
C25G-24524D	24 mpos dead-end path, replacement	1/16*.61mm, 50C/100psi liq, PEEK(E4)/M	PC			181,000	
C25G-24524EUTA	24 mpos dead-end path, u-electric, RS232/485	1/16*.61mm, 50C/100psi liq, PEEK(E4)/M	PC			390,000	
C25G-24528D	28 mpos dead-end path, replacement	1/16*.56mm, 50C/100psi liq, PEEK(E4)/M	PC			194,000	
C25G-24528EUTA	28 mpos dead-end path, u-electric, RS232/485	1/16*.56mm, 50C/100psi liq, PEEK(E4)/M	PC			400,000	
C25G-24R20	Rotor seal mpos dead-end path C25G-valve	1/16*.67mm tube, 50C/100psi liq, M	PC			24,000	
C25G-24R24	Rotor seal mpos dead-end path C25G-valve	1/16*.61mm tube, 50C/100psi liq, M	PC			24,000	
C25G-24R28	Rotor seal mpos dead-end path C25G-valve	1/16*.56mm tube, 50C/100psi liq, M	PC			24,000	
C25G-2C520	Stator 20 mpos dead-end path valve	1/16*.67mm, 50C/100psi liq, PEEK	PC			114,000	
C25G-2C524	Stator 24 mpos dead-end path valve	1/16*.61mm, 50C/100psi liq, PEEK	PC			123,000	
C25G-2C528	Stator 28 mpos dead-end path valve	1/16*.56mm, 50C/100psi liq, PEEK	PC			132,000	
C25Z-3180	10 mpos dead-end path, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			102,000	
C25Z-3180D	10 mpos dead-end path, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			87,000	
C25Z-3180EUHA	10 mpos dead-end path, u-electric, RS232/485	1/16*.75mm, 50C/250psi liq, PPS/E2	PC			290,000	
C25Z-31814	14 mpos dead-end path, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			125,000	
C25Z-31814D	14 mpos dead-end path, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			110,000	
C25Z-31814EUHA	14 mpos dead-end path, u-electric, RS232/485	1/16*.75mm, 50C/250psi liq, PPS/E2	PC			310,000	
C25Z-3186	6 mpos dead-end path, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			86,000	
C25Z-3186D	6 mpos dead-end path, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			71,000	
C25Z-3186EUHA	6 mpos dead-end path, u-electric, RS232/485	1/16*.75mm, 50C/250psi liq, PPS/E2	PC			270,000	
C25Z-3188	8 mpos dead-end path, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			96,000	
C25Z-3188D	8 mpos dead-end path, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	PC			81,000	
C25Z-3188EUHA	8 mpos dead-end path, u-electric, RS232/485	1/16*.75mm, 50C/250psi liq, PPS/E2	PC			280,000	
C25Z-325	Rotor seal 14 mpos dead-end path C25Z	1/16*.75mm tube, 75C/250psi liq, E2	PC			10,800	
C25Z-380	Stator 10 mpos dead-end path valve	1/16*.75mm, 75C/250psi liq, PPS	PC			65,000	
C25Z-38-14	Stator 14 mpos dead-end path valve	1/16*.75mm, 75C/250psi liq, PPS	PC			83,000	
C25Z-386	Stator 6 mpos dead-end path valve	1/16*.75mm, 75C/250psi liq, PPS	PC			53,000	
C25Z-388	Stator 8 mpos dead-end path valve	1/16*.75mm, 75C/250psi liq, PPS	PC			56,000	
C-261	Syringe fitting assy., head knurled	C1, PEEK/TFE	PC			14,800	
C-2C00H	Stator 10 port 2-pos (.180BC) C2-valve	1/16*.4mm, N60	PC			74,000	
C-2C04	Stator 4 port 2-pos C2-valve	1/16*.4mm, N60	PC			59,000	
C-2C06	Stator 6 port 2-pos C2-valve	1/16*.4mm, N60	PC			59,000	
C-2C08H	Stator 8 port 2-pos (.180BC) C2-valve	1/16*.4mm, N60	PC			66,000	
C-2C30H	Stator 10 port 2-pos (.180BC) C2-valve	1/16*.4mm, Titanium	PC			138,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
C-2C34	Stator 4 port 2-pos C2-valve	1/16*.4mm, Titanium	PC			123,000	
C-2C36	Stator 6 port 2-pos C1/C2-valve	1/16*.4mm, Titanium	PC			120,000	
C-2C38H	Stator 8 port 2-pos (.180BC) C2-valve	1/16*.4mm, (.180 BC), Titanium	PC			131,000	
C-2C40H	Stator 10 port 2-pos (.180BC) C2-valve	1/16*.4mm, PAEK	PC			98,000	
C-2C44	Stator 4 port 2-pos C2-valve	1/16*.4mm, PAEK	PC			82,000	
C-2C46	Stator 6 port 2-pos C1/C2-valve	1/16*.4mm, PAEK	PC			82,000	
C-2C48H	Stator 8 port 2-pos (.180BC) C2-valve	1/16*.4mm, (.180 BC), PAEK	PC			95,000	
C2H-1000	10 port 2-pos valve, (.180BC) manual	1/16*.25mm, 75C/5000psi liq, N60/H	PC			144,000	
C2H-1000D	10 port 2-pos valve, (.180BC) replacement	1/16*.25mm, 75C/5000psi liq, N60/H	PC			129,000	
C2H-1000EUHA	10 port 2-pos valve, (.180BC), u-elec, RS232/485	1/16*.25mm, 50C/5000psi liq, N60/H	PC			330,000	
C2H-1008	8 port 2-pos valve, (.180BC) manual	1/16*.25mm, 75C/5000psi liq, N60/H	PC			134,000	
C2H-1008D	8 port 2-pos valve, (.180BC) replacement	1/16*.25mm, 75C/5000psi liq, N60/H	PC			119,000	
C2H-1008EUHA	8 port 2-pos valve, (.180BC) U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ, N60/H	PC			320,000	
C2H-1030	10 port 2-pos valve, (.180BC) manual	1/16*.25mm, 75C/5000psi liq, Ti/H	PC			200,000	OR
C2H-1030D	10 port 2-pos valve, (.180BC) replacement	1/16*.25mm, 75C/5000psi liq, Ti/H	PC			185,000	
C2H-1030EUHA	10 port 2-pos valve, (.180BC) U-elec,RS232/485	1/16*.25MM, 50C/5000PSI LIQ, TI/H	PC			390,000	
C2H-1038	8 port 2-pos valve, (.180BC) manual	1/16*.25mm, 75C/5000psi liq, Ti/H	PC			190,000	
C2H-1038D	8 port 2-pos valve, (.180BC) replacement	1/16*.25mm, 75C/5000psi liq, Ti/H	PC			175,000	
C2H-1038EUHA	8 port 2-pos valve, (.180BC) U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ, TI/H	PC			380,000	
C2H-1340	10 port 2-pos valve, (.180BC) manual	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			165,000	O
C2H-1340D	10 port 2-pos valve, (.180BC) replacement	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			150,000	
C2H-1340EUHA	10 port 2-pos valve, (.180BC) u-elec,RS232/485	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			350,000	OR
C2H-1348	8 port 2-pos valve, (.180BC) manual	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			155,000	
C2H-1348D	8 port 2-pos valve, (.180BC) replacement	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			140,000	
C2H-1348EUHA	8 port 2-pos valve, (.180BC) U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ, PAEK/E	PC			340,000	
C2H-2000	10 port 2-pos valve, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, N60/H	PC			114,000	
C2H-2000D	10 port 2-pos valve, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			99,000	
C2H-2000EUHA	10 port 2-pos valve, (.180BC) U-elec,RS232/485	1/16*.4mm, 50C/5000psi liq, N60/H	PC			300,000	
C2H-2008	8 port 2-pos valve, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, N60/H	PC			104,000	
C2H-2008D	8 port 2-pos valve, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			89,000	
C2H-2008EUHA	8 port 2-pos valve, (.180BC) u-elec,RS232/485	1/16*.4mm, 50C/5000psi liq, N60/H	PC			290,000	
C2H-2030	10 port 2-pos valve, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, Ti/H	PC			170,000	
C2H-2030D	10 port 2-pos valve, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	PC			155,000	
C2H-2030EUHA	10 port 2-pos valve, (.180BC) U-elec,RS232/485	1/16*.4MM, 50C/5000PSI LIQ, TI/H	PC			360,000	
C2H-2038	8 port 2-pos valve, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, Ti/H	PC			160,000	OR
C2H-2038D	8 port 2-pos valve, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	PC			145,000	
C2H-2038EUHA	8 port 2-pos valve, (.180BC) U-electric, RS232/485	1/16*.4MM, 50C/5000PSI LIQ, TI/H	PC			350,000	
C2H-2340	10 port 2-pos valve, (.180BC) manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			135,000	
C2H-2340D	10 port 2-pos valve, (.180BC) replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			120,000	
C2H-2340EUHA	10 port 2-pos valve, (.180BC) U-elec,RS232/485	1/16*.4MM, 50C/5000PSI LIQ, PAEK/E	PC			320,000	
C2H-2348	8 port 2-pos valve, (.180BC) manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			125,000	
C2H-2348D	8 port 2-pos valve, (.180BC) replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			110,000	
C2H-2348EUHA	8 port 2-pos valve, (.180BC) U-elec,RS232/485	1/16*.4MM, 50C/5000PSI LIQ, PAEK/E	PC			310,000	
C2N-4000	10 port 2-pos valve, manual	1/32*.10mm, 75C/5000psi liq, N60/H	PC			220,000	
C2N-4000D	10 port 2-pos valve, replacement	1/32*.10mm, 75C/5000psi liq, N60/H	PC			200,000	
C2N-4000EUHA	10 port 2-pos valve, U-electric, RS232/485	1/32*.10MM, 50C/5000PSI LIQ, N60/H	PC			400,000	
C2N-4006	6 port 2-pos valve, manual	1/32*.10mm, 75C/5000psi liq, N60/H	PC			194,000	
C2N-4006D	6 port 2-pos valve, replacement	1/32*.10mm, 75C/5000psi liq, N60/H	PC			179,000	
C2N-4006EUHA	6 port 2-pos valve, u-electric, RS232/485	1/32*.10mm, 50C/5000PSI liq, N60/H	PC			380,000	O
C2N-40R0	Rotor seal 10 port 2-pos C2N valve	1/32*.10mm, 75C/5000psi liq, H	PC			19,600	
C2N-40R6	Rotor seal 6 port 2-pos C2N valve	1/32*.10mm, 75C/5000psi liq, H	PC			19,600	
C2N-4340	10 port 2-pos valve, manual	1/32*.10mm, 50C/5000psi liq, PAEK/E	PC			240,000	
C2N-4340D	10 port 2-pos valve, replacement	1/32*.10mm,50C/5000psi liq, PAEK/E	PC			230,000	
C2N-4340EUHA	10 port 2-pos valve, U-electric, RS232/485	1/32*.10MM, 50C/5000PSI LIQ, PAEK/E	PC			420,000	
C2N-4346	6 port 2-pos valve, manual	1/32*.10mm, 50C/5000psi liq, PAEK/E	PC			220,000	
C2N-4346D	6 port 2-pos valve, replacement	1/32*.10mm, 50C/5000psi liq, PAEK/E	PC			200,000	
C2N-4346EUHA	6 port 2-pos valve, U-electric, RS232/485	1/32*.10MM, 50C/5000PSI LIQ, PAEK/E	PC			400,000	
C2N-43R0	Rotor seal 10 port 2-pos C2N valve	1/32*.10mm, 50C/5000psi liq, E	PC			19,600	
C2N-43R6	Rotor seal 6 port 2-pos C2N valve	1/32*.10mm, 50C/5000psi liq, E	PC			19,600	
C2N-4C00	Stator 10 port 2-pos C2N-valve	1/32*.10mm N60	PC			150,000	
C2N-4C06	Stator 6 port 2-pos C2N-valve	1/32*.10mm N60	PC			136,000	
C2N-4C40	Stator 10 port 2-pos C2N-valve	1/32*.10mm PAEK	PC			173,000	
C2N-4C46	Stator 6 port 2-pos C2N-valve	1/32*.10mm PAEK	PC			159,000	
C2V-1006	6 port 2-pos vlv, manual vert. port injection	1/16*.25mm, 75C/5000psi liq, N60/H	PC			134,000	
C2V-1006D	6 port 2-pos vlv, replacement vert. port injection	1/16*.25mm, 75C/5000psi liq, N60/H	PC			119,000	
C2V-1006EUHA	6 port 2-pos vlv, U-elec,RS232/485 vert. port inj.	1/16*.25MM, 50C/5000PSI LIQ, N60/H	PC			320,000	
C2V-1346	6 port 2-pos vlv, manual vert. port injector	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			155,000	
C2V-1346D	6 port 2-pos vlv, replacement vert. port injector	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			140,000	
C2V-1346EUHA	6 port 2-pos vlv, U-elec,RS232/485 vert. port inj.	1/16*.25MM, 50C/5000PSI LIQ, PAEK/E	PC			340,000	
C2V-1C06	Stator 6 port 2-pos C2-valve, vertical	1/16*.25mm, N60	PC			91,000	
C2V-1C46	Stator 6 port 2-pos C2-valve, vertical	1/16*.25mm, PAEK	PC			112,000	
C2V-2006	6 port 2-pos vlv, manual vert. port injector	1/16*.4mm, 75C/5000psi liq, N60/H	PC			104,000	
C2V-2006D	6 port 2-pos vlv, replacement vert. port injector	1/16*.4mm, 75C/5000psi liq, N60/H	PC			89,000	
C2V-2006EUHA	6 port 2-pos vlv, u-elec,RS232/485 vert. port inj.	1/16*.4mm, 50C/5000psi liq, N60/H	PC			290,000	
C2V-2346	6 port 2-pos vlv, manual vert. port injector	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			125,000	
C2V-2346D	6 port 2-pos vlv, replacement vert. port injector	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			110,000	
C2V-2346EUHA	6 port 2-pos vlv, U-elec,RS232/485 vert. port inj.	1/16*.4MM, 50C/5000PSI LIQ, PAEK/E	PC			310,000	
C2V-2C06	Stator 6 port 2-pos C2-valve, vertical	1/16*.4mm, N60	PC			66,000	
C2V-2C46	Stator 6 port 2-pos C2-valve, vertical	1/16*.4mm, PAEK	PC			91,000	
C3-1006	6 port 2-pos valve, manual	1/16*.25mm, 75C/5000psi liq, N60/H	PC			134,000	
C3-1006D	6 port 2-pos valve, replacement	1/16*.25mm, 75C/5000psi liq, N60/H	PC			119,000	
C3-1006EUHA	6 port 2-pos vlv, U-elec,RS232/485, cent. port in.	1/16*.25MM, 50C/5000PSI LIQ, N60/H	PC			320,000	
C3-1346	6 port 2-pos valve, manual	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			155,000	
C3-1346D	6 port 2-pos valve, replacement	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			140,000	
C3-1C06	Stator 6 port 2-pos C3-valve	1/16*.25mm, N60	PC			89,000	
C3-1C46	Stator 6 port 2-pos C3-valve	1/16*.25mm, PAEK	PC			112,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
C3-2006	6 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, N60/H	PC			104,000	
C3-2006D	6 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			89,000	
C3-2006EUHA	6 port 2-pos valve, U-electric, RS232/485	1/16*.4MM, 50C/5000PSI LIQ, N60/H	PC			290,000	
C3-2346	6 port 2-pos valve, manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			125,000	
C3-2346D	6 port 2-pos valve, replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			110,000	
C3-2346EUHA	6 port 2-pos valve, U-electric, RS232/485	1/16*.4MM, 50C/5000PSI LIQ, PAEK/E	PC			310,000	
C3-2C06	Stator 6 port 2-pos C3-valve	1/16*.4mm, N60	PC			66,000	
C3-2C46	Stator 6 port 2-pos C3-valve	1/16*.4mm, PAEK	PC			91,000	
C360C	Cap, 360um, for metal tubing	SS, nut included	PC			5,900	
C360CFS	Cap, 360um, for fused silica tubing	SS, nut included	PC			11,700	
C360ET	Make up extender tool	for 360um nuts	PC			3,100	
C360IZR.5TS6	Internal reducer 1/32*360um, w/o frit	.38mm through bore, SS316 for metal tubing	PC			10,000	
C360IZR.5TS6FS	Internal reducer 1/32*360um	.38mm bore, SS/gold plated Ni for FS tubing	PC			11,700	
C360IZR.5TS6PK	Internal reducer 1/32*360um	.38mm bore, PEEK/glass filled PEEK for PEEK tubing	PC			15,600	
C360IZR1S6	Internal reducer 1/16*360um	.38mm bore, SS316 for metal tubing	PC			10,900	
C360IZR1S6AL	Internal reducer 1/16*360um	.38mm bore, SS/aluminium for FS tubing	PC			13,400	
C360IZR1S6FS	Internal reducer 1/16*360um	.38mm bore, SS, for FS tubing	PC			13,400	
C360IZR1S6PK	Internal reducer 1/16*360um	.38mm bore, PEEK/glass filled PEEK for PEEK tubing	PC			12,200	
C360NFFS	Nut, 360um, No Twist, SS/gold plated Ni Ferrule	for FS tubing (for > 10 kpsi)	PC			7,500	
C360NFPKG	Nut, 360um, No Twist, PEEK	with glass-filled PEEK ferrule	PC			2,800	
C360NFS6	Nut, 360um, No Twist, SS	with 316 ferrule	PC			3,200	
C360PPK	Plug, 360um		PC			2,600	
C360RU.5FS2	Reducing union 1/32" to 360um, SS	50um bore, for FS tubing (for > 10 kpsi)	PC			15,900	
C360RU.5FS4	Reducing union 1/32" to 360um, SS	100um bore, for FS tubing (for > 10 kpsi)	PC			14,200	
C360RU.5FS6	Reducing union 1/32" to 360um, SS	150um bore, for FS tubing (for > 10 kpsi)	PC			15,900	
C360RU.5S62	Reducing union 1/32" to 360um, SS316	50um bore, for metal tubing (up to 20 kpsi)	PC			11,700	
C360RU.5S64	Reducing union 1/32" to 360um	100um bore, for metal tubing (up to 20 kpsi)	PC			10,000	
C360RU.5S66	Reducing union 1/32" to 360um, SS316	150um bore, for metal tubing (up to 20 kpsi)	PC			8,400	
C360RU1FS6	Reducing union 1/16" to 360um, SS	150um bore, for FS tubing (for > 10 kpsi)	PC			13,400	
C360RU1PK6	Reducing union 1/16" to 360um, PEEK	150um bore, for PEEK+FS tubing (for<10kpsi)	PC			7,800	
C360RU1S66	Reducing union 1/16" to 360um, SS316	150um bore, for metal tubing (up to 20 kpsi)	PC			8,400	
C360UFS2	Union, 360um, 50um bore, SS	for FS tubing (for > 10 kpsi)	PC			22,000	
C360UFS4	Union, 360um, 100um bore, SS	for FS tubing (for > 10 kpsi)	PC			22,000	
C360UFS6	Union, 360um, 150um bore, SS	for FS tubing (for > 10 kpsi)	PC			22,000	
C360US62	Union, 360um, 50um bore, SS316	for metal tubing (up to 20 kpsi)	PC			25,000	
C360US64	Union, 360um, 100um bore, SS316	for metal tubing (up to 20 kpsi)	PC			25,000	
C360US66	Union, 360um, 150um bore, SS316	for metal tubing (up to 20 kpsi)	PC			12,500	
C4-0004-.01	4 port 2-pos int vol valve, manual	1/16*.15mm, 75C/5000psi liq, .01ul, N60/H	PC			153,000	
C4-0004-.01D	4 port 2-pos int vol valve, replacement	1/16*.15mm, 75C/5000psi liq, .01ul, N60/H	PC			138,000	
C4-0004-.01EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.15MM, 50C/5000PSI LIQ, .01UL, N60/H	PC			340,000	
C4-0004-.02	4 port 2-pos int vol valve, manual	1/16*.15mm, 75C/5000psi liq, .02ul, N60/H	PC			153,000	
C4-0004-.02D	4 port 2-pos int vol valve, replacement	1/16*.15mm, 75C/5000psi liq, .02ul, N60/H	PC			138,000	
C4-0004-.02EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.15MM, 50C/5000PSI LIQ, .02UL, N60/H	PC			340,000	
C4-0004-.05	4 port 2-pos int vol valve, manual	1/16*.15mm, 75C/5000psi liq, .05ul, N60/H	PC			153,000	
C4-0004-.05D	4 port 2-pos int vol valve, replacement	1/16*.15mm, 75C/5000psi liq, .05ul, N60/H	PC			138,000	
C4-0004-.05EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.15MM, 50C/5000PSI LIQ, .05UL, N60/H	PC			340,000	
C4-0004-.1	4 port 2-pos int vol valve, manual	1/16*.15mm, 75C/5000psi liq, .1ul, N60/H	PC			153,000	
C4-00R-.01	Rotor seal 4 port 2-pos int vol valve	1/16*.15mm, 75C/5000psi liq, .01ul, H	PC			17,600	
C4-00R-.02	Rotor seal 4 port 2-pos int vol valve	1/16*.15mm, 75C/5000psi liq, .02ul, H	PC			17,600	
C4-00R-.05	Rotor seal 4 port 2-pos int vol valve	1/16*.15mm, 75C/5000psi liq, .05ul, H	PC			17,600	
C4-0344-.01	4 port 2-pos int vol valve, manual	1/16*.15mm, 50C/5000psi liq, .01ul, PAEK/E	PC			175,000	
C4-0344-.01D	4 port 2-pos int vol valve, replacement	1/16*.15mm, 50C/5000psi liq, .01ul, PAEK/E	PC			160,000	OR
C4-0344-.01EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.15MM, 50C/5000PSI LIQ, .01UL, PAEK/E	PC			360,000	
C4-0344-.02	4 port 2-pos int vol valve, manual	1/16*.15mm, 50C/5000psi liq, .02ul, PAEK/E	PC			175,000	
C4-0344-.02D	4 port 2-pos int vol valve, replacement	1/16*.15mm, 50C/5000psi liq, .02ul, PAEK/E	PC			160,000	
C4-0344-.02EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.15MM, 50C/5000PSI LIQ, .02UL, PAEK/E	PC			360,000	
C4-0344-.05	4 port 2-pos int vol valve, manual	1/16*.15mm, 50C/5000psi liq, .05ul, PAEK/E	PC			175,000	
C4-0344-.05D	4 port 2-pos int vol valve, replacement	1/16*.15mm, 50C/5000psi liq, .05ul, PAEK/E	PC			160,000	
C4-0344-.05EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.15MM, 50C/5000PSI LIQ, .05UL, PAEK/E	PC			360,000	
C4-03R-.01	Rotor seal 4 port 2-pos int vol valve	1/16*.15mm, 50C/5000psi liq, .01ul, E	PC			17,600	
C4-03R-.02	Rotor seal 4 port 2-pos int vol valve	1/16*.15mm, 50C/5000psi liq, .02ul, E	PC			17,600	
C4-03R-.05	Rotor seal 4 port 2-pos int vol valve	1/16*.15mm, 50C/5000psi liq, .05ul, E	PC			17,600	
C4-0C0	Stator 4 port 2-pos int vol C4-valve	1/16*.15mm, N60	PC			104,000	
C4-1004-.1	4 port 2-pos int vol valve, manual	1/16*.25mm, 75C/5000psi liq, .1ul, N60/H	PC			123,000	
C4-1004-.1D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 75C/5000psi liq, .1ul, N60/H	PC			108,000	
C4-1004-.1EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.25mm, 50C/5000PSI LIQ, .1UL, N60/H	PC			310,000	
C4-1004-.2	4 port 2-pos int vol valve, manual	1/16*.25mm, 75C/5000psi liq, .2ul, N60/H	PC			123,000	
C4-1004-.2D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 75C/5000psi liq, .2ul, N60/H	PC			108,000	
C4-1004-.2EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ, .2UL, N60/H	PC			310,000	
C4-1004-.5	4 port 2-pos int vol valve, manual	1/16*.25mm, 75C/5000psi liq, .5ul, N60/H	PC			123,000	
C4-1004-.5D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 75C/5000psi liq, .5ul, N60/H	PC			108,000	
C4-1004-.5EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ, .5UL, N60/H	PC			310,000	
C4-1034-.1	4 port 2-pos int vol valve, manual	1/16*.25mm, 75C/5000psi liq, .1ul, Ti/H	PC			179,000	
C4-1034-.1D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 75C/5000psi liq, .1ul, Ti/H	PC			164,000	
C4-1034-.1EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ, .1UL, TI/H	PC			360,000	O
C4-1034-.2	4 port 2-pos int vol valve, manual	1/16*.25mm, 75C/5000psi liq, .2ul, Ti/H	PC			179,000	
C4-1034-.2D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 75C/5000psi liq, .2ul, Ti/H	PC			164,000	
C4-1034-.2EUHA	4 port 2-pos int vol valve, u-electric, RS232/485	1/16*.25mm, 50C/5000psi liq, .2ul, Ti/H	PC			360,000	
C4-1034-.5	4 port 2-pos int vol valve, manual	1/16*.25mm, 75C/5000psi liq, .5ul, Ti/H	PC			179,000	
C4-1034-.5D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 75C/5000psi liq, .5ul, Ti/H	PC			164,000	
C4-1034-.5EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ, .5UL, TI/H	PC			360,000	O
C4-10R-.1	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 75C/5000psi liq, .1ul, H	PC			17,600	
C4-10R-.2	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 75C/5000psi liq, .2ul, H	PC			17,600	
C4-10R-.5	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 75C/5000psi liq, .5ul, H	PC			17,600	
C4-1344-.1	4 port 2-pos int vol valve, manual	1/16*.25mm, 50C/5000psi liq, .1ul, PAEK/E	PC			145,000	
C4-1344-.1D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 50C/5000psi liq, .1ul, PAEK/E	PC			130,000	

備考: O= Obsolete ; OR = On Request

上記金額は税別です。予告なく変更される場合があります。

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
C4-1344-.1EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ.,1UL, PAEK/E	PC			330,000	
C4-1344-.2	4 port 2-pos int vol valve, manual	1/16*.25mm, 50C/5000psi liq.,2ul, PAEK/E	PC			145,000	
C4-1344-.2D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 50C/5000psi liq.,2ul, PAEK/E	PC			130,000	
C4-1344-.2EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.25MM, 50C/5000PSI LIQ.,2UL, PAEK/E	PC			330,000	
C4-1344-.5	4 port 2-pos int vol valve, manual	1/16*.25mm, 50C/5000psi liq.,5ul, PAEK/E	PC			145,000	
C4-1344-.5D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 50C/5000psi liq.,5ul, PAEK/E	PC			130,000	
C4-1344-.5EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/16*.25mm, 50C/5000psi liq.,5ul, PAEK/E	PC			330,000	
C4-13R-.1	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 50C/5000psi liq., 1ul, E	PC			17,600	
C4-13R-.2	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 50C/5000psi liq., 2ul, E	PC			17,600	
C4-13R-.5	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 50C/5000psi liq., 5ul, E	PC			17,600	
C4-1C0	Stator 4 port 2-pos int vol C4-valve	1/16*.25mm, N60	PC			81,000	
C4-1C3	Stator 4 port 2-pos int vol C4-valve	1/16*.25mm, TI	PC			141,000	
C4-1C4	Stator 4 port 2-pos int vol C4-valve	1/16*.25mm, PAEK	PC			105,000	
C42R-8144D	4 port 2-pos valve, replacement	1/2"-20*3.18MM, 50C/100PSI LIQ, E3/E2	PC			117,000	
C42R-8144EUTA	4 port 2-pos valve, u-electric, RS232/RS485	1/2"-20*3.18mm, 50C/100psi liq, E3/E2	PC			330,000	
C42R-8146D	6 port 2-pos valve, replacement	1/2"-20*3.18MM, 50C/100PSI LIQ, E3/E2	PC			128,000	
C42R-8146EUTA	6 port 2-pos valve, u-electric, RS232/485	1/2"-20*3.18MM, 50C/100PSI LIQ, E3/E2	PC			340,000	
C42R-8148D	8 port 2-pos valve, replacement	1/2"-20*3.18MM, 50C/100PSI LIQ, E3/E2	PC			142,000	
C42R-8148EUTA	8 port 2-pos valve, u-electric, RS232/485	1/2"-20*3.18MM, 50C/100PSI LIQ, E3/E2	PC			350,000	
C42R-9144D	4 port 2-pos valve, replacement	1/2"-20*3.9MM, 50C/100PSI LIQ, E3/E2	PC			117,000	
C42R-9144EUTA	4 port 2-pos valve, u-electric, RS232/485	1/2"-20*3.9MM, 50C/100PSI LIQ, E3/E2	PC			330,000	
C42R-9146D	6 port 2-pos valve, replacement	1/2"-20*3.9mm, 50C/100psi liq, E3/E2	PC			128,000	
C42R-9146EUTA	6 port 2-pos valve, u-electric, RS-232/485	1/2"-20*3.9mm, 50C/100psi liq, E3/E2	PC			340,000	
C45R-8144D	4 mpos dead-end path, replacement	1/2"-20*3.2mm, 50C/100PSI LIQ, E3/E2	PC			130,000	
C45R-8144EUTA	4 mpos dead-end path, U-electric, RS232/485	1/2"-20*3.2mm, 50C/100psi liq, E3/E2	PC			340,000	
C45R-8146D	6 mpos dead-end path, replacement	1/2"-20*3.2mm, 50C/100psi liq, E3/E2	PC			142,000	OR
C45R-8146EUTA	6 mpos dead-end path, u-electric, RS232/485	1/2"-20*3.2mm, 50C/100psi liq, E3/E2	PC			350,000	
C45R-8148D	8 mpos dead-end path, replacement	1/2"-20*2.8mm, 50C/100psi liq, E3/E2	PC			158,000	
C45R-8148EUTA	8 mpos dead-end path, u-elect,RS232/485	1/2"-20*2.8mm, 50C/100psi liq, E3/E2	PC			370,000	
C45R-81R6	Rotor 6 mpos, C45R-valve	1/2"-20*3.2mm, 50C/100psi liq, E2	PC			25,000	
C45R-8C46	Stator 6 mpos dead-end path C45R-valve	1/2"-20*3.2mm, PAEK	PC			96,000	
C45R-9144D	4 mpos dead-end path, replacement	1/2"-20*4.6MM, 50C/100PSI LIQ, E3/E2	PC			130,000	
C45R-9144EUTA	4 mpos dead-end path, u-elect, RS232/485	1/2"-20*4.6mm, 50C/100psi liq, E3/E2	PC			340,000	
C45R-9146D	6 mpos dead-end path, replacement	1/2"-20*3.9mm, 50C/100psi liq, E3/E2	PC			142,000	
C45R-9146EUTA	6 mpos dead-end path, u-elect, RS232/485	1/2"-20*3.9mm, 50C/100psi liq, E3/E2	PC			350,000	
C45R-91R6	Rotor 6 mpos, C45R-valve	1/2"-20*3.9mm, 50C/100psi liq, E2	PC			25,000	
C45R-9C46	Stator 6 mpos dead-end path C45R-valve	1/2"-20*3.9mm, E3	PC			96,000	
C4N-4004-.004	4 port 2-pos int vol valve, manual	1/32*.10mm, 75C/5000psi liq, .004 ul, N60/H	PC			193,000	
C4N-4004-.004D	4 port 2-pos int vol valve, replacement	1/32*.10mm, 75C/5000psi liq, .004ul, N60/H	PC			178,000	
C4N-4004-.004EUHA	4 port 2-pos int vol valve, U-elect, RS232/485	1/32*.10mm, 50C/5000psi liq, .004ul, N60/H	PC			380,000	O
C4N-4004-.01	4 port 2-pos int vol valve, manual	1/32*.10mm, 75C/5000psi liq, .01 ul, N60/H	PC			193,000	
C4N-4004-.01D	4 port 2-pos int vol valve, replacement	1/32*.10mm, 75C/5000psi liq, .01ul, N60/H	PC			178,000	
C4N-4004-.01EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/32*.10MM, 50C/5000PSI LIQ, .01UL, N60/H	PC			380,000	
C4N-4004-.02	4 port 2-pos int vol valve, manual	1/32*.10mm, 75C/5000psi liq, .02ul, N60/H	PC			193,000	
C4N-4004-.02D	4 port 2-pos int vol valve, replacement	1/32*.10mm, 75C/5000psi liq, .02ul, N60/H	PC			178,000	
C4N-4004-.02EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/32*.10MM, 50C/5000PSI LIQ, .02UL, N60/H	PC			380,000	
C4N-40R-.004	Rotor seal 4 port 2-pos int vol valve	1/32*.10mm, 75C/5000psi liq, .004ul, H	PC			30,000	
C4N-40R-.01	Rotor seal 4 port 2-pos int vol valve	1/32*.10mm, 75C/5000psi liq, .01ul, H	PC			30,000	
C4N-40R-.02	Rotor seal 4 port 2-pos int vol valve	1/32*.10mm, 75C/5000psi liq, .02ul, H	PC			30,000	
C4N-4344-.004	4 port 2-pos int vol valve, manual	1/32*.10mm, 50C/5000psi liq, .004ul, PAEK/E	PC			220,000	
C4N-4344-.004D	4 port 2-pos int vol valve, replacement	1/32*.10mm, 50C/5000psi liq, .004ul, PAEK/E	PC			200,000	
C4N-4344-.004EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/32*.10MM, 50C/5000PSI LIQ, .004UL, PAEK/E	PC			400,000	
C4N-4344-.01	4 port 2-pos int vol valve, manual	1/32*.10mm, 50C/5000psi liq, .01ul, PAEK/E	PC			220,000	
C4N-4344-.01D	4 port 2-pos int vol valve, replacement	1/32*.10mm, 50C/5000psi liq, .01ul, PAEK/E	PC			200,000	OR
C4N-4344-.01EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/32*.10MM, 50C/5000PSI LIQ, .01UL, PAEK/E	PC			400,000	
C4N-4344-.02	4 port 2-pos int vol valve, manual	1/32*.10mm, 50C/5000psi liq, .02ul, PAEK/E	PC			220,000	
C4N-4344-.02D	4 port 2-pos int vol valve, replacement	1/32*.10mm, 50C/5000psi liq, .02ul, PAEK/E	PC			200,000	
C4N-4344-.02EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/32*.10MM, 50C/5000PSI LIQ, .02UL, PAEK/E	PC			400,000	
C4N-43R-.004	Rotor seal 4 port 2-pos int vol valve	1/32*.10mm, 50C/5000psi liq, .004ul, E	PC			30,000	
C4N-43R-.01	Rotor seal 4 port 2-pos int vol valve	1/32*.10mm, 50C/5000psi liq, .01ul, E	PC			30,000	
C4N-43R-.02	Rotor seal 4 port 2-pos int vol valve	1/32*.10mm, 50C/5000psi liq, .02ul, E	PC			30,000	
C4N-4C0	Stator 4 port 2-pos int vol C4N-valve,	1/32*.10mm, N60	PC			134,000	
C4N-4C4H	Stator 4 port 2-pos int vol C4N-valve,	1/32*.10mm, PEAK	PC			157,000	
C4UW	!!! RECOMMEND 2C4UW	SUPPLIED WITH LARGER HANDLE	PC			0	
C4UWE	4 port 2-pos valve, manual	1/16*.75mm, 225C/400psi gas, N60/E	PC			128,000	
C4W	4 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, N60/H	PC			128,000	
C4WE	4 port 2-pos valve, manual	1/16*.4mm, 225C/400psi gas, N60/E	PC			128,000	
C5-2004	4 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, N60/H	PC			110,000	
C5-2004D	4 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			95,000	
C5-2004EUHA	4 mpos dead-end path, u-elect, RS232/485	1/16*.4mm, 50C/5000psi liq, N60/H	PC			300,000	
C5-2006	6 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, N60/H	PC			110,000	
C5-2006D	6 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			95,000	
C5-2006EUHA	6 mpos dead-end path, U-electric, RS232/485	1/16*.4MM, 50C/5000PSI LIQ, N60/H	PC			300,000	
C5-2006EUTAD	6 mpos dead-end path, u-elec, dual drive,RS232/485	1/16*.4MM, 75C/5000PSI LIQ, N60/H	PC			480,000	
C5-2006EUTDA	OBSOLETE, replaced by C5-2006EUTAD		PC			0	
C5-2034	4 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, TI/H	PC			165,000	
C5-2034D	4 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, TI/H	PC			150,000	
C5-2034EUHA	4 mpos dead-end path, U-electric, RS232/485	1/16*.4MM, 50C/5000PSI LIQ, TI/H	PC			350,000	OR
C5-2036	6 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, TI/H	PC			165,000	OR
C5-2036D	6 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, TI/H	PC			150,000	
C5-2036EUHA	6 mpos dead-end path, U-electric, RS232/485	1/16*.4MM, 50C/5000PSI LIQ, TI/H	PC			350,000	
C5-20R0H	Rotor seal 10 mpos (.180BC) dead-end path valve	1/16*.4mm, 75C/5000psi liq, H	PC			15,700	
C5-20R4	Rotor seal 4 mpos dead-end path valve	1/16*.4mm, 75C/5000psi liq, H	PC			15,700	
C5-20R6	Rotor seal 6 mpos dead-end path valve	1/16*.4mm, 75C/5000psi liq, H	PC			15,700	
C5-20R8H	Rotor seal 8 mpos (.180BC) dead-end path valve	1/16*.4mm, 75C/5000psi liq, H	PC			15,700	
C52-1000I	10 port 2-pos valve, integrated actuator	1/16*.25mm, 50C/5000psi liq, N60/H	PC			240,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
C52-1000IA	10 port 2-pos valve, integrated actuator/RS-232	1/16*.25MM, 50C/5000PSI LIQ, N60/H	PC			240,000	
C52-1000I-S	10 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, N60/H	PC			220,000	
C52-1000IX	10 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, N60/H	PC			220,000	
C52-1004I	4 port 2-pos valve, integrated actuator	1/16*.25mm, 50C/5000psi liq, N60/H	PC			210,000	
C52-1004IA	4 port 2-pos valve, integrated actuator/RS-232	1/16*.25MM, 50C/5000PSI LIQ, N60/H	PC			220,000	
C52-1004I-S	4 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, N60/H	PC			196,000	OR
C52-1004IX	4 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, N60/H	PC			190,000	OR
C52-1006I	6 port 2-pos valve, integrated actuator	1/16*.25mm, 50C/5000psi liq, N60/H	PC			210,000	
C52-1006IA	6 port 2-pos valve, integrated actuator/RS-232	1/16*.25MM, 50C/5000PSI LIQ, N60/H	PC			220,000	
C52-1006I-S	6 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, N60/H	PC			196,000	
C52-1006IX	6 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, N60/H	PC			190,000	
C52-1008I	8 port 2-pos valve, integrated actuator	1/16*.25mm, 50C/5000psi liq, N60/H	PC			230,000	O
C52-1008IA	8 port 2-pos valve, integrated actuator/RS-232	1/16*.25MM, 50C/5000PSI LIQ, N60/H	PC			230,000	
C52-1008I-S	8 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, N60/H	PC			210,000	
C52-1008IX	8 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, N60/H	PC			210,000	
C52-1340I	10 port 2-pos valve, integrated actuator	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			260,000	
C52-1340IA	10 port 2-pos valve, integrated actuator/RS-232	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			270,000	
C52-1340I-S	10 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			250,000	
C52-1340IX	10 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			240,000	
C52-1344I	4 port 2-pos valve, integrated actuator	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			240,000	
C52-1344IA	4 port 2-pos valve, integrated actuator/RS-232	1/16*.25MM, 50C/5000PSI LIQ, PAEK/E	PC			240,000	
C52-1344I-S	4 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			220,000	
C52-1344IX	4 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			220,000	
C52-1346I	6 port 2-pos valve, integrated actuator	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			240,000	
C52-1346IA	6 port 2-pos valve, integrated actuator/RS-232	1/16*.25MM, 50C/5000PSI LIQ, PAEK/E	PC			240,000	
C52-1346I-S	6 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			220,000	
C52-1346IX	6 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			220,000	
C52-1348I	8 port 2-pos valve, integrated actuator	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			250,000	
C52-1348IA	8 port 2-pos valve, integrated actuator/RS-232	1/16*.25MM, 50C/5000PSI LIQ, PAEK/E	PC			250,000	
C52-1348I-S	8 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			230,000	
C52-1348IX	8 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			230,000	
C52-1C00	Stator 10 port 2-pos C52-valve	1/16*.25mm, (.180), N60	PC			96,000	
C52-1C04	Stator 4 port 2-pos C52-valve	1/16*.25mm, (.100), N60	PC			81,000	
C52-1C06	Stator 6 port 2-pos C52-valve	1/16*.25mm, N60	PC			81,000	
C52-1C08	Stator 8 port 2-pos C52-valve	1/16*.25mm, (.180), N60	PC			89,000	
C52-1C40	Stator 10 port, 2-pos C52-valve	1/16*.25mm, (.100), E3	PC			105,000	
C52-1C44	Stator 4 port, 2-pos C52-valve	1/16*.25mm, (.100), E3	PC			105,000	
C52-1C46	Stator 6 port, 2-pos C52-valve	1/16*.25mm, (.100), E3	PC			105,000	
C52-1C48	Stator 8 port, 2-pos C52-valve	1/16*.25mm, (.100), E3	PC			112,000	
C52-2000I	10 port 2-pos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, N60/H	PC			210,000	
C52-2000IA	10 port 2-pos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, N60/H	PC			210,000	
C52-2000I-S	10 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	PC			189,000	
C52-2000IX	10 port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	PC			182,000	
C52-2004I	4 port 2-pos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, N60/H	PC			179,000	
C52-2004IA	4 port 2-pos valve, integrated actuator/RS-232	1/16*.4MM, 50C/5000PSI LIQ, N60/H	PC			186,000	
C52-2004I-S	4 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	PC			165,000	O
C52-2004IX	4 port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	PC			159,000	
C52-2006I	6 port 2-pos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, N60/H	PC			179,000	
C52-2006IA	6 port 2-pos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, N60/H	PC			186,000	
C52-2006I-S	6 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	PC			165,000	O
C52-2006IX	6 port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	PC			159,000	OR
C52-2008I	8 port 2-pos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, N60/H	PC			190,000	
C52-2008IA	8 port 2-pos valve, integrated actuator/RS-232	1/16*.4mm 50C/5000psi liq, N60/H	PC			198,000	
C52-2008I-S	8 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	PC			177,000	OR
C52-2008IX	8 port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	PC			170,000	
C52-2340I	10 port 2-pos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			230,000	
C52-2340IA	10 port 2-pos valve, integrated actuator/RS-232	1/16*.4MM, 50C/5000PSI LIQ, PAEK/E	PC			210,000	
C52-2340I-S	10 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			210,000	
C52-2340IX	10 port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			210,000	
C52-2344I	4 port 2-pos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			200,000	
C52-2344IA	4 port 2-pos valve, integrated actuator/RS-232	1/16*.4MM, 50C/5000PSI LIQ, PAEK/E	PC			210,000	
C52-2344I-S	4 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			187,000	
C52-2344IX	4 port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			180,000	
C52-2346I	6 port 2-pos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			200,000	
C52-2346IA	6 port 2-pos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			210,000	
C52-2346IF	6 port 2-pos valve, integrated actuator/RS-485	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			220,000	
C52-2346I-S	6 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			187,000	
C52-2346IX	6 port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			180,000	
C52-2348I	8 port 2-pos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			220,000	
C52-2348IA	8 port 2-pos valve, integrated actuator/RS-232	1/16*.4MM, 50C/5000PSI LIQ, PAEK/E	PC			198,000	OR
C52-2348I-S	6 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			199,000	OR
C52-2348IX	8 port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			192,000	
C52-2C00	Stator 10 port 2-pos C52-valve	1/16*.4mm, N60	PC			74,000	
C52-2C04	Stator 4 port 2-pos C52-valve	1/16*.4mm, N60	PC			59,000	
C52-2C06	Stator 6 port 2-pos C52-valve	1/16*.4mm, N60	PC			59,000	
C52-2C08	Stator 8 port 2-pos C52-valve	1/16*.4mm, N60	PC			66,000	
C52-2C40	Stator 10 port, 2-pos C52-valve	1/16*.4mm, (BC .180), PAEK	PC			98,000	
C52-2C44	Stator 4 port, 2-pos C52-valve	1/16*.4mm, PAEK	PC			82,000	
C52-2C46	Stator 6 port, 2-pos C52-valve	1/16*.4mm, PAEK	PC			82,000	
C52-2C48	Stator 8 port, 2-pos C52-valve	1/16*.4mm, (BC .180), PAEK	PC			91,000	
C5-2344	4 mpos dead-end path, manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			131,000	O
C5-2344D	4 mpos dead-end path, replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			116,000	
C5-2344EUHA	4 mpos dead-end path, u-electric, RS232/485	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			320,000	O
C5-2346	6 mpos dead-end path, manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			131,000	O
C5-2346D	6 mpos dead-end path, replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			116,000	
C5-2346EUHA	6 mpos dead-end path, u-electric, RS232/485	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			320,000	O

備考: O= Obsolete : OR = On Request

上記金額は税別です。予告なく変更される場合があります。

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
C5-2346EUTAD	6 mpos dead-end path, U-elec,RS232/485, dual drive	1/16*.4MM, 50C/5000PSI LIQ, PAEK/E	PC			530,000	
C5-2346EUTDA	OBSOLETE, replaced by C5-2346EUTAD		PC			0	
C5-23ROH	Rotor seal 10 mpos (.180BC) dead-end path valve	1/16*.4mm, 50C/5000psi liq, E	PC			15,700	
C5-23R4	Rotor seal 4 mpos dead-end path valve	1/16*.4mm, 50C/5000psi liq, E	PC			15,700	
C5-23R6	Rotor seal 6 mpos dead-end path valve	1/16*.4mm, 50C/5000psi liq, E	PC			15,700	
C5-23R8H	Rotor seal 8 mpos (.180BC) dead-end path valve	1/16*.4mm, 50C/5000psi liq, E	PC			15,700	
C5-2C00H	Stator 10 mpos (.180BC) dead-end path C5-valve	1/16*.4mm, N60	PC			86,000	
C5-2C04	Stator 4 mpos dead-end path C5-valve	1/16*.4mm, N60	PC			71,000	
C5-2C06	Stator 6 mpos dead-end path C5-valve	1/16*.4mm, N60	PC			71,000	
C5-2C08H	Stator 8 mpos (.180BC) dead-end path C5-valve	1/16*.4mm, N60	PC			79,000	
C5-2C30H	Stator 10 mpos (.180BC) dead-end path C5-valve	1/16*.4mm, Titanium	PC			146,000	
C5-2C34	Stator 4 mpos dead-end path C5-valve	1/16*.4mm, Titanium	PC			134,000	
C5-2C36	Stator 6 mpos dead-end path C5-valve	1/16*.4mm, Titanium	PC			130,000	
C5-2C38H	Stator 8 mpos (.180BC) dead-end path C5-valve	1/16*.4mm, Titanium	PC			139,000	
C5-2C40H	Stator 10 mpos (.180BC) dead-end path C5-valve	1/16*.4mm, PEAK	PC			109,000	
C5-2C44	Stator 4 mpos dead-end path C5-valve	1/16*.4mm, PAEK	PC			95,000	
C5-2C46	Stator 6 mpos dead-end path C5-valve	1/16*.4mm, PAEK	PC			95,000	
C5-2C48H	Stator 8 mpos (.180BC) dead-end path C5-valve	1/16*.4mm, PAEK	PC			102,000	
C55-2000I	10 mpos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, N60/H	PC			230,000	
C55-2000IA	10 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, N60/H	PC			230,000	
C55-2000I-S	10 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	PC			210,000	
C55-2000IX	10 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	PC			210,000	
C55-2004I	4 mpos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, N60/H	PC			198,000	
C55-2004IA	4 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, N60/H	PC			210,000	
C55-2004I-S	4 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	PC			185,000	
C55-2004IX	4 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	PC			178,000	
C55-2006I	6 mpos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, N60/H	PC			198,000	OR
C55-2006IA	6 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, N60/H	PC			210,000	
C55-2006I-S	6 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	PC			185,000	
C55-2006IX	6 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	PC			178,000	
C55-2008I	8 mpos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, N60/H	PC			210,000	
C55-2008IA	8 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, N60/H	PC			220,000	
C55-2008I-S	8 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	PC			196,000	
C55-2008IX	8 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	PC			190,000	
C55-2340I	10 mpos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			250,000	
C55-2340IA	10 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			260,000	
C55-2340I-S	10 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			230,000	
C55-2340IX	10 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			230,000	
C55-2344I	4 mpos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			220,000	
C55-2344IA	4 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			230,000	
C55-2344I-S	4 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			210,000	
C55-2344IX	4 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			200,000	OR
C55-2346I	6 mpos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			220,000	
C55-2346IA	6 mpos valve, motor, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			230,000	
C55-2346I-S	6 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			210,000	
C55-2346IX	6 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			200,000	
C55-2348I	8 mpos valve, integrated actuator	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			240,000	
C55-2348IA	8 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			240,000	
C55-2348I-S	8 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			220,000	
C55-2348IX	8 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			220,000	
C55-2C00	Stator 10 mpos dead-end path C55-valve	1/16*.4mm, N60	PC			86,000	
C55-2C04	Stator 4 mpos dead-end path C55-valve	1/16*.4mm, N60	PC			71,000	
C55-2C06	Stator 6 mpos dead-end path C55-valve	1/16*.4mm, N60	PC			71,000	
C55-2C08	Stator 8 mpos dead-end path C55-valve	1/16*.4mm, N60	PC			79,000	
C55-2C40	Stator 10 mpos dead-end path C55-valve	1/16*.4mm, PAEK	PC			109,000	
C55-2C44	Stator 4 mpos dead-end path C55-valve	1/16*.4mm, PAEK	PC			95,000	
C55-2C46	Stator 6 mpos dead-end path C55-valve	1/16*.4mm, PAEK	PC			95,000	
C55-2C48	Stator 8 mpos dead-end path C55-valve	1/16*.4mm, PAEK	PC			102,000	
C5H-2000	10 mpos dead-end path, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, N60/H	PC			130,000	
C5H-2000D	10 mpos dead-end path, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			115,000	
C5H-2000EUHA	10 mpos dead-end path, (.180BC), U-elec,RS232/485	1/16*.4MM, 50C/5000PSI LIQ, N60/H	PC			320,000	
C5H-2000EUTAD	10 mpos dead-end path, (.180BC), U-elec,RS232/485	1/16*.4MM, 75C/5000PSI LIQ, N60/H, DUAL DRIVE	PC			520,000	
C5H-2000EUTDA	OBSOLETE, replaced by C5H-2000EUTAD		PC			0	
C5H-2008	8 mpos dead-end path, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, N60/H	PC			120,000	
C5H-2008D	8 mpos dead-end path, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			105,000	
C5H-2008EUHA	8 mpos dead-end path, (.180BC), U-elec,RS232/485	1/16*.4MM, 50C/5000PSI LIQ, N60/H	PC			310,000	
C5H-2008EUTAD	8 mpos dead-end path, (.180BC), U-elec,RS232/485	1/16*.4mm, 75C/5000psi liq, N60/H	PC			500,000	
C5H-2008EUTDA	OBSOLETE, replaced by C5H-2008EUTAD		PC			0	
C5H-2030	10 mpos dead-end path, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, Ti/H	PC			185,000	
C5H-2030D	10 mpos dead-end path, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	PC			170,000	
C5H-2030EUHA	10 mpos dead-end path, (.180BC), U-elec,RS232/485	1/16*.4mm, 50C/5000psi liq, Ti/H	PC			370,000	
C5H-2038	8 mpos dead-end path, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, Ti/H	PC			175,000	
C5H-2038D	8 mpos dead-end path, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	PC			160,000	
C5H-2038EUHA	8 mpos dead-end path, (.180BC), U-elec,RS232/485	1/16*.4MM, 50C/5000PSI LIQ, Ti/H	PC			360,000	0
C5H-2340	10 mpos dead-end path, (.180BC) manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			151,000	
C5H-2340D	10 mpos dead-end path, (.180BC) replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			136,000	
C5H-2340EUHA	10 mpos dead-end path, (.180BC), U-elec,RS232/485	1/16*.4mm, 50C/5000PSI LIQ, PAEK/E	PC			340,000	
C5H-2340EUTAD	10 mpos dead-end path (.180BC), U-elec,RS232/485	1/16*.4MM, 50C/5000PSI LIQ, PAEK/E, DUAL DRIVE	PC			570,000	
C5H-2340EUTDA	OBSOLETE, replaced by C5H-2340EUTAD		PC			0	
C5H-2348	8 mpos dead-end path, (.180BC) manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			141,000	
C5H-2348D	8 mpos dead-end path, (.180BC) replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			126,000	
C5H-2348EUHA	8 mpos dead-end path, (.180BC), U-elec,RS232/485	1/16*.4MM, 50C/5000PSI LIQ, PAEK/E	PC			330,000	
C5H-2348EUTAD	8 mpos dead-end path, (.180BC), U-elec, RS232/485	1/16*.4MM, 50C/5000PSI LIQ, PAEK/E, DUAL DRIVE	PC			550,000	
C5H-2348EUTDA	OBSOLETE, replaced by C5H-2348EUTAD		PC			0	
C6-1006	6 port 2-pos valve, cont. flow, manual	1/16*.25mm, 75C/5000psi liq, N60/H	PC			134,000	
C6-1006D	6 port 2-pos valve, cont. flow, replacement	1/16*.25mm, 75C/5000psi liq, N60/H	PC			119,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
C6-1006EUHA	6 port 2-pos valve, cont. flow, U-elec,RS232/485	1/16*.25MM, 50C/5000PSI LIQ, N60/H,	PC			320,000	
C6-1346	6 port 2-pos valve, cont. flow, manual	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			155,000	OR
C6-1346D	6 port 2-pos valve, cont. flow, replacement	1/16*.25mm, 50C/5000psi liq, PAEK/E	PC			140,000	
C6-1346EUHA	6 port 2-pos valve, cont. flow, U-elec,RS232/485	1/16*.25MM, 50C/5000PSI LIQ, PAEK/E	PC			340,000	
C6-1C06	Stator 6 port 2-pos C6-valve	1/16*.25mm, N60	PC			89,000	
C6-1C46	Stator 6 port 2-pos, cont. flow valve	1/16*.25mm, PAEK	PC			112,000	
C6-2006	6 port 2-pos valve, cont. flow, manual	1/16*.4mm, 75C/5000psi liq, N60/H	PC			104,000	
C6-2006D	6 port 2-pos valve, cont. flow, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			89,000	
C6-2006EUHA	6 port 2-pos valve, cont. flow, U-elec,RS232/485	1/16*.4mm, 50C/5000psi liq, N60/H	PC			290,000	
C62-310	Rotor seal 10 port 2-pos C62-valve	1/4"-28*0.75mm, E2	PC			10,800	
C62-314	Rotor seal 4 port	.032, (.240), C62	PC			10,800	
C62-316	Rotor seal 6 port 2-pos C62-valve	1/4"-28*0.75mm, E2	PC			10,800	
C62-318	Rotor seal 8 port 2-pos C62-valve	1/4"-28*.75mm, 75C/250psi liq, E2	PC			10,800	
C62-3180I	OBSOLETE, replaced by C62H-3180I	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			0	
C62-3180IA	OBSOLETE, replaced by C62H-3180IA	1/4"-28*0.75MM, 50C/250PSI LIQ, PPS/E2	PC			0	
C62-3180I-S	OBSOLETE, replaced by C62H-3180I-S	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			0	
C62-3184I	4 port 2-pos valve, integrated actuator	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			150,000	
C62-3184IA	4 port 2-pos valve, integrated actuator/RS-232	1/4"-28*0.75MM, 50C/250PSI LIQ, PPS/E2	PC			158,000	
C62-3184IF	4 port 2-pos, integrated actuator/RS-485	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			167,000	
C62-3184I-S	4 port 2-pos valve, motor, sensor	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			137,000	
C62-3186I	6 port 2-pos valve, integrated actuator	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			150,000	
C62-3186IA	6 port 2-pos, integrated actuator/RS-232	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			158,000	
C62-3186I-S	6 port 2-pos valve, motor, sensor	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			137,000	
C62-3188I	OBSOLETE, replaced by C62H-3188I	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			0	OR
C62-3188IA	OBSOLETE, replaced by C62H-3188IA	1/4"-28*0.75MM, 50C/250PSI LIQ, PPS/E2	PC			0	
C62-3188I-S	OBSOLETE, replaced by C62H-3188I-S	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			0	OR
C6-2346	6 port 2-pos valve, cont. flow, manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			125,000	
C6-2346D	6 port 2-pos valve, cont. flow, replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	PC			110,000	OR
C6-2346EUHA	6 port 2-pos valve, cont. flow, U-elec,RS232/485	1/16*.4MM, 50C/5000PSI LIQ, PAEK/E	PC			310,000	
C62-384	Stator/Cap, 4port,.032, 1/4-28, (.240), PPS		PC			46,000	
C62-386	Stator 6 port 2-pos C62-valve	1/4"-28*0.75mm, (.240 BC), PPS	PC			46,000	
C62-388	Stator 8 port 2-pos C62-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	PC			61,000	
C62-610	Rotor-E2, 10Pt,.062,(.450),E2		PC			10,800	
C62-614	Rotor seal 4 port 2-pos C62-vlv	1/4"-28*1.5mm, 50C/250psi liq, E2	PC			10,800	
C62-616	Rotor seal 6 port 2-pos C62-valve	1/4"-28*1.5mm, (.320 BC), E2	PC			10,800	
C62-618	Rotor seal 8 port 2-pos C62-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	PC			10,800	
C62-6180I	OBSOLETE, replaced by C62D-6180I	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			0	OR
C62-6180IA	OBSOLETE, replaced by C62D-6180IA	1/4"-28*1.5MM, 50C/250PSI LIQ, PPS/E2	PC			0	
C62-6180I-S	OBSOLETE, replaced by C62D-6180I-S	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			0	
C62-6184I	4 port 2-pos valve, integrated actuator	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			150,000	OR
C62-6184IA	4 port 2-pos, integrated actuator/RS-232	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			158,000	
C62-6184I-S	4 port 2-pos valve, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			137,000	
C62-6186I	6 port 2-pos valve, integrated actuator	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			150,000	
C62-6186IA	6 port 2-pos, integrated actuator/RS-232	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			158,000	OR
C62-6186I-S	6 port 2-pos valve, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			137,000	
C62-6188I	OBSOLETE, replaced by C62D-6188I	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			0	
C62-6188IA	OBSOLETE, replaced by C62D-6188IA	1/4"-28*1.5MM, 50C/250PSI LIQ, PPS/E2	PC			0	
C62-6188I-S	OBSOLETE, replaced by C62D-6188I-S	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			0	
C62-684	Stator 4 port 2-pos C62-valve	1/4"-28*1.5mm, 50C/250psi liq, PPS	PC			46,000	
C62-686	Stator 6 port, 2-pos C62-valve	1/4"-28*1.5mm, (.320 BC), PPS	PC			46,000	
C62-688	Stator 8 port 2-pos C62-valve	1/4"-28*1.5mm, (.400 BC), PPS	PC			61,000	
C6-2C06	Stator 6 port 2-pos, cont. flow valve	1/16*.4mm, N60	PC			66,000	
C6-2C46	Stator 6 port 2-pos, cont. flow valve	1/16*.4mm, PAEK	PC			91,000	
C62D-6180I	10 port 2-pos valve, motor, sensor, controller	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			192,000	
C62D-6180IA	10 port 2-pos valve, integrated actuator/RS-232	1/4"-28*1.5MM, 50C/250PSI LIQ, PPS/E2	PC			200,000	
C62D-6180I-S	10 port 2-pos valve, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			179,000	
C62D-6188I	8 port 2-pos valve, motor, sensor, controller	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			187,000	
C62D-6188IA	8 port 2-pos valve, integrated actuator/RS-232	1/4"-28*1.5MM, 50C/250PSI LIQ, PPS/E2	PC			195,000	
C62D-6188I-S	8 port 2-pos valve, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			174,000	
C62H-3180I	10 port 2-pos valve, motor, sensor, controller	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			174,000	
C62H-3180IA	10 port 2-pos valve, integrated actuator/RS-232	1/4"-28*0.75MM, 50C/250PSI LIQ, PPS/E2	PC			181,000	
C62H-3180I-S	10 port 2-pos valve, motor, sensor	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			160,000	
C62H-3188I	8 port 2-pos valve, motor, sensor, controller	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			169,000	
C62H-3188IA	8 port 2-pos valve, integrated actuator/RS-232	1/4"-28*0.75MM, 50C/250PSI LIQ, PPS/E2	PC			176,000	
C62H-3188I-S	8 port 2-pos valve, motor, sensor	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			155,000	
C62Z-3180I	10 port 2-pos valve, integrated actuator	1/16***.75mm, 50C/250psi liq, PPS/E2	PC			161,000	
C62Z-3180IA	10 port 2-pos valve, integrated actuator/RS-232	1/16***.75MM, 50C/250PSI LIQ, PPS/E2	PC			169,000	
C62Z-3180I-S	10 port 2-pos valve, motor, sensor	1/16***.75mm, 50C/250psi liq, PPS/E2	PC			148,000	
C62Z-3184I	4 port 2-pos valve, integrated actuator	1/16***.75mm, 50C/250psi liq, PPS/E2	PC			150,000	
C62Z-3184IA	4 port 2-pos, integrated actuator/RS-232	1/16***.75mm, 50C/250psi liq, PPS/E2	PC			158,000	OR
C62Z-3184I-S	4 port 2-pos valve, motor, sensor	1/16***.75mm, 50C/250psi liq, PPS/E2	PC			137,000	
C62Z-3186I	6 port 2-pos valve, integrated actuator	1/16***.75mm, 50C/250psi liq, PPS/E2	PC			150,000	OR
C62Z-3186IA	6 port 2-pos, integrated actuator/RS-232	1/16***.75mm, 50C/250psi liq, PPS/E2	PC			158,000	OR
C62Z-3186I-S	6 port 2-pos valve, motor, sensor	1/16***.75mm, 50C/250psi liq, PPS/E2	PC			137,000	
C62Z-3188I	8 port 2-pos valve, integrated actuator	1/16***.75mm, 50C/250psi liq, PPS/E2	PC			156,000	
C62Z-3188IA	8 port 2-pos valve, integrated actuator/RS-232	1/16***.75mm, 50C/250psi liq, PPS/E2	PC			164,000	
C62Z-3188I-S	8 port 2-pos valve, motor, sensor	1/16***.75mm, 50C/250psi liq, PPS/E2	PC			143,000	
C62Z-380	Stator 10 Port 2-pos	1/16*.75mm, (.340 BC), PPS	PC			56,000	
C62Z-384	Stator 4 Port 2-pos	1/16*.75mm, (.240 BC), PPS	PC			46,000	
C62Z-386	Stator 6 Port 2-pos	1/16*.75mm, (.240 BC), PPS	PC			46,000	
C62Z-388	Stator 8 Port 2-pos	1/16*.75mm, (.340 BC), PPS	PC			53,000	
C65-3180I	OBSOLETE, replaced by C65H-3180I	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			0	
C65-3180IA	OBSOLETE, replaced by C65H-3180IA	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			0	
C65-3180I-S	OBSOLETE, replaced by C65H-3180I-S	1/4"-28*.75MM, 50C/250PSI LIQ, PPS/E2	PC			0	
C65-3184I	4 mpos dead-end path, integrated actuator	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			158,000	
C65-3184IA	4 mpos dead-end path, integrated actuator/RS-232	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			165,000	OR

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
C65-3184I-S	4 mpos dead-end path, motor, sensor	1/4"-28*0.75MM, 50C/250PSI LIQ, PPS/E2	PC			145,000	
C65-3186I	6 mpos dead-end path, integrated actuator	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			158,000	OR
C65-3186IA	6 mpos dead-end path, integrated actuator/RS-232	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			165,000	
C65-3186IF	6 mpos dead-end path, integrated actuator/RS-485	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			175,000	
C65-3186I-S	6 mpos dead-end path, motor, sensor	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			145,000	
C65-3188I	OBSOLETE, replaced by C65H-3188I	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			0	
C65-3188IA	OBSOLETE, replaced by C65H-3188IA	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			0	
C65-3188I-S	OBSOLETE, replaced by C65H-3188I-S	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			0	
C65-6180I	OBSOLETE, replaced by C65D-6180I	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			0	
C65-6180IA	OBSOLETE, replaced by C65D-6180IA	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			0	
C65-6180I-S	OBSOLETE, replaced by C65D-6180I-S	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			0	
C65-6184I	4 mpos dead-end path, integrated actuator	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			158,000	
C65-6184IA	4 mpos dead-end path, integrated actuator/RS-232	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			165,000	
C65-6184I-S	4 mpos dead-end path, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			145,000	OR
C65-6186I	6 mpos dead-end path, integrated actuator	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			158,000	
C65-6186IA	6 mpos dead-end path, integrated actuator/RS-232	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			165,000	
C65-6186I-S	6 mpos dead-end path, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			145,000	
C65-6188I	OBSOLETE, replaced by C65D-6188I	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			0	
C65-6188IA	OBSOLETE, replaced by C65D-6188IA	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			0	
C65-6188I-S	OBSOLETE, replaced by C65D-6188I-S	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			0	
C65D-6180I	10 mpos dead-end path, motor, sensor, controller	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			210,000	
C65D-6180IA	10 mpos dead-end path, integrated actuator/RS-232	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			210,000	
C65D-6180I-S	10 mpos dead-end path, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			189,000	
C65D-6188I	8 mpos dead-end path, motor, sensor, controller	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			197,000	
C65D-6188IA	8 mpos dead-end path, integrated actuator/RS-232	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			210,000	
C65D-6188I-S	8 mpos dead-end path, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	PC			184,000	
C65H-3180I	10 mpos dead-end path, integrated actuator	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			184,000	OR
C65H-3180IA	10 mpos dead-end path, integrated actuator/RS-232	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			191,000	
C65H-3180I-S	10 mpos dead-end path, motor, sensor	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			170,000	
C65H-3188I	8 mpos dead-end path, integrated actuator	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	PC			179,000	
C65H-3188IA	8 mpos dead-end path, integrated actuator/RS-232	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			186,000	
C65H-3188I-S	8 mpos dead-end path, motor, sensor	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	PC			165,000	
C65Z-3180I	10 mpos dead-end path, integrated actuator	1/16"*.75mm, 50C/250psi liq, PPS/E2	PC			171,000	
C65Z-3180IA	10 mpos dead-end path, integrated actuator/RS232	1/16*.75mm, 50C/250psi liq, PPS/E2	PC			179,000	
C65Z-3180I-S	10 mpos dead-end path,motor, sensor	1/16"*.75mm, 50C/250psi liq, PPS/E2	PC			158,000	
C65Z-3184I	4 mpos dead-end path, integrated actuator	1/16"*.75mm, 50C/250psi liq, PPS/E2	PC			158,000	
C65Z-3184IA	4 mpos dead-end path, integrated actuator/RS232	1/16"*.75mm, 50C/250psi liq, PPS/E2	PC			165,000	
C65Z-3184I-S	4 mpos dead-end path, motor, sensor	1/16"*.75mm, 50C/250psi liq, PPS/E2	PC			145,000	
C65Z-3186I	6 mpos dead-end path, integrated actuator	1/16"*.75mm, 50C/250psi liq, PPS/E2	PC			158,000	
C65Z-3186IA	6 mpos dead-end path, integrated actuator/RS-232	1/16*.75mm, 50C/250psi liq, PPS/E2	PC			165,000	
C65Z-3186I-S	6 mpos dead-end path, motor, sensor	1/16"*.75mm, 50C/250psi liq, PPS/E2	PC			145,000	
C65Z-3188I	8 mpos dead-end path, integrated actuator	1/16"*.75mm, 50C/250psi liq, PPS/E2	PC			167,000	
C65Z-3188IA	8 mpos dead-end path, integr. actuator/RS-232	1/16"*.75mm, 50C/250psi liq, PPS/E2	PC			175,000	
C65Z-3188I-S	8 mpos dead-end path, motor, sensor	1/16"*.75mm, 50C/250psi liq, PPS/E2	PC			154,000	
C6UW	!!! RECOMMEND 2C6UW	SUPPLIED WITH LARGER HANDLE	PC			0	
C6UWE	6 port 2-pos valve, manual	1/16*.75mm, 225C/400psi gas, N60/E	PC			139,000	
C6W	6 port 2-pos valve, manual	1/16*.4mm, 75C/500psi liq, N60/H	PC			139,000	
C6WE	6 port 2-pos valve, manual	1/16*.4mm, 225C/400psi gas, N60/E	PC			139,000	
C72-15R0	OBSOLETE, replaced by C72-16R4	1/16*.25mm, 50C/all pressures liq,E5	PC			0	
C72-15R4	OBSOLETE, replaced by C72-16R4	1/16*.25mm, 50C/all pressures liq,E5	PC			0	
C72-15R6	OBSOLETE, replaced by C72-16R4	1/16*.25mm, 50C/all pressures liq,E5	PC			0	
C72-15R8	OBSOLETE, replaced by C72-16R4	1/16*.25mm, 50C/all pressures liq,E5	PC			0	
C72-16R0	Rotor seal 10 port 2-pos C72-valve	1/16*.25mm, 50C/all pressures liq,E3	PC			19,600	
C72-16R4	Rotor seal 4 port 2-pos C72-valve	1/16*.25mm, 50C/all pressures liq,E3	PC			19,600	
C72-16R6	Rotor seal 6 port 2-pos C72-valve	1/16*.25mm, 50C/all pressures liq, E3	PC			19,600	
C72-16R8	Rotor seal 8 port 2-pos C72-valve	1/16*.25mm, 50C/all pressures liq,E3	PC			19,600	
C72-1C70	Stator 10 port 2-pos C72-valve	1/16*.25mm, N60C	PC			132,000	
C72-1C74	Stator 4 port 2-pos C72-valve	1/16*.25mm,N60C	PC			116,000	O
C72-1C76	Stator 6 port 2-pos C72-valve	1/16*.25mm, N60C	PC			116,000	
C72-1C78	Stator 8 port 2-pos C72-valve	1/16*.25mm, N60C	PC			123,000	
C72M-65R0	OBSOLETE, replaced by C72M-66R0	360µm, .15mm, 50C/all pressures liq,E5	PC			19,600	
C72M-65R6	OBSOLETE, replaced by C72M-66R6	360µm, .15mm, 50C/all pressures liq,E5	PC			19,600	
C72M-66R0	Rotor seal 10 port 2-pos C72M-valve	360µm, .15mm, 50C/all pressures liq,E3	PC			19,600	
C72M-66R6	Rotor seal 6 port 2-pos C72M-valve	360µm, .15mm, 50C/all pressures liq,E3	PC			19,600	
C72M-6C70	Stator 10 port 2-pos C72M-valve	360um, .15mm, N60C	PC			196,000	
C72M-6C76	Stator 6 port 2-pos C72M-valve	360um, .15mm, N60C	PC			157,000	
C72MX-6570	OBSOLETE, replaced by C72MX-6670	360um*.15mm, 50C/15000psi liq, N60C/E5	PC			0	
C72MX-6570D	OBSOLETE, replaced by C72MX-6670D	360um*.15mm, 50C/15000psi liq, N60C/E5	PC			0	
C72MX-6570EUDA	OBSOLETE, replaced by C72MX-6670EUDA	360um*.15mm, 50C/15000psi liq, N60C/E5	PC			0	
C72MX-6576	OBSOLETE, replaced by C72MX-6676	360um*.15mm, 50C/15000psi liq, N60C/E5	PC			0	
C72MX-6576D	OBSOLETE, replaced by C72MX-6676D	360um*.15mm, 50C/15000psi liq, N60C/E5	PC			0	
C72MX-6576EUHA	OBSOLETE, replaced by C72MX-6676EUHA	360UM*.15MM, 50C/15000PSI LIQ, N60C/E5	PC			0	
C72MX-6670	10 port 2-pos valve, manual	360um*.15mm, 50C/15000psi liq, N60C/E3	PC			280,000	
C72MX-6670D	10 port 2-pos valve, replacement	360um*.15mm, 50C/15000psi liq, N60C/E3	PC			260,000	
C72MX-6670EUDA	10 port 2-pos valve, U-electric, RS232/485	360um*.15mm, 50C/15000psi liq, N60C/E3	PC			460,000	
C72MX-6676	6 port 2-pos valve, manual	360um*.15mm, 50C/15000psi liq, N60C/E3	PC			260,000	
C72MX-6676D	6 port 2-pos valve, replacement	360um*.15mm, 50C/15000psi liq, N60C/E3	PC			240,000	
C72MX-6676EUHA	6 port 2-pos valve, U-electric, RS232/485	360UM*.15MM, 50C/15000PSI LIQ, N60C/E3	PC			440,000	
C72N-65R0	OBSOLETE, replaced by C72N-66R0	1/32*.15mm, 50C/all pressures liq,E5	PC			0	
C72N-65R6	OBSOLETE, replaced by C72N-66R6	1/32*.15mm, 50C/all pressures liq,E5	PC			0	
C72N-66R0	Rotor seal 10 port 2-pos C72N-valve	1/32*.15mm, 50C/all pressures liq,E3	PC			19,600	
C72N-66R6	Rotor seal 6 port 2-pos C72N-valve	1/32*.15mm, 50C/all pressures liq,E3	PC			19,600	
C72N-6C70	Stator 10 port 2-pos C72N-valve	1/32*.15mm N60C	PC			159,000	
C72N-6C76	Stator 6 port 2-pos C72N-valve	1/32*.15mm N60C	PC			144,000	
C74-15R-.05	OBSOLETE, replaced by C74-16R-.05	1/16*.25mm, 50C/all pressures liq, .05ul,E5	PC			0	
C74-15R-.1	OBSOLETE, replaced by C74-16R-.1	1/16*.25mm, 50C/all pressures liq,E5	PC			0	

備考: O= Obsolete ; OR = On Request

上記金額は税別です。予告なく変更される場合があります。

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
C74-16R-.05	Rotor seal 4 port 2-pos int vol valve, C74-valve	1/16*.25mm, 50C/all pressures liq, .05ul, E3	PC			19,600	
C74-16R-.1	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 50C/all pressures liq,E3	PC			19,600	
C74-1C7	Stator 4 port 2-pos C74-valve	1/16*.25mm, N60C	PC			116,000	
C74N-6C7	Stator 4 port 2-pos C74-valve	1/32*.15mm, N60C	PC			144,000	
C75-15R0	OBSOLETE, replaced by C75-16R0	1/16*.25mm, 50C/all pressures liq,E5	PC			0	
C75-15R6	OBSOLETE, replaced by C75-16R6	1/16*.25mm, 50C/all pressures liq,E5	PC			0	
C75-15R8	OBSOLETE, replaced by C75-16R8	1/16*.25mm, 50C/all pressures liq,E5	PC			0	
C75-16R0	Rotor seal 11 port 10-pos C75-valve	1/16*.25mm, 50C/all pressures liq,E3	PC			19,600	
C75-16R6	Rotor seal 7 port 6-pos C75-valve	1/16*.25mm, 50C/all pressures liq,E3	PC			19,600	
C75-16R8	Rotor seal 9 port 8-pos C75-valve	1/16*.25mm, 50C/all pressures liq,E3	PC			19,600	
C75-1C70	Stator 10 mpos dead-end path C75-valve	1/16*.25mm, N60C	PC			143,000	
C75-1C76	Stator 6 mpos dead-end path C75-valve	1/16*.25mm, N60C	PC			128,000	
C75-1C78	Stator 8 mpos dead-end path C75-valve	1/16*.25mm, N60C	PC			136,000	
C75N-65R0	OBSOLETE, replaced by C75N-66R0	1/32*.15mm, 50C/all pressures liq,E5	PC			0	
C75N-65R6	OBSOLETE, replaced by C75N-66R6	1/32*.15mm, 50C/all pressures liq,E5	PC			0	
C75N-65R8	OBSOLETE, replaced by C75N-66R8	1/32*.15mm, 50C/all pressures liq,E5	PC			0	
C75N-66R0	Rotor seal 10 mpos, C75N-valve, dead-end path	1/32*.15mm, 50C/all pressures liq,E3	PC			19,600	
C75N-66R6	Rotor seal 6 mpos, C75N-valve, dead-end path	1/32*.15mm, 50C/all pressures liq,E3	PC			19,600	
C75N-66R8	Rotor seal 8 mpos, C75N-valve, dead-end path	1/32*.15mm, 50C/all pressures liq,E3	PC			19,600	
C75N-6C70	Stator 10 mpos dead-end path C75N-valve	1/32*.15mm, N60C	PC			171,000	
C75N-6C76	Stator 6 mpos dead-end path C75N-valve	1/32*.15mm, N60C	PC			155,000	
C75N-6C78	Stator 8 mpos dead-end path C75N-valve	1/32*.15mm, N60C	PC			164,000	
C82NX-6570	OBSOLETE, replaced by C82NX-6670	1/32*.10MM, 50C/15000PSI LIQ, N60C/E5	PC			0	
C82NX-6570D	OBSOLETE, replaced by C82NX-6670D	1/32*.15mm, 50C/15000psi liq, N60C/E5	PC			0	
C82NX-6576	OBSOLETE, replaced by C82NX-6676	1/32*.15MM, 50C/15000PSI LIQ, N60C/E5	PC			0	
C82NX-6576D	OBSOLETE, replaced by C82NX-6676D	1/32*.15MM, 50C/15000PSI LIQ, N60C/E5	PC			0	
C82NX-6670	10 port 2-pos valve, manual	1/32*.10MM, 50C/15000PSI LIQ, N60C/E3	PC			260,000	
C82NX-6670D	10 port 2-pos valve, replacement	1/32*.15mm, 50C/15000psi liq, N60C/E3	PC			240,000	
C82NX-6676	6 port 2-pos valve, manual	1/32*.15mm 50C/15000psi liq, N60C/E3	PC			240,000	
C82NX-6676D	6 port 2-pos valve, replacement	1/32*.15MM, 50C/15000PSI LIQ, N60C/E3	PC			220,000	
C82X-1570	OBSOLETE, replaced by C82X-1670	1/16*.25mm, 50C/15'000PSI LIQ, N60C/E5	PC			0	
C82X-1570D	OBSOLETE, replaced by C82X-1670D	1/16*.25mm, 50C/15000psi liq, N60C/E5	PC			0	
C82X-1570EUDA	OBSOLETE, replaced by C82X-1670EUDA	1/16*.25mm, 50C/15000psi liq., N60C/E5	PC			0	
C82X-1574	OBSOLETE, replaced by C82X-1674	1/16*.25MM, 50C/15000PSI LIQ., TIC/E5	PC			0	
C82X-1574D	OBSOLETE, replaced by C82X-1674D	1/16*.25MM, 50C/15000PSI LIQ., TIC/E5	PC			0	
C82X-1574EUHA	OBSOLETE, replaced by C82X-1674EUHA	1/16*.25MM, 50C/15000PSI LIQ., TIC/E5	PC			0	
C82X-1576	OBSOLETE, replaced by C82X-1676	1/16*.25mm, 50C/15000psi liq, N60C/E5	PC			0	
C82X-1576D	OBSOLETE, replaced by C82X-1676D	1/16*.25mm, 50C/15000psi liq, N60C/E5	PC			0	
C82X-1576EUHA	OBSOLETE, replaced by C82X-1676EUHA	1/16*.25mm, 50C/15000psi liq, N60C/E5	PC			0	
C82X-1578	OBSOLETE, replaced by C82X-1678	1/16*.25MM, 50C/15000PSI LIQ, MP35NC/E5	PC			0	
C82X-1578D	OBSOLETE, replaced by C85NX-6670D	1/16*.25mm, 50C/15000psi liq, N60C/E5	PC			0	
C82X-1670	10 port 2-pos valve, manual	1/16*.25mm, 50C/15'000PSI LIQ, N60C/E3	PC			220,000	
C82X-1670D	10 port 2-pos valve, replacement	1/16*.25mm, 50C/15000psi liq, N60C/E3	PC			210,000	
C82X-1670EUDA	10 port 2-pos valve, u-electric, RS232/485	1/16*.25mm, 50C/15000psi liq., N60C/E3	PC			410,000	
C82X-1674	4 port 2-pos valve, manual	1/16*.25mm, 50C/15000psi liq, N60C/E3	PC			197,000	
C82X-1674D	4 port 2-pos valve, replacement	1/16*.25mm, 50C/15000psi liq, N60C/E3	PC			182,000	
C82X-1674EUHA	4 port 2-pos valve, U-electric, RS232/485	1/16*.25mm, 50C/15000psi liq, N60C/E3	PC			380,000	
C82X-1676	6 port 2-pos valve, manual	1/16*.25mm, 50C/15000psi liq, N60C/E3	PC			197,000	
C82X-1676D	6 port 2-pos valve, replacement	1/16*.25mm, 50C/15000psi liq, N60C/E3	PC			182,000	
C82X-1676EUHA	6 port 2-pos valve, u-electric, RS232/485	1/16*.25mm, 50C/15000psi liq, N60C/E3	PC			380,000	
C82X-1678	8 port 2-pos valve, manual	1/16*.25MM, 50C/15000PSI LIQ, MP35NC/E3	PC			210,000	
C82X-1678D	8 port 2-pos valve, replacement	1/16*.25mm, 50C/15000psi liq, N60C/E3	PC			192,000	
C84NX-6574-.01D	OBSOLETE, replaced by C84NX-6674-.01D	1/32*.15mm, 50C/15000psi liq, .01ul, N60C/E5	PC			0	
C84NX-6574-.01EUHA	OBSOLETE, replaced by C84NX-6674-.01EUHA	1/32*.15mm, 50C/15000psi liq, .01ul, N60C/E5	PC			0	
C84NX-6574-.02D	OBSOLETE, replaced by C84NX-6674-.02D	1/32*.15mm, 50C/15000psi liq, .02ul, N60C/E5	PC			0	
C84NX-6574-.02EUHA	OBSOLETE, replaced by C84NX-6674-.02EUHA	1/32*.15mm, 50C/15000psi liq, .02ul, N60C/E5	PC			0	
C84NX-6574-.03D	OBSOLETE, replaced by C84NX-6674-.03D	1/32*.15mm, 50C/15000psi liq, .03ul, N60C/E5	PC			0	
C84NX-6574-.03EUHA	OBSOLETE, replaced by C84NX-6674-.03EUHA	1/32*.15mm, 50C/15000psi liq, .03ul, N60C/E5	PC			0	
C84NX-6674-.01D	4 port 2-pos int vol valve, replacement	1/32*.15mm, 50C/15000psi liq, .01ul, N60C/E3	PC			220,000	
C84NX-6674-.01EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/32*.15mm, 50C/15000psi liq, .01ul, N60C/E3	PC			420,000	
C84NX-6674-.02D	4 port 2-pos int vol valve, replacement	1/32*.15mm, 50C/15000psi liq, .02ul, N60C/E3	PC			220,000	
C84NX-6674-.02EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/32*.15mm, 50C/15000psi liq, .02ul, N60C/E3	PC			420,000	
C84NX-6674-.03D	4 port 2-pos int vol valve, replacment	1/32*.15mm, 50C/15000psi liq, .03ul, N60C/E3	PC			220,000	
C84NX-6674-.03EUHA	4 port 2-pos int vol valve, U-electric, RS232/485	1/32*.15mm, 50C/15000psi liq, .03ul, N60C/E3	PC			420,000	
C84X-1574-.1	OBSOLETE, replaced by C84X-1674-.1	1/16*.25mm, 50C/15000psi liq, .1ul, N60C/E5	PC			0	
C84X-1574-.1D	OBSOLETE, replaced by C84X-1674-.1D	1/16*.25mm, 50C/15000psi liq, .1ul, N60C/E5	PC			0	
C84X-1574-.1EUHA	OBSOLETE, replaced by C84X-1674-.1EUHA	1/16*.25mm, 50C/15000psi liq, .1ul, N60C/E5	PC			0	
C84X-1674-.1	4 port 2-pos int. vol. valve, manual	1/16*.25mm, 50C/15000psi liq, .1ul, N60C/E3	PC			197,000	
C84X-1674-.1D	4 port 2-pos int. vol. valve, replacement	1/16*.25mm, 50C/15000psi liq, .1ul, N60C/E3	PC			182,000	
C84X-1674-.1EUHA	4 port 2-pos int. vol. valve, U-elec,RS232/485	1/16*.25mm, 50C/15000psi liq, .1ul, N60C/E3	PC			380,000	
C85-1570EUHA	OBSOLETE, replaced by C85-1670EUHA	1/16*.25mm, 50C/5000psi liq, N60C/E5	PC			0	
C85-1576EUHA	OBSOLETE, replaced by C85-1676EUHA	1/16*.25mm, 50C/5000psi liq, N60C/E5	PC			0	
C85-1578EUHA	OBSOLETE, replaced by C85-1678EUHA	1/16*.25mm, 50C/5000psi liq, N60C/E5	PC			0	
C85-1670EUHA	10 mpos dead-end path, u-electric, RS232/485	1/16*.25mm, 50C/5000psi liq, N60C/E3	PC			370,000	
C85-1676EUHA	6 mpos dead-end path, u-electric, RS232/485	1/16*.25mm, 50C/5000psi liq, N60C/E3	PC			360,000	
C85-1678EUHA	8 mpos dead-end path, u-electric, RS232/485	1/16*.25mm, 50C/5000psi liq, N60C/E3	PC			360,000	
C85NX-6570D	OBSOLETE, replaced by C85NX-6670D	1/32*.15MM, 50C/15000PSI LIQ, N60C/E5	PC			0	
C85NX-6576D	OBSOLETE, replaced by C85NX-6676D	1/32*.15MM, 50C/15000PSI LIQ, N60C/E5	PC			0	
C85NX-6578D	OBSOLETE, replaced by C85NX-6678D	1/32*.15MM, 50C/15000PSI LIQ, N60C/E5	PC			0	
C85NX-6670D	10 mpos dead-end path, replacement	1/32*.15MM, 50C/15000PSI LIQ, N60C/E3	PC			260,000	
C85NX-6676D	6 mpos dead-end path, replacement	1/32*.15MM, 50C/15000PSI LIQ, N60C/E3	PC			240,000	
C85NX-6678D	8 mpos dead-end path, replacement	1/32*.15MM, 50C/15000PSI LIQ, N60C/E3	PC			250,000	
C8UW	!!! RECOMMEND 2C8UW	SUPPLIED WITH LARGER HANDLE	PC			0	
C8UWE	8 port 2-pos valve, manual	1/16*.75mm, 225C/400psi gas, N60/E	PC			150,000	
C8W	8 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, N60/H	PC			150,000	
C8WE	8 port 2-pos valve, manual	1/16*.4mm, 225C/400psi gas, N60/E	PC			150,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
CBUFLKF	Cheminert luer adapter bulkhead union	female luer to 1/4-28, 1.5mm bore, CTFE	PC			10,400	
CBUFLPK	Cheminert luer adapter bulkhead union	female luer to 1/4-28, 1.5mm bore, PEEK	PC			12,200	
CBULKF	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.5mm bore, CTFE	PC			6,100	
CBULKF	Cheminert bulkhead union 1/4"-28, 1/8" OD tubing	1.5mm bore, CTFE	PC			6,100	
CBULPK	Cheminert bulkhead union 1/4"-28, 1/8" OD tubing	1.5mm bore, PEEK	PC			7,700	
CBULS6	Cheminert bulkhead union 1/4"-28, 1/8" OD tubing	1.5mm bore, 316SS	PC			6,700	
CBUMKF	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.75mm bore, CTFE	PC			11,300	
CBUMPK	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.75mm bore, PEEK	PC			7,000	
CBUMS6	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.75mm bore, 316SS	PC			12,500	
CBUPK	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.5mm bore, PEEK	PC			7,000	
CBUS6	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.5mm bore, 316SS	PC			10,000	
CCKF-5	Cheminert cap 1/4"-28	CTFE, 5/pkg	PKG	5	PC	26,000	
CCPK-5	Cheminert cap 1/4"-28	PEEK, 5/pkg	PKG	5	PC	13,900	
CEF1	Column end fitting 1/16"	.25mm bore, 1mm cone, without frit, 316SS	PC			6,700	
CEF1.5	Column end fitting 1/16"*1/32"	.25mm bore, 1mm cone, without frit, 316SS	PC			14,700	
CEF2.51.0	Column end fitting 1/8"*1/32"	.25mm bore, 1mm cone, without frit, 316SS	PC			12,900	
CEF211.0	Column end fitting 1/8"*1/16"	.25mm bore, 1mm cone, without frit, 316SS	PC			6,500	
CEF212.0	Column end fitting 1/8"*1/16"	.25mm bore, 2mm cone, without frit, 316SS	PC			11,400	
C-EN.5FPKB	Nut, External, 1/32" Cheminert	PEEK black	PC			2,600	
CEN1KF	Cheminert external nut 1/4"-28, tube OD 1/16"	CTFE, 5/pkg	PC	5	PC	8,400	
C-F1.5TI	Frit Titanium, PEEK-encapsulated	0.5 micron	PC			3,900	
CF-1N	Cheminert nut 1/4"-28 for 1/16"OD tubing	Natural incl. washer for flange, 10/pkg	PKG	10	PC	3,000	
CF-1W	Cheminert nut 1/4"-28 for 1/16"OD tubing	White incl. washer for flange, 10/pkg	PKG	10	PC	3,000	
CF-2N	Cheminert nut 1/4"-28 for 1/8"OD tubing	Natural incl. washer for flange, 10/pkg	PKG	10	PC	3,000	
CF-2W	Cheminert nut 1/4"-28 for 1/8"OD tubing	White incl. washer for flange, 10/pkg	PKG	10	PC	3,000	
CFE-S10	Cheminert in-line filter	1/4"-28, 10um screen SS316, PTFE/CTFE	PC			1,340	
CFE-S2	Cheminert in-line filter	1/4"-28, 2um screen SS316, PTFE/CTFE	PC			1,340	O
CFE-S75	Cheminert in-line filter	1/4"-28, 75um screen SS316, PTFE/CTFE	PC			1,340	O
CFL-1A	Cheminert nut 1/4"-28 for 1/16"OD tubing	Assort, collapsible ferrule, CTFE, 12/pkg	PKG	12	PC	9,600	
CFL-1A-PK	Cheminert nut 1/4"-28 for 1/16"OD tubing	Assort, collapsible ferrule, PEEK, 12/pkg	PKG	12	PC	9,600	
CFL-1BE	Cheminert nut 1/4"-28 for 1/16"OD tubing	Blue, collapsible ferrule, 5/pkg	PKG	5	PC	4,200	
CFL-1BK	Cheminert nut 1/4"-28 for 1/16"OD tubing	Black, collapsible ferrule, 5/pkg	PKG	5	PC	4,200	
CFL-1BR	Cheminert nut 1/4"-28 for 1/16"OD tubing	Brown, collapsible ferrule, 5/pkg	PKG	5	PC	4,200	
CFL-1G	Cheminert nut 1/4"-28 for 1/16"OD tubing	Green, collapsible ferrule, 5/pkg	PKG	5	PC	4,200	
CFL-1N	Cheminert nut 1/4"-28 for 1/16"OD tubing	Natural, collapsible ferrule, 5/pkg	PKG	5	PC	4,200	
CFL-1PK	Cheminert nut 1/4"-28 for 1/16"OD tubing	collapsible ferrule, PEEK, 5/pkg	PKG	5	PC	9,600	
CFL-1R	Cheminert nut 1/4"-28 for 1/16"OD tubing	Red, collapsible ferrule, 5/pkg	PKG	5	PC	4,200	
CFL-1W	Cheminert nut 1/4"-28 for 1/16"OD tubing	White, collapsible ferrule, 5/pkg	PKG	5	PC	4,200	
CFL-2A	Cheminert nut 1/4"-28 for 1/8"OD tubing	Assort, incl. collapsible ferrule, CTFE, 12/pkg	PKG	12	PC	9,600	
CFL-2A-PK	Cheminert nut 1/4"-28 for 1/8"OD tubing	Assort, incl. collapsible ferrule, PEEK, 12/pkg	PKG	12	PC	9,600	
CFL-2BE	Cheminert nut 1/4"-28 for 1/8"OD tubing	Blue, incl. collapsible ferrule, 5/pkg	PKG	5	PC	3,500	
CFL-2BK	Cheminert nut 1/4"-28 for 1/8"OD tubing	Black, incl. collapsible ferrule, 5/pkg	PKG	5	PC	4,200	
CFL-2BR	Cheminert nut 1/4"-28 for 1/8"OD tubing	Brown, incl. collapsible ferrule, 5/pkg	PKG	5	PC	4,200	
CFL-2G	Cheminert nut 1/4"-28 for 1/8"OD tubing	Green, incl. collapsible ferrule, 5/pkg	PKG	5	PC	4,200	
CFL-2N	Cheminert nut 1/4"-28 for 1/8"OD tubing	Natural, incl. collapsible ferrule, 5/pkg	PKG	5	PC	4,200	
CFL-2PK	Cheminert nut 1/4"-28 for 1/8"OD tubing	incl. collapsible ferrule, PEEK, 5/pkg	PKG	5	PC	8,400	
CFL-2R	Cheminert nut 1/4"-28 for 1/8"OD tubing	Red, incl. collapsible ferrule, 5/pkg	PKG	5	PC	4,200	
CFL-2W	Cheminert nut 1/4"-28 for 1/8"OD tubing	White, incl. collapsible ferrule, 5/pkg	PKG	5	PC	4,200	
CFL-4D	Cheminert nut 1/2"-20 for 1/4" OD tubing	Delrin	PC			1,480	
CFL-4PPS	Cheminert nut 1/2"-20 for 1/4"OD tubing	PPS	PC			6,100	
CFLAKF	Cheminert female luer adapter to 1/4-28	1.5mm bore, CTFE	PC			8,700	
CFLAPFA	Cheminert female luer adapter to 1/4-28	1.5mm bore, PFA	PC			8,700	
CFLAPK	Cheminert female luer adapter to 1/4-28	1.5mm bore, PEEK	PC			8,400	
CFL-CB1KF	Cheminert ferrule, collapsible for 1/16" OD tubing	CTFE, 10/pkg	PKG	10	PC	6,700	
CFL-CB1PK	Cheminert ferrule, collapsible for 1/16" OD tubing	PEEK, 10/pkg	PKG	10	PC	6,700	
CFL-CB2KF	Cheminert ferrule, collapsible for 1/8" OD tubing	CTFE, 10/pkg	PKG	10	PC	6,700	
CFL-CB2PK	Cheminert ferrule, collapsible for 1/8" OD tubing	PEEK, 10/pkg	PKG	10	PC	6,700	
CFL-CB4KF-S	Cheminert bushing collapsible 1/4" OD tubing	CTFE	PC			1,220	
CFS-A01010-010B	GC-Column, FS, ValcoBond VB-1	10m length, ID 0.10mm, df 0.10um	PC			64,000	
CFS-A01010-020B	GC-Column, FS, ValcoBond VB-1	10m length, ID 0.10mm, df 0.20um	PC			64,000	
CFS-A01010-040B	GC-Column, FS, ValcoBond VB-1	10m length, ID 0.10mm, df 0.40um	PC			64,000	
CFS-A01018-010B	GC-Column, FS, ValcoBond VB-1	10m length, ID 0.18mm, df 0.10um	PC			64,000	
CFS-A01018-018B	GC-Column, FS, ValcoBond VB-1	10m length, ID 0.18mm, df 0.18um	PC			64,000	
CFS-A01018-040B	GC-Column, FS, ValcoBond VB-1	10m length, ID 0.18mm, df 0.40um	PC			64,000	
CFS-A01018-100B	GC-Column, FS, ValcoBond VB-1	10m length, ID 0.18mm, df 1.00um	PC			64,000	
CFS-A01525-010B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.25mm, df 0.10um	PC			52,000	
CFS-A01525-025B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.25mm, df 0.25um	PC			52,000	
CFS-A01525-050B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.25mm, df 0.50um	PC			52,000	
CFS-A01525-100B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.25mm, df 1.00um	PC			52,000	
CFS-A01532-010B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 0.10um	PC			55,000	
CFS-A01532-025B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 0.25um	PC			55,000	
CFS-A01532-050B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 0.50um	PC			55,000	
CFS-A01532-100B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 1.00um	PC			55,000	
CFS-A01532-300B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 3.00um	PC			55,000	
CFS-A01532-500B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 5.00um	PC			56,000	
CFS-A01553-015B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.53mm, df 0.15um	PC			63,000	
CFS-A01553-050B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.53mm, df 0.50um	PC			63,000	
CFS-A01553-100B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.53mm, df 1.00um	PC			63,000	
CFS-A01553-150B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.53mm, df 1.50um	PC			63,000	
CFS-A01553-300B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.53mm, df 3.00um	PC			63,000	
CFS-A01553-500B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.53mm, df 5.00um	PC			63,000	
CFS-A02010-010B	GC-Column, FS, ValcoBond VB-1	20m length, ID 0.10mm, df 0.10um	PC			87,000	
CFS-A02010-020B	GC-Column, FS, ValcoBond VB-1	20m length, ID 0.10mm, df 0.20um	PC			87,000	
CFS-A02010-040B	GC-Column, FS, ValcoBond VB-1	20m length, ID 0.10mm, df 0.40um	PC			87,000	
CFS-A02018-010B	GC-Column, FS, ValcoBond VB-1	20m length, ID 0.18mm, df 0.10um	PC			81,000	
CFS-A02018-018B	GC-Column, FS, ValcoBond VB-1	20m length, ID 0.18mm, df 0.18um	PC			81,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
CFS-A02018-040B	GC-Column, FS, ValcoBond VB-1	20m length, ID 0.18mm, df 0.40um	PC			81,000	
CFS-A02018-100B	GC-Column, FS, ValcoBond VB-1	20m length, ID 0.18mm, df 1.00um	PC			81,000	
CFS-A03025-010B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.25mm, df 0.10um	PC			86,000	
CFS-A03025-025B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.25mm, df 0.25um	PC			86,000	
CFS-A03025-050B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.25mm, df 0.50um	PC			86,000	
CFS-A03025-100B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.25mm, df 1.00um	PC			86,000	
CFS-A03025-150B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.25mm, df 1.50um	PC			86,000	
CFS-A03032-010B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 0.10um	PC			90,000	OR
CFS-A03032-025B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 0.25um	PC			90,000	OR
CFS-A03032-032B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 0.32um	PC			0	
CFS-A03032-050B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 0.50um	PC			90,000	OR
CFS-A03032-100B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 1.00um	PC			90,000	OR
CFS-A03032-200B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 2.00um	PC			90,000	OR
CFS-A03032-300B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 3.00um	PC			90,000	OR
CFS-A03032-400B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 4.00um	PC			94,000	O
CFS-A03032-500B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 5.00um	PC			94,000	O
CFS-A03053-015B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.53mm, df 0.15um	PC			94,000	O
CFS-A03053-050B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.53mm, df 0.50um	PC			94,000	O
CFS-A03053-100B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.53mm, df 1.00um	PC			94,000	O
CFS-A03053-150B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.53mm, df 1.50um	PC			94,000	O
CFS-A03053-300B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.53mm, df 3.00um	PC			94,000	O
CFS-A03053-500B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.53mm, df 5.00um	PC			94,000	O
CFS-A04018-018B	GC-Column, FS, ValcoBond VB-1	40m length, ID 0.18mm, df 0.18um	PC			136,000	O
CFS-A04018-040B	GC-Column, FS, ValcoBond VB-1	40m length, ID 0.18mm, df 0.40um	PC			136,000	O
CFS-A06025-010B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.25mm, df 0.10um	PC			136,000	
CFS-A06025-025B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.25mm, df 0.25um	PC			136,000	
CFS-A06025-050B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.25mm, df 0.50um	PC			136,000	
CFS-A06025-100B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.25mm, df 1.00um	PC			136,000	
CFS-A06032-010B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 0.10um	PC			147,000	
CFS-A06032-025B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 0.25um	PC			147,000	
CFS-A06032-050B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 0.50um	PC			147,000	
CFS-A06032-100B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 1.00um	PC			147,000	
CFS-A06032-300B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 3.00um	PC			154,000	
CFS-A06032-500B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 5.00um	PC			154,000	
CFS-A06053-100B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.53mm, df 1.00um	PC			159,000	
CFS-A06053-150B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.53mm, df 1.50um	PC			159,000	
CFS-A06053-300B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.53mm, df 3.00um	PC			159,000	
CFS-A06053-500B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.53mm, df 5.00um	PC			166,000	
CFS-B01010-010B	GC-Column, FS, ValcoBond VB-5	10m length, ID 0.10mm, df 0.10um	PC			64,000	
CFS-B01010-020B	GC-Column, FS, ValcoBond VB-5	10m length, ID 0.10mm, df 0.20um	PC			64,000	
CFS-B01018-018B	GC-Column, FS, ValcoBond VB-5	10m length, ID 0.18mm, df 0.18um	PC			64,000	
CFS-B01018-040B	GC-Column, FS, ValcoBond VB-5	10m length, ID 0.18mm, df 0.40um	PC			64,000	
CFS-B01518-018B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.18mm, df 0.18um	PC			73,000	
CFS-B01525-010B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.25mm, df 0.10um	PC			52,000	
CFS-B01525-025B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.25mm, df 0.25um	PC			52,000	
CFS-B01525-050B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.25mm, df 0.50um	PC			52,000	
CFS-B01525-100B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.25mm, df 1.00um	PC			52,000	
CFS-B01532-010B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 0.10um	PC			55,000	
CFS-B01532-025B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 0.25um	PC			55,000	
CFS-B01532-050B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 0.50um	PC			55,000	
CFS-B01532-100B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 1.00um	PC			55,000	
CFS-B01532-200B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 2.00um	PC			55,000	
CFS-B01532-300B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 3.00um	PC			55,000	
CFS-B01532-500B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 5.00um	PC			56,000	
CFS-B01553-050B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.53mm, df 0.50um	PC			63,000	
CFS-B01553-100B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.53mm, df 1.00um	PC			63,000	
CFS-B01553-150B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.53mm, df 1.50um	PC			63,000	
CFS-B01553-200B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.53mm, df 2.00um	PC			63,000	
CFS-B01553-300B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.53mm, df 3.00um	PC			63,000	
CFS-B01553-500B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.53mm, df 5.00um	PC			63,000	
CFS-B02010-010B	GC-Column, FS, ValcoBond VB-5	20m length, ID 0.10mm, df 0.10um	PC			87,000	
CFS-B02010-020B	GC-Column, FS, ValcoBond VB-5	20m length, ID 0.10mm, df 0.20um	PC			87,000	OR
CFS-B02018-018B	GC-Column, FS, ValcoBond VB-5	20m length, ID 0.18mm, df 0.18um	PC			81,000	
CFS-B02018-040B	GC-Column, FS, ValcoBond VB-5	20m length, ID 0.18mm, df 0.40um	PC			81,000	
CFS-B03018-018B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.18mm, df 0.18um	PC			106,000	
CFS-B03025-010B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.25mm, df 0.10um	PC			86,000	OR
CFS-B03025-025B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.25mm, df 0.25um	PC			86,000	OR
CFS-B03025-050B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.25mm, df 0.50um	PC			86,000	
CFS-B03025-100B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.25mm, df 1.00um	PC			86,000	
CFS-B03032-010B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 0.10um	PC			90,000	OR
CFS-B03032-025B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 0.25um	PC			90,000	OR
CFS-B03032-050B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 0.50um	PC			90,000	OR
CFS-B03032-100B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 1um	PC			90,000	OR
CFS-B03032-200B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 2.00um	PC			90,000	OR
CFS-B03032-300B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 3.00um	PC			90,000	OR
CFS-B03032-500B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 5.00um	PC			94,000	O
CFS-B03053-050B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.53mm, df 0.50um	PC			94,000	O
CFS-B03053-100B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.53mm, df 1.00um	PC			94,000	O
CFS-B03053-150B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.53mm, df 1.50um	PC			94,000	
CFS-B03053-265B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.53mm, df 2.65um	PC			0	
CFS-B03053-300B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.53mm, df 3.00um	PC			94,000	
CFS-B03053-500B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.53mm, df 5.00um	PC			94,000	
CFS-B04018-018B	GC-Column, FS, ValcoBond VB-5	40m length, ID 0.18mm, df 0.18um	PC			136,000	O
CFS-B04018-040B	GC-Column, FS, ValcoBond VB-5	40m length, ID 0.18mm, df 0.40um	PC			136,000	
CFS-B06025-010B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.25mm, df 0.10um	PC			136,000	
CFS-B06025-025B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.25mm, df 0.25um	PC			136,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
CFS-B06025-050B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.25mm, df 0.50um	PC			136,000	
CFS-B06025-100B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.25mm, df 1.00um	PC			136,000	
CFS-B06032-010B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.32mm, df 0.10um	PC			147,000	
CFS-B06032-025B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.32mm, df 0.25um	PC			147,000	
CFS-B06032-050B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.32mm, df 0.50um	PC			147,000	
CFS-B06032-100B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.32mm, df 1.00um	PC			147,000	
CFS-B06032-200B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.32mm, df 2.00um	PC			147,000	
CFS-B06032-300B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.32mm, df 3.00um	PC			154,000	
CFS-B06032-500B	GC-Column, VB-5 column,	VB-5 column, 60m x 0.32mm ID x 5.00df	PC			154,000	
CFS-B06053-100B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.53mm, df 1.00um	PC			159,000	
CFS-B06053-150B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.53mm, df 1.00um	PC			159,000	
CFS-B06053-200B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.53mm, df 2.00um	PC			159,000	
CFS-B06053-300B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.53mm, df 3.00um	PC			159,000	
CFS-B06053-500B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.53mm, df 5.00um	PC			166,000	
CFS-C01525-025B	GC-Column, FS, ValcoBond VB-35	15m length, ID 0.25mm, df 0.25um	PC			52,000	
CFS-C01525-050B	GC-Column, FS, ValcoBond VB-35	15m length, ID 0.25mm, df 0.50um	PC			52,000	
CFS-C01532-025B	GC-Column, FS, ValcoBond VB-35	15m length, ID 0.32mm, df 0.25um	PC			55,000	
CFS-C01532-050B	GC-Column, FS, ValcoBond VB-35	15m length, ID 0.32mm, df 0.50um	PC			55,000	
CFS-C01553-050B	GC-Column, FS, ValcoBond VB-35	15m length, ID 0.53mm, df 0.50um	PC			63,000	
CFS-C01553-100B	GC-Column, FS, ValcoBond VB-35	15m length, ID 0.53mm, df 1.00um	PC			63,000	
CFS-C03025-025B	GC-Column, FS, ValcoBond VB-35	30m length, ID 0.25mm, df 0.25um	PC			86,000	
CFS-C03025-050B	GC-Column, FS, ValcoBond VB-35	30m length, ID 0.25mm, df 0.50um	PC			86,000	
CFS-C03032-025B	GC-Column, FS, ValcoBond VB-35	30m length, ID 0.32mm, df 0.25um	PC			90,000	OR
CFS-C03032-050B	GC-Column, FS, ValcoBond VB-35	30m length, ID 0.32mm, df 0.50um	PC			90,000	
CFS-C03053-050B	GC-Column, FS, ValcoBond VB-35	30m length, ID 0.53mm, df 0.50um	PC			94,000	
CFS-C03053-100B	GC-Column, FS, ValcoBond VB-35	30m length, ID 0.53mm, df 1.00um	PC			94,000	
CFS-C06025-025B	GC-Column, FS, ValcoBond VB-35	60m length, ID 0.25mm, df 0.25um	PC			0	
CFS-C06025-050B	GC-Column, FS, ValcoBond VB-35	60m length, ID 0.25mm, df 0.50um	PC			0	
CFS-C06032-050B	GC-Column, FS, ValcoBond VB-35	60m length, ID 0.32mm, df 0.50um	PC			0	
CFS-C06053-100B	GC-Column, FS, ValcoBond VB-35	60m length, ID 0.53mm, df 1.00um	PC			0	
CFS-D01525-025B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.25mm, df 0.25um	PC			52,000	
CFS-D01525-050B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.25mm, df 0.50um	PC			52,000	
CFS-D01532-050B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.32mm, df 0.50um	PC			55,000	
CFS-D01532-100B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.32mm, df 1.0um	PC			55,000	
CFS-D01553-050B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.53mm, df 0.50um	PC			63,000	
CFS-D01553-100B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.53mm, df 1.00um	PC			63,000	
CFS-D03025-015B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.25mm, df 0.15um	PC			86,000	
CFS-D03025-025B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.25mm, df 0.25um	PC			86,000	
CFS-D03025-050B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.25mm, df 0.50um	PC			86,000	
CFS-D03032-025B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.32mm, df 0.25um	PC			90,000	
CFS-D03032-050B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.32mm, df 0.50um	PC			90,000	
CFS-D03032-100B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.32mm, df 1.00um	PC			90,000	
CFS-D03053-050B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.53mm, df 0.50um	PC			94,000	
CFS-D03053-100B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.53mm, df 1.00um	PC			94,000	
CFS-D06025-050B	GC-Column, FS, ValcoBond VB-50/608	60m length, ID 0.25mm, df 0.50um	PC			0	
CFS-D06032-050B	GC-Column, FS, ValcoBond VB-50/608	60m length, ID 0.32mm, df 0.50um	PC			0	
CFS-D06032-100B	GC-Column, FS, ValcoBond VB-50/608	60m length, ID 0.32mm, df 1.00um	PC			0	
CFS-D06053-050B	GC-Column, FS, ValcoBond VB-50/608	60m length, ID 0.53mm, df 0.50um	PC			0	
CFS-D06053-100B	GC-Column, FS, ValcoBond VB-50/608	60m length, ID 0.53mm, df 1.00um	PC			0	
CFS-E01018-100A	GC-Column, FS, ValcoBond VB-624	10m length, ID 0.18mm, df 1.00um	PC			64,000	
CFS-E01525-140A	GC-Column, FS, ValcoBond VB-624	15m length, ID 0.25mm, df 1.40um	PC			52,000	
CFS-E01532-180A	GC-Column, FS, ValcoBond VB-624	15m length, ID 0.32mm, df 1.80um	PC			55,000	
CFS-E01553-300A	GC-Column, FS, ValcoBond VB-624	15m length, ID 0.53mm, df 3.00um	PC			63,000	
CFS-E02018-100A	GC-Column, FS, ValcoBond VB-624	20m length, ID 0.18mm, df 1.00um	PC			81,000	
CFS-E02018-180A	GC-Column, FS, ValcoBond VB-624	20m length, ID 0.18mm, df 1.80um	PC			81,000	
CFS-E02520-112A	GC-Column, FS, ValcoBond VB-624	25m length, ID 0.20mm, df 1.12um	PC			0	
CFS-E03025-140A	GC-Column, FS, ValcoBond VB-624	30m length, ID 0.25mm, df 1.40um	PC			86,000	
CFS-E03032-180A	GC-Column, FS, ValcoBond VB-624	30m length, ID 0.32mm, df 1.80um	PC			90,000	
CFS-E03053-300A	GC-Column, FS, ValcoBond VB-624	30m length, ID 0.53mm, df 3.00um	PC			94,000	
CFS-E04018-100A	GC-Column, FS, ValcoBond VB-624	40m length, ID 0.18mm, df 1.00um	PC			136,000	
CFS-E06025-140A	GC-Column, FS, ValcoBond VB-624	60m length, ID 0.25mm, df 1.40um	PC			136,000	
CFS-E06032-180A	GC-Column, FS, ValcoBond VB-624	60m length, ID 0.32mm, df 1.80um	PC			147,000	
CFS-E06053-300A	GC-Column, FS, ValcoBond VB-624	60m length, ID 0.53mm, df 3.00um	PC			159,000	
CFS-E07553-300A	GC-Column, FS, ValcoBond VB-624	75m length, ID 0.53mm, df 3.00um	PC			183,000	
CFS-F01525-025A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.25mm, df 0.25um	PC			52,000	
CFS-F01525-050A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.25mm, df 0.50um	PC			52,000	
CFS-F01532-025A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.32mm, df 0.25um	PC			55,000	
CFS-F01532-050A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.32mm, df 0.50um	PC			55,000	
CFS-F01532-100A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.32mm, df 1.00um	PC			55,000	
CFS-F01553-050A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.53mm, df 0.50um	PC			63,000	
CFS-F01553-100A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.53mm, df 1.00um	PC			63,000	
CFS-F03025-025A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.25mm, df 0.25um	PC			86,000	
CFS-F03025-050A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.25mm, df 0.50um	PC			86,000	
CFS-F03032-025A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.32mm, df 0.25um	PC			90,000	
CFS-F03032-050A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.32mm, df 0.50um	PC			90,000	
CFS-F03032-100A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.32mm, df 1.00um	PC			90,000	
CFS-F03053-050A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.53mm, df 0.50um	PC			94,000	
CFS-F03053-100A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.53mm, df 1.00um	PC			94,000	
CFS-F06025-025A	GC-Column, FS, ValcoBond VB-1701	60m length, ID 0.25mm, df 0.25um	PC			136,000	
CFS-F06025-050A	GC-Column, FS, ValcoBond VB-1701	60m length, ID 0.25mm, df 0.50um	PC			136,000	
CFS-F06032-025A	GC-Column, FS, ValcoBond VB-1701	60m length, ID 0.32mm, df 0.25um	PC			147,000	
CFS-F06032-050A	GC-Column, FS, ValcoBond VB-1701	60m length, ID 0.32mm, df 0.50um	PC			147,000	
CFS-F06032-100A	GC-Column, FS, ValcoBond VB-1701	60m length, ID 0.32mm, df 1.0um	PC			147,000	
CFS-F06053-050A	GC-Column, FS, ValcoBond VB-1701	60m length, ID 0.53mm, df 0.50um	PC			159,000	
CFS-F06053-100A	GC-Column, FS, ValcoBond VB-1701	60 length, ID 0.53mm, df 1.00um	PC			159,000	
CFS-G01010-010A	GC-Column, FS, ValcoBond VB-Wax	10m length, ID 0.10mm, df 0.10um	PC			64,000	

備考: O= Obsolete : OR = On Request

上記金額は税別です。予告なく変更される場合があります。

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
CFS-G01018-018A	GC-Column, FS, ValcoBond VB-WAX	10m length, ID 0.18mm, df 0.18um	PC			64,000	
CFS-G01525-025A	GC-Column, FS, ValcoBond VB-Wax	15m length, ID 0.25mm, df 0.25um	PC			52,000	
CFS-G01532-025A	GC-Column, FS, ValcoBond VB-WAX	15m length, ID 0.32mm, df 0.25um	PC			55,000	
CFS-G01532-050A	GC-Column, FS, ValcoBond VB-WAX	15m length, ID 0.32mm, df 0.50um	PC			55,000	
CFS-G01532-100A	GC-Column, FS, ValcoBond VB-WAX	15m length, ID 0.32mm, df 1.00um	PC			55,000	
CFS-G01553-050A	GC-Column, FS, ValcoBond VB-WAX	15m length, ID 0.53mm, df 0.50um	PC			63,000	
CFS-G01553-100A	GC-Column, FS, ValcoBond VB-Wax	VB-Wax column, 15m x 0.53mm ID x 1.00df	PC			63,000	
CFS-G02010-010A	GC-Column, FS, ValcoBond VB-WAX	20m length, ID 0.10mm, df 0.10um	PC			87,000	OR
CFS-G02018-018A	GC-Column, FS, ValcoBond VB-WAX	20m length, ID 0.18mm, df 0.18um	PC			81,000	
CFS-G03025-025A	GC-Column, FS, ValcoBond VB-Wax	30m length, ID 0.25mm, df 0.25um	PC			86,000	
CFS-G03025-100A	GC-Column, FS, ValcoBond VB-Wax	30m length, ID 0.25mm, df 1.00um	PC			94,000	O
CFS-G03032-025A	GC-Column, FS, ValcoBond VB-Wax	30m length, ID 0.32mm, df 0.25um	PC			90,000	
CFS-G03032-050A	GC-Column, FS, ValcoBond VB-Wax	30m length, ID 0.32mm, df 0.50um	PC			90,000	
CFS-G03032-100A	GC-Column, FS, ValcoBond VB-Wax	30m length, ID 0.32mm, df 1.00um	PC			90,000	
CFS-G03053-050A	GC-Column, FS, ValcoBond VB-Wax	30m length, ID 0.53mm, df 0.50um	PC			94,000	O
CFS-G03053-100A	GC-Column, FS, ValcoBond VB-Wax	30m length, ID 0.53mm, df 1.00um	PC			94,000	O
CFS-G06025-025A	GC-Column, FS, ValcoBond VB-Wax	60m length, ID 0.25mm, df 0.25um	PC			136,000	
CFS-G06032-025A	GC-Column, FS, ValcoBond VB-Wax	60m length, ID 0.32mm, df 0.25um	PC			147,000	
CFS-G06032-050A	GC-Column, FS, ValcoBond VB-Wax	60m length, ID 0.32mm, df 0.50um	PC			147,000	
CFS-G06053-100A	GC-Column, FS, ValcoBond VB-Wax	60m length, ID 0.53mm, df 1um	PC			159,000	
CFSL100FEP	Cheminert sample loop 100ul	flangeless connections 1/4"-28, FEP	PC			7,700	
CFSL100PK	Cheminert sample loop 100ul	flangeless connections 1/4"-28, PEEK	PC			5,800	
CFSL100TF	Cheminert sample loop 100ul	flangeless connections 1/4"-28, PTFE	PC			7,400	
CFSL1KFEP	Cheminert sample loop 1ml	flangeless connections 1/4"-28, FEP	PC			8,600	
CFSL1KPK	Cheminert sample loop 1ml	flangeless connections 1/4"-28, PEEK	PC			11,500	
CFSL1KTF	Cheminert sample loop 1ml	flangeless connections 1/4"-28, PTFE	PC			8,300	
CFSL20FEP	Cheminert sample loop 20ul	flangeless connections 1/4"-28, FEP	PC			7,700	
CFSL20PK	Cheminert sample loop 20ul	flangeless connections 1/4"-28, PEEK	PC			11,000	
CFSL20TF	Cheminert sample loop 20ul	flangeless connections 1/4"-28, PTFE	PC			7,400	
CFSL250FEP	Cheminert sample loop 250ul	flangeless connections 1/4"-28, FEP	PC			7,700	
CFSL250PK	Cheminert sample loop 250ul	flangeless connections 1/4"-28, PEEK	PC			6,500	
CFSL250TF	Cheminert sample loop 250ul	flangeless connections 1/4"-28, PTFE	PC			8,300	
CFSL2KFEP	Cheminert sample loop 2ml	flangeless connections 1/4"-28, FEP	PC			9,600	
CFSL2KPK	Cheminert sample loop 2ml	flangeless connections 1/4"-28, PEEK	PC			12,400	
CFSL2KTF	Cheminert sample loop 2ml	flangeless connections 1/4"-28, PTFE	PC			11,000	
CFSL500FEP	Cheminert sample loop 500ul	flangeless connections 1/4"-28, FEP	PC			8,600	
CFSL500PK	Cheminert sample loop 500ul	flangeless connections 1/4"-28, PEEK	PC			6,300	
CFSL500TF	Cheminert sample loop 500ul	flangeless connections 1/4"-28, PTFE	PC			8,300	
CFSL50FEP	Cheminert sample loop 50ul	flangeless connections 1/4"-28, FEP	PC			7,700	
CFSL50PK	Cheminert sample loop 50ul	flangeless connections 1/4"-28, PEEK	PC			12,900	
CFSL50TF	Cheminert sample loop 50ul	flangeless connections 1/4"-28, PTFE	PC			7,400	
CFS-N03025-025	GC-Column, FS, ValcoBond VB-Fluoro	30m length, ID 0.25mm, df 0.25um	PC			104,000	
CFS-N03053-100	GC-Column, FS, ValcoBond VB-Fluoro	30m length, ID 0.53mm ID, df 1.00um	PC			127,000	
CFS-PA1532-100	GC-Column, FS, ValcoPLOT HayeSep A	15m length, ID 0.32mm, df 10um	PC			85,000	
CFS-PA1553-200	GC-Column, FS, ValcoPLOT HayeSep A	15m length, ID 0.53mm, df 20um	PC			92,000	
CFS-PA3032-100	GC-Column, FS, ValcoPLOT HayeSep A	30m length, ID 0.32mm, df 10um	PC			116,000	
CFS-PA3053-200	GC-Column, FS, ValcoPLOT HayeSep A	30m length, ID 0.53mm, df 20um	PC			123,000	
CFS-PB1532-100	VPHS-B Column, FS, ValcoBond, HayeSep B	15m length, ID 0.32mm, df 10um	PC			85,000	
CFS-PB1553-200	VPHS-B Column, FS, ValcoBond, HayeSep B	15m length, ID 0.53mm, df 20um	PC			92,000	
CFS-PB3032-100	VPHS-B Column, FS, ValcoBond, HayeSep B	30m length, ID 0.32mm, df 10um	PC			116,000	
CFS-PB3053-200	GC-Column, FS, ValcoPLOT HayeSep B	30m length, ID 0.53mm, df 20um	PC			123,000	
CFS-PC1532-100	GC-Column, FS, ValcoPLOT HayeSep C	15m length, ID 0.32mm, df 10um	PC			85,000	
CFS-PC1553-200	GC-Column, FS, ValcoPLOT HayeSep C	15m length, ID 0.53mm, df 20um	PC			92,000	
CFS-PC3032-100	VPHS-C Column, FS, ValcoBond, HayeSep C	30m length, ID 0.32mm, df 10um	PC			116,000	
CFS-PC3053-200	GC-Column, FS, ValcoPLOT HayeSep C	30m length, ID 0.53mm, df 20um	PC			123,000	
CFS-PD1532-100	GC-Column, FS, ValcoPLOT HayeSep D	15m length, ID 0.32mm, df 10um	PC			70,000	
CFS-PD1553-200	GC-Column, FS, ValcoPLOT HayeSep D	15m length, ID 0.53mm, df 20um	PC			74,000	
CFS-PD3032-100	GC-Column, FS, ValcoPLOT HayeSep D	30m length, ID 0.32mm, df 10um	PC			93,000	O
CFS-PD3053-200	GC-Column, FS, ValcoPLOT HayeSep D	30m length, ID 0.53mm, df 20um	PC			100,000	
CFS-PN1532-100	VPHS-N Column, FS, ValcoBond, HayeSep N	15m length, ID 0.32mm, df 10um	PC			0	
CFS-PN1553-200	VPHS-N Column, FS, ValcoBond, HayeSep N	15m length, ID 0.53mm, df 20um	PC			0	
CFS-PN3032-100	VPHS-N Column, FS, ValcoBond, HayeSep N	30m length, ID 0.32mm, df 10um	PC			0	
CFS-PN3053-200	GC-Column, FS, ValcoPLOT HayeSep N	30m length, ID 0.53mm, df 20um	PC			0	
CFS-PP1532-100	VPHS-P Column, FS, ValcoBond, HayeSep P	15 m length, ID 0.32mm, df 10um	PC			85,000	
CFS-PP1553-200	VPHS-P Column, FS, ValcoBond, HayeSep P	15m length, ID 0.53mm, df 20um	PC			92,000	
CFS-PP3032-100	VPHS-P Column, FS, ValcoBond, HayeSep P	30m length, ID 0.32mm, df 10um	PC			116,000	
CFS-PP3053-200	GC-Column, FS, ValcoPLOT HayeSep P	30m length, ID 0.53mm, df 20um	PC			123,000	
CFS-PQ1532-100	GC-Column, FS, ValcoPLOT HayeSep Q	15m length, ID 0.32mm, df 10um	PC			70,000	
CFS-PQ1553-200	GC-Column, FS, ValcoPLOT HayeSep Q	15m length, ID 0.53mm, df 20um	PC			74,000	
CFS-PQ3032-100	GC Column, FS, ValcoPLOT, HayeSep Q	30m length, ID 0.32mm, df 10um	PC			93,000	O
CFS-PQ3053-200	GC-Column, FS, ValcoPLOT HayeSep Q	30m length, ID 0.53mm, df 20um	PC			100,000	
CFS-PR1532-100	VPHS-R Column, FS, ValcoBond, HayeSep R	15m length, ID 0.32mm, df 10um	PC			85,000	
CFS-PR1553-200	VPHS-R Column, FS, ValcoBond, HayeSep R	15m length, ID 0.53mm, df 20um	PC			92,000	
CFS-PR3032-100	VPHS-R Column, FS, ValcoBond, HayeSep R	30m length, ID 0.32mm, df 10um	PC			116,000	
CFS-PR3053-200	GC-Column, FS, ValcoPLOT HayeSep R	30m length, ID 0.53mm, df 20um	PC			123,000	
CFS-PS1532-100	VPHS-S Column, FS, ValcoBond, HayeSep S	15m length, ID 0.32mm, df 10um	PC			85,000	
CFS-PS1553-200	VPHS-S Column, FS, ValcoBond, HayeSep S	15m length, ID 0.53mm, df 20um	PC			92,000	
CFS-PS3032-100	GC-Column, FS, ValcoPLOT HayeSep S	30m length, ID 0.32mm, df 10um	PC			116,000	
CFS-PS3053-200	VPHS-S Column, FS, ValcoBond, HayeSep S	30m length, ID 0.53mm, df 20um	PC			123,000	
CFS-X1532-100	VP-Molesieve Column,FS, ValcoBond, 5A Fused Silica	15m length, ID 0.32mm, df 10um	PC			0	
CFS-X1532-200	VP-Molesieve Column,FS, ValcoBond, 5A Fused Silica	15m length, ID 0.32mm, df 20um	PC			0	
CFS-X1553-200	VP-Molesieve Column,FS, ValcoBond, 5A Fused Silica	15m length, ID 0.53mm, df 20um	PC			83,000	
CFS-X1553-500	VP-Molesieve Column,FS, ValcoBond, 5A Fused Silica	15m length, ID 0.53mm, df 50um	PC			95,000	O
CFS-X3032-200	OBSOLETE		PC			0	
CFS-X3053-200	GC-Column, FS, ValcoPLOT Molesieve 5A	30m length, ID 0.53mm, df 20um	PC			114,000	
CFS-X3053-500	GC-Column, FS, ValcoPLOT Molesieve 5A	30m length, ID 0.53mm, df 50um	PC			135,000	

備考: O= Obsolete : OR = On Request

上記金額は税別です。予告なく変更される場合があります。

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
CFS-Y1553-100	GC-Column, FS, ValcoPlot Alumina	15m length, ID 0.53mm, df 10um	PC			80,000	
CFS-Y3053-100	GC-Column, FS, ValcoPlot Alumina	30m length, ID 0.53mm, df 10um	PC			93,000	O
CFS-Y5053-100	GC-Column, FS, ValcoPlot Alumina KCl	50m length, ID 0.53mm, df 10um	PC			148,000	
CFS-Z1532-050	GC-Column, FS, ValcoPlot Alumina, Na2SO4	15m length, ID 0.32mm, df 5um	PC			0	
CFS-Z1553-100	GC-Column, FS, ValcoPlot Alumina, Na2SO4	15m length, ID 0.53mm, df 10um	PC			80,000	
CFS-Z3032-050	GC-Column, FS, ValcoPlot Alumina, Na2SO4	30m length, ID 0.32mm, df 5um	PC			0	
CFS-Z3053-100	GC-Column, FS, ValcoPlot Alumina, Na2SO4	30m length, ID 0.53mm, df 10um	PC			93,000	O
CFS-Z5053-100	GC-Column, FS, ValcoPlot Alumina, Na2SO4	50m length, ID 0.53mm, df 10um	PC			148,000	
CFT-110	Cheminert flanging tool	110Vac, non CE !!!	PC			121,000	
CFT-220	Cheminert flanging tool	220Vac, non CE !!!	PC			121,000	
CFT-TL	Cheminert tip flanging tool	for tubing ID <1,50 mm	PC			7,400	
CFT-TM	Cheminert tip flanging tool	for tubing ID <1,00 mm	PC			7,400	
CF-W1	Cheminert washers for 1/16"OD tubing	10/pkg, SS	PKG	10	PC	1,910	
CF-W2	Cheminert washers for 1/8"OD tubing	10/pkg, SS	PKG	10	PC	1,040	
CGFT	Tightening Tool for PEEK hex-head	6-40 nuts, black	PC			3,400	
CI4UW.2	!!! RECOMMEND 2CI4UW.2	SUPPLIED WITH LARGER HANDLE	PC			0	
CI4UW.5	4 port 2-pos int vol valve, manual	1/16*.75mm, 75C/5000psi liq, .5ul, N60/H	PC			0	
CI4UW1	!!! RECOMMEND 2CI4UW1	SUPPLIED WITH LARGER HANDLE	PC			0	
CI4UW2	!!! RECOMMEND 2CI4UW2	SUPPLIED WITH LARGER HANDLE	PC			0	
CI4UWE.2	4 port 2-pos int vol valve, manual	1/16*.75mm, 175C/1000psi liq, .2ul, N60/E	PC			138,000	
CI4UWE.5	4 port 2-pos int vol valve, manual	1/16*.75mm, 175C/1000psi liq, .5ul, N60/E	PC			138,000	
CI4UWE1	4 port 2-pos int vol valve, manual	1/16*.75mm, 175C/1000psi liq, 1ul, N60/E	PC			138,000	
CI4UWE2	4 port 2-pos int vol valve, manual	1/16*.75mm, 175C/1000psi liq, 2ul, N60/E	PC			138,000	
CI4W.06	4 port 2-pos int/vol valve, manual	1/16*.4mm, 75C/5000psi liq, .06ul, N60/H	PC			138,000	
CI4W.1	4 port 2-pos int vol valve, manual	1/16*.4mm, 75C/5000psi liq, .1ul, N60/H	PC			138,000	
CI4W.2	4 port 2-pos int vol valve, manual	1/16*.4mm, 75C/5000psi liq, .2ul, N60/H	PC			138,000	
CI4W.5	4 port 2-pos int vol valve, manual	1/16*.4mm, 75C/5000psi liq, .5ul, N60/H	PC			138,000	
CI4WE.06	4 port 2-pos int vol valve, manual	1/16*.4mm, 175C/1000psi liq, .06ul, N60/E	PC			138,000	
CI4WE.1	4 port 2-pos int vol valve, manual	1/16*.4mm, 175C/1000psi liq, .1ul, N60/E	PC			138,000	
CI4WE.2	4 port 2-pos int vol valve, manual	1/16*.4mm, 175C/1000psi liq, .2ul, N60/E	PC			138,000	
CI4WE.5	4 port 2-pos int vol valve, manual	1/16*.4mm, 175C/1000psi liq, .5ul, N60/E	PC			138,000	
C-LFP	Loop fill port assy.		PC			29,000	
CM	Column mandrel		PC			24,000	
CM1XKF	Cheminert mixing tee 1/4"-28	for 1/16" tubing, 0.75mm bore, CTFE	PC			16,500	
CMH	Close mount hardware, 2-pos valve	1 or 2 holes, air or elec. act.	PC			7,200	
CMH11H	Close mount hardware	Cheminert h/p, air or elec. act.	PC			10,700	
CMH11L	Close mount hardware,	Cheminert l/p, air or elec. act.	PC			12,500	
CMH12H	Close mount hardware, 2-pos. valve	m-electric actuator	PC			8,900	
CMH12L	Close mount hardware, 2-pos. valve	Cheminert l/p, m-electric actuator	PC			12,500	
CMH13H	Close mount hardware, m-pos. valve	Cheminert h/p, m-electric actuator	PC			8,900	
CMH13L	Close mount hardware, m-pos. valve	Cheminert l/p, m-electric actuator	PC			12,500	
CMHMP	Close mount hardware, 2-pos/m-pos valve	no mounting holes, air or elec. actuator	PC			7,200	
CMLAKF	Cheminert male luer adapter to 1/4-28	1.5mm bore, CTFE	PC			5,200	
CMLAPFA	Cheminert male luer adapter to 1/4-28	1.5mm bore, PFA	PC			4,400	
CMLAPK	Cheminert male luer adapter to 1/4-28	1.5mm bore, PEEK	PC			5,200	
C-MPFTI10	Cheminert mobile phase filter	for 1/8" OD tubing, 10um Titanium frit, PTFE	PC			4,400	
C-MPFTI2	Cheminert mobile phase filter	for 1/8" OD tubing, 2um Titanium frit, PTFE	PC			6,700	O
C-NEF.5FPK.15S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	150um, PEEK, with liners for FS 125-175um	PC			21,000	
C-NEF.5FPK.20S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	150um, PEEK, with liners for FS 175-225um	PC			0	
C-NEF.5FPK.25S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	150um, PEEK, with liners for FS 225-275um	PC			0	
C-NEF.5FPK.30S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	150um, PEEK, with liners for FS 275-325um	PC			0	
C-NEF.5FPK.35S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	150um, PEEK, with liners for FS 325-375um	PC			21,000	
C-NEF.5XFPK.15S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	100um, PEEK, with liners for FS 125-175um	PC			21,000	
C-NEF.5XFPK.20S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	100um, PEEK, with liners for FS 175-225um	PC			21,000	
C-NEF.5XFPK.25S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	100um, PEEK, with liners for FS 225-275um	PC			21,000	
C-NEF.5XFPK.30S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	100um, PEEK, with liners for FS 275-325um	PC			21,000	
C-NEF.5XFPK.35S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	100um, PEEK, with liners for FS 325-375um	PC			21,000	
C-NERU1FPK	Union, Reducing, Int/Ext, 1/32 Cheminert	x 1/16 External, .006" bore	PC			23,000	
C-NEU.5FPK	Union, Int/Ext, 1/32" Cheminert	150um, PEEK, without liners	PC			15,600	
C-NEU.5FPK.15	Union, Int/Ext, Nano 1/32" Cheminert	150um, PEEK, with liners for FS 125-175um	PC			25,000	
C-NEU.5FPK.20	Union, Int/Ext, Nano 1/32" Cheminert	150um, PEEK, with liners for FS 175-225um	PC			25,000	
C-NEU.5FPK.25	Union, Int/Ext, Nano 1/32" Cheminert	150um, PEEK, with liners for FS 225-275um	PC			25,000	
C-NEU.5FPK.30	Union, Int/Ext, Nano 1/32" Cheminert	150um, PEEK, with liners for FS 275-325um	PC			25,000	
C-NEU.5FPK.35	Union, Int/Ext, Nano 1/32" Cheminert	150um, PEEK, with liners for FS 325-375um	PC			25,000	
C-NEU.5XFPK	Union, Int/Ext, Nano 1/32" Cheminert	100um, PEEK, without liners	PC			13,900	
C-NEU.5XFPK.15	Union, Int/Ext, Nano 1/32" Cheminert	100um, PEEK, with liners for FS 125-175um	PC			25,000	
C-NEU.5XFPK.20	Union, Int/Ext, Nano 1/32" Cheminert	100um, PEEK, with liners for FS 175-225um	PC			25,000	
C-NEU.5XFPK.25	Union, Int/Ext, Nano 1/32" Cheminert	100um, PEEK, with liners for FS 225-275um	PC			25,000	
C-NEU.5XFPK.30	Union, Int/Ext, Nano 1/32" Cheminert	100um, PEEK, with liners for FS 275-325um	PC			25,000	
C-NEU.5XFPK.35	Union, Int/Ext, Nano 1/32" Cheminert	100um, PEEK, with liners for FS 325-375um	PC			25,000	
CNFT	Tightening Tool for PEEK hex-head	1/32" nuts, green	PC			5,000	
C-NL.15L-5	Liner long, Nano 1/32" Cheminert, 27 mm	PEEK, for FS OD 125 - 175um, 5/pkg	PKG	5	PC	22,000	O
C-NL.15S-5	Liner short, Nano 1/32" Cheminert, 10 mm	PEEK, for FS OD 125 - 175um, 5/pkg	PKG	5	PC	22,000	
C-NL.20L-5	Liner long, Nano 1/32" Cheminert, 27 mm	PEEK, for FS OD 175 - 225um, 5/pkg	PKG	5	PC	22,000	
C-NL.20S-5	Liner long, Nano 1/32" Cheminert, 10 mm	PEEK, for FS OD 175 - 225um, 5/pkg	PKG	5	PC	22,000	
C-NL.25L-5	Liner long, Nano 1/32" Cheminert, 27 mm	PEEK, for FS OD 225 - 275 um, 5/pkg	PKG	5	PC	22,000	
C-NL.25S-5	Liner short, Nano 1/32" Cheminert, 10 mm	PEEK, for FS OD 225 - 275um, 5/pkg	PKG	5	PC	22,000	
C-NL.30L-5	Liner long, Nano 1/32" Cheminert, 27 mm	PEEK, for FS OD 275 - 325um, 5/pkg	PKG	5	PC	22,000	
C-NL.30S-5	Liner short, Nano 1/32" Cheminert, 10 mm	PEEK, for FS OD 275 - 325um, 5/pkg	PKG	5	PC	22,000	
C-NL.35L-5	Liner long, Nano 1/32" Cheminert, 27 mm	PEEK, for FS OD 325 - 375um, 5/pkg	PKG	5	PC	13,000	
C-NL.35S-5	Liner short, Nano 1/32" Cheminert, 10 mm	PEEK, for FS OD 325 - 375um, 5/pkg	PKG	5	PC	9,600	
C-NLS1.15	Liner, Nano 1/32" Cheminert, screen 1um, 27 mm	PEEK, for FS OD 125-175um	PC			7,000	
C-NLS1.20	Liner, Nano 1/32" Cheminert, screen 1um, 27 mm	PEEK, for FS OD 175 - 225 um	PC			7,000	
C-NLS1.25	Liner, Nano 1/32" Cheminert, screen 1um, 27 mm	PEEK, for FS OD 225-275um	PC			7,000	
C-NLS1.30	Liner, Nano 1/32" Cheminert, screen 1um, 27 mm	PEEK, for FS OD 275-325um	PC			7,000	
C-NLS1.35	Liner, Nano 1/32" Cheminert, screen 1um, 27 mm	PEEK, for FS OD 325-375um	PC			3,200	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
CNNF.5PK	Nut/Bushing, One-piece, 1/32" Cheminert	6-40, PEEK, SS retainer, hex head	PC			1,740	
CNNF1PK	Nut/Bushing, One-piece, 1/16" Cheminert	6-40, PEEK, SS retainer	PC			1,740	
C-NNFFPK	Nut/Ferrule, One-piece, 1/32" Cheminert		PC			2,100	
C-NNFLFPK	Nut/Ferrule, One-piece, 1/32" Cheminert	long	PC			5,200	
C-NPFPK	Plug, 1/32 Cheminert		PC			8,700	
C-NTFPK	Tee, Nano 1/32" Cheminert	150um, PEEK	PC			23,000	
C-NTXFPK	Tee, Nano 1/32" Cheminert	100um, PEEK	PC			23,000	
CNV1A10S1	Combo needle valve, silver colored knob	0-10ml N2 at 40psi, 1/16" int, Al/Viton	PC			37,000	
CNV1A150S1	Combo needle valve, silver colored knob	150ml N2 at 40psi, 1/16" int, Al/Viton	PC			37,000	
CNV1A250S1	Combo needle valve, silver colored knob	250ml N2 at 40psi, 1/16" int, Al/Viton	PC			37,000	
CNV1A500S1	Combo needle valve, silver colored knob	500ml N2 at 40psi, 1/16" int, Al/Viton	PC			37,000	
CNV1A50S1	Combo needle valve, silver colored knob	50ml N2 at 40psi, 1/16" int, Al/Viton	PC			37,000	
CNV1S10S1	Combo needle valve, silver colored knob	0-10ml N2 at 40psi, 1/16" int, SS/Viton	PC			40,000	
CNV1S150S1	Combo needle valve, silver colored knob	150ml N2 at 40psi, 1/16" int, SS/Viton	PC			40,000	
CNV1S250S1	Combo needle valve, silver colored knob	250ml N2 at 40psi, 1/16" int, SS/Viton	PC			40,000	
CNV1S500S1	Combo needle valve, silver colored knob	500ml N2 at 40psi, 1/16" int, SS/Viton	PC			40,000	
CNV1S50S1	Combo needle valve, silver colored knob	50ml N2 at 40psi, 1/16" int, SS/Viton	PC			40,000	
C-NVISF	Syringe Fill Port, 1/32" Cheminert	for 0.85"/22mm long needle, 26 Gauge OD	PC			7,000	
C-NXFPK	Cross, Nano, 1/32" Cheminert	150um, PEEK	PC			23,000	
C-NYFPK	Y-assy, Nano, 1/32" Cheminert	150um, PEEK	PC			23,000	
CP2-4841-D	M6 Pump only, replacement	100ul, 100psi, 1/16*1mm, E3/P, SPHR/TF, SS body	PC			400,000	
CP2-4841-F1	M6 Pump with stepper motor and controller	100ul, 100psi, 1/16*1mm, E3/P, SPHR/TF, SS body	PC			660,000	
CP3-8182-D	M50 Pump only, replacement	625ul, 100psi, 1/8*2mm, H2/CER, TF, SS body	PC			440,000	
CP3-8182-F2	M50 Pump with stepper motor and controller	625ul, 100psi, 1/8*2mm, H2/CER, TF, SS body	PC			700,000	
CP-DSM	Driver, Pump M6	Motor incl. mounting hardware	PC			98,000	
CP-DSM2	Driver, Pump M50	Motor incl. mounting hardware	PC			104,000	
C-PFL	Cheminert perfit 1/4"-28, PEEK	for peristaltic tubing 1.85 to 2.29mm ID	PC			2,100	
C-PFM	Cheminert perfit 1/4"-28, PEEK	for peristaltic tubing 1.12 to 1.65mm ID	PC			2,100	
C-PFS	Cheminert perfit 1/4"-28, PEEK	for peristaltic tubing .5 to 1.02mm ID	PC			2,300	
CPKF	Cheminert plug 1/4"-28	CTFE, 5/pkg	PKG	5	PC	9,600	OR
CPPK	Cheminert plug 1/4"-28	PEEK, 5/pkg	PKG	5	PC	5,800	
CR10	Clamp ring for standoff assembly	*SOAMMP m-pos m-electric actuator	PC			4,300	
CR3	Clamp ring for standoff assembly	*SOA*/SOAMP	PC			2,500	
CR8	Clamp ring for standoff assembly	*SOA*/SOAMP, 2-pos m-electric actuator	PC			2,900	
CSD10UW	10 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, N60/E	PC			220,000	
CSD4UW	4 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, N60/E	PC			185,000	
CSD6UW	6 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, N60/E	PC			195,000	
CSL10	Cheminert sample loop 10ul	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
CSL100	Cheminert sample loop 100ul	1/16" ends with nuts & ferrules, 316SS	PC			6,900	
CSL100TI	Cheminert sample loop 100ul	1/16" ends with nuts & ferrules, Ti	PC			11,500	
CSL10K	Cheminert sample loop 10ml	1/16" ends with nuts & ferrules, 316SS	PC			16,200	
CSL10TI	Cheminert sample loop 10ul	1/16" ends with nuts & ferrules, Ti	PC			21,000	O
CSL1K	Cheminert sample loop 1ml	1/16" ends with nuts & ferrules, 316SS	PC			7,900	
CSL2	Cheminert sample loop 2ul	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
CSL20	Cheminert sample loop 20ul	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
CSL20TI	Cheminert sample loop 20ul	1/16" ends with nuts & ferrules, Ti	PC			11,500	
CSL250	Cheminert sample loop 250ul	1/16" ends with nuts & ferrules, 316SS	PC			6,900	
CSL250TI	Cheminert sample loop 250ul	1/16" ends with nuts & ferrules, Ti	PC			18,400	O
CSL2K	Cheminert sample loop 2ml	1/16" ends with nuts & ferrules, 316SS	PC			10,100	
CSL5	Cheminert sample loop 5ul	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
CSL50	Cheminert sample loop 50ul	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
CSL500	Cheminert sample loop 500ul	1/16" ends with nuts & ferrules, 316SS	PC			6,900	
CSL500TI	Cheminert sample loop 500ul	1/16" ends with nuts & ferrules, Ti	PC			35,000	O
CSL50TI	Cheminert sample loop 50ul	1/16" ends with nuts & ferrules, Ti	PC			11,500	
CSL5K	Cheminert sample loop 5ml	1/16" ends with nuts & ferrules, 316SS	PC			13,700	
CSLN1.5K	Cheminert sample loop 1.5ul (1500nl)	1/32" ends with nuts, SS	PC			7,900	
CSLN10K	Cheminert sample loop 10ul	1/32" ends with nuts, SS	PC			13,400	
CSLN10KPK	Cheminert sample loop 10ul (10'000nl)	1/32" ends with nuts, PEEK	PC			13,400	
CSLN1K	Cheminert sample loop 1ul (1000nl)	1/32" ends with nuts, SS	PC			7,900	
CSLN1K5	replaced by CSLN1K		PC			0	
CSLN1KPK	Cheminert sample loop 1ul (1'000nl)	1/32" ends with nuts, PEEK	PC			13,400	
CSLN2K	Cheminert sample loop 2ul (2000nl)	1/32" ends with nuts, SS	PC			10,100	
CSLN2KPK	Cheminert sample loop 2ul (2000nl)	1/32" ends with nuts, PEEK	PC			13,400	OR
CSLN5K	Cheminert sample loop 5ul (5000nl)	1/32" ends with nuts, SS	PC			12,900	
CSLN5KPK	Cheminert sample loop 5ul (5000nl)	1/32" ends with nuts, PEEK	PC			13,400	
CSS-X1553-200	GC-Column, SS, ValcoPLOT Molesieve 5A	15m length, ID 0.53mm, df 20um	PC			0	
CSS-X3053-200	GC-Column, SS, ValcoPLOT Molesieve 5A	30m length, ID 0.53mm, df 20um	PC			0	
CSS-X3053-500	GC-Column, SS, ValcoPLOT Molesieve 5A	30m length, ID 0.53mm, df 50um	PC			0	
CST	Cheminert setting tool	for 1/4"-28 flangeless fitting	PC			2,400	
CTCKF	Cheminert tee 1/4"-28, 1/16" OD tubing	.25mm bore, CTFE	PC			11,300	
CTKF	Cheminert tee 1/4"-28, 1/16" OD tubing	.5mm bore, CTFE	PC			9,100	
CTLKF	Cheminert tee 1/4"-28, 1/8" OD tubing	1.5mm bore, CTFE	PC			8,200	
CTMKF	Cheminert tee 1/4"-28, 1/16" OD tubing	.75mm bore, CTFE	PC			10,100	
CUCKF	Cheminert union 1/4"-28, 1/16" OD tubing	.25mm bore, CTFE	PC			8,700	
CUCPK	Cheminert union 1/4"-28, 1/16" OD tubing	.25mm bore, PEEK	PC			10,400	
CUKF	Cheminert union 1/4"-28, 1/16" OD tubing	.5mm bore, CTFE	PC			8,700	
CUMKF	Cheminert union 1/4"-28, 1/16" OD tubing	.75mm bore, CTFE	PC			7,000	
CUMPK	Cheminert union 1/4"-28, 1/16" OD tubing	.75mm bore, PEEK	PC			7,000	
CUPK	Cheminert union 1/4"-28, 1/16" OD tubing	.5mm bore, PEEK	PC			8,700	
CUTPP	OBSOLETE, replaced by JR-060-5	butt connection, Polypropylene, 5/pkg	PKG	5	PC	0	
CVA10GS1	Combo needle valve, short green knob	10ml/min, 40psi He/N2, 1/16" int, Al/Viton	PC			35,000	
CVA10GS2	Combo needle valve, short green knob	10ml/min, 40psi He/N2, 1/8" int, Al/Viton	PC			35,000	
CVA150US1	Combo needle valve, short blue knob	150ml/min, 40psi He/N2, 1/16" int, Al/Viton	PC			35,000	
CVA150US2	Combo needle valve, short blue knob	150ml/min, 40psi He/N2, 1/8" int, Al/Viton	PC			35,000	
CVA1KYS1	Combo needle valve, short yellow knob	1 liter/min, 40psi He/N2, 1/16" int, Al/Viton	PC			35,000	
CVA1KYS2	Combo needle valve, short yellow knob	1 liter/min, 40psi He/N2, 1/8" int, Al/Viton	PC			35,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
CVA500BS1	Combo needle valve, short black knob	500ml/min, 40psi He/N ₂ , 1/16" int, Al/Viton	PC			35,000	
CVA500BS2	Combo needle valve, short black knob	500ml/min, 40psi He/N ₂ , 1/8" int, Al/Viton	PC			35,000	
CVA50RS1	Combo needle valve, short red knob	50ml/min, 40psi He/N ₂ , 1/16" int, Al/Viton	PC			35,000	
CVA50RS2	Combo needle valve, short red knob	50ml/min, 40psi He/N ₂ , 1/8" int, Al/Viton	PC			35,000	
C-VISF-1	Syringe fillport Cheminert C22Z polymeric valve	for .75"/19mm long needle, 22Gauge OD	PC			3,900	
C-VISF-1H	Syringe fillport Cheminert C2/C3/C4 polymeric vlv	for .75"/19mm long needle, 22Gauge OD	PC			3,900	
C-ZP1FPK	Plug 1/16", fingertight, high pressure	Cheminert Polymeric vlv series C1-C5, PEEK	PC			3,200	
CZSL100FEP	Cheminert sample loop 100ul	1/16" PEEK nuts & CTFE ferrules, FEP	PC			12,900	
CZSL100PK	Cheminert sample loop 100ul	1/16" PEEK nuts & ferrules, PEEK	PC			6,500	
CZSL100TF	Cheminert sample loop 100ul	1/16" PEEK nuts & ferrules, PTFE	PC			9,600	
CZSL10FEP	Cheminert sample loop 10ul	1/16" PEEK nuts & CTFE ferrules, FEP	PC			9,600	
CZSL10PK	Cheminert sample loop 10ul	1/16" PEEK nuts & ferrules, PEEK	PC			7,400	
CZSL10TF	Cheminert sample loop 10ul	1/16" PEEK nuts & ferrules, PTFE	PC			9,600	
CZSL1KFEP	Cheminert sample loop 1ml	1/16" PEEK nuts & CTFE ferrules, FEP	PC			23,000	
CZSL1KPK	Cheminert sample loop 1ml	1/16" PEEK nuts & ferrules, PEEK	PC			37,000	
CZSL1KTF	Cheminert sample loop 1ml	1/16" PEEK nuts & ferrules, PTFE	PC			25,000	O
CZSL20FEP	Cheminert sample loop 20ul	1/16" PEEK nuts & CTFE ferrules, FEP	PC			9,600	
CZSL20PK	Cheminert sample loop 20ul	1/16" PEEK nuts & ferrules, PEEK	PC			6,500	
CZSL20TF	Cheminert sample loop 20ul	1/16" PEEK nuts & ferrules, PTFE	PC			11,500	
CZSL250FEP	Cheminert sample loop 250ul	1/16" PEEK nuts & CTFE ferrules, FEP	PC			11,500	
CZSL250PK	Cheminert sample loop 250ul	1/16" PEEK nuts & ferrules, PEEK	PC			11,000	
CZSL250TF	Cheminert sample loop 250ul	1/16" PEEK nuts & ferrules, PTFE	PC			9,600	
CZSL2KFEP	Cheminert sample loop 2ml	1/16" PEEK nuts & CTFE ferrules, FEP	PC			29,000	
CZSL2KPK	Cheminert sample loop 2ml	1/16" PEEK nuts & ferrules, PEEK	PC			16,500	
CZSL2KTF	Cheminert sample loop 2ml	1/16" PEEK nuts & ferrules, PTFE	PC			29,000	
CZSL2PK	Cheminert sample loop 2ul	1/16" PEEK nuts & ferrules, PEEK	PC			7,400	
CZSL500FEP	Cheminert sample loop 500ul	1/16" PEEK nuts & CTFE ferrules, FEP	PC			24,000	OR
CZSL500PK	Cheminert sample loop 500ul	1/16" PEEK nuts & ferrules, PEEK	PC			24,000	
CZSL500TF	Cheminert sample loop 500ul	1/16" PEEK nuts & ferrules, PTFE	PC			24,000	
CZSL50FEP	Cheminert sample loop 50ul	1/16" PEEK nuts & CTFE ferrules, FEP	PC			9,600	
CZSL50PK	Cheminert sample loop 50ul	1/16" PEEK nuts & ferrules, PEEK	PC			6,500	
CZSL50TF	Cheminert sample loop 50ul	1/16" PEEK nuts & ferrules, PTFE	PC			9,600	
CZSL5FEP	Cheminert sample loop 5ul	1/16" PEEK nuts & CTFE ferrules, FEP	PC			9,600	
CZSL5KPK	Cheminert sample loop 5ml	1/16" PEEK nuts & ferrules, PEEK	PC			30,000	
CZSL5PK	Cheminert sample loop 5ul	1/16" PEEK nuts & ferrules, PEEK	PC			7,400	
CZSL5TF	Cheminert sample loop 5ul	1/16" PEEK nuts & ferrules, PTFE	PC			9,600	
CZUCKF	Cheminert union 1/4"-28*, 1/16" OD tubing	.25mm bore, CTFE	PC			7,000	
D10UW	10 port 2-pos valve, replacement	1/8*.75mm, 75C/5000psi liq, N60/H	PC			145,000	
D10UWE	10 port 2-pos valve, replacement	1/8*.75mm, 225C/400psi gas, N60/E	PC			135,000	
D10UWT	10 port 2-pos valve, replacement	1/8*.75mm, 330C/300psi gas, N60/T	PC			135,000	
D-2-110	Pulsed discharge detector PDECD/HID/PID	48V detector, controller, HP2, 110Vac CE	PC			1,600,000	
D-2-220	Pulsed discharge detector PDECD/HID/PID	48V detector, controller, HP2, 220Vac CE	PC			1,600,000	
D-2-I-110	Pulsed discharge detector optimized HID	48V detector, controller, HP2, 110Vac CE	PC			1,430,000	
D-2-I-220	Pulsed discharge detector optimized HID	48V detector, controller, HP2, 220Vac CE	PC			1,430,000	
D-2-IM	Pulsed discharge detector mini	heater block, 48V heaters, HP2, PD-C2	PC			1,430,000	
D-3-I-7890-110	Pulsed discharge detector HID/PID HP7890	pulser, HP electrometer, HP2-110, HPM-110	PC			1,520,000	
D-3-I-7890-220	Pulsed discharge detector HID/PID HP7890	pulser, HP electrometer, HP2-220, HPM-220	PC			1,520,000	
D-3-I-HP-110	Pulsed discharge detector HID/PID HP6890	pulser, HP electrometer, HP2-110, HPM-110	PC			1,600,000	
D-3-I-HP-220	Pulsed discharge detector HID/PID HP6890	pulser, HP electrometer, HP2-220, HPM-220	PC			1,600,000	
D-4-I-110	Pulsed discharge detector HeID/PID	48V detector, controller, HP2, 110Vac CE	PC			1,290,000	
D-4-I-220	Pulsed discharge detector HeID/PID	48V detector, controller, HP2, 220Vac CE	PC			1,290,000	
D-4-I-HP58-110	Pulsed discharge detector HeID/PID HP5890	48V detector, controller, HP2, 110Vac CE	PC			1,290,000	
D-4-I-HP58-220	Pulsed discharge detector HeID/PID HP5890	48V detector, controller, HP2, 220Vac CE	PC			1,290,000	
D-4-I-SH14-R-110	Pulsed discharge detector HeID/PID Shimadzu 14	w/o controller, with HP2-110	PC			940,000	
D-4-I-SH14-R-220	Pulsed discharge detector HeID/PID Shimadzu 14	w/o controller, with HP2-220	PC			940,000	
D-4-I-SH17-R-110	Pulsed discharge detector HeID/PID Shimadzu 17	w/o controller, HP2-110, suitable for 2010 & 2014	PC			940,000	
D-4-I-SH17-R-220	Pulsed discharge detector HeID/PID Shimadzu 17	w/o controller, HP2-220, suitable for 2010 & 2014	PC			940,000	
D-4-I-TQ-R-110	Pulsed discharge detector HeID/PID for Trace GC	pulser, HP2-110, ThermoQuest	PC			940,000	
D-4-I-TQ-R-220	Pulsed discharge detector HeID/PID for Trace GC	pulser, HP2-220, ThermoQuest	PC			940,000	
D-4-I-VA38-R-110	Pulsed discharge detector HeID/PID Varian 3800	w/o controller, with HP2-110	PC			940,000	
D-4-I-VA38-R-220	Pulsed discharge detector HeID/PID Varian 3800	w/o controller, with HP2-220	PC			940,000	
D4UW	4 port 2-pos valve, replacement	1/8*.75mm, 75C/5000psi liq, N60/H	PC			123,000	
D4UWE	4 port 2-pos valve, replacement	1/8*.75mm, 225C/400psi gas, N60/E	PC			113,000	
D4UWT	4 port 2-pos valve, replacement	1/8*.75mm, 330C/300psi gas, N60/T	PC			113,000	
D6UW	6 port 2-pos valve, replacement	1/8*.75mm, 75C/5000psi liq, N60/H	PC			134,000	
D6UWE	6 port 2-pos valve, replacement	1/8*.75mm, 225C/400psi gas, N60/E	PC			124,000	
D6UWT	6 port 2-pos valve, replacement	1/8*.75mm, 330C/300psi gas, N60/T	PC			124,000	
D8UW	8 port 2-pos valve, replacement	1/8*.75mm, 75C/5000psi liq, N60/H	PC			145,000	
D8UWE	8 port 2-pos valve, replacement	1/8*.75mm, 225C/400psi gas, N60/E	PC			135,000	O
D8UWT	8 port 2-pos valve, replacement	1/8*.75mm, 330C/300psi gas, N60/T	PC			135,000	O
DC10UW	10 port 2-pos valve, replacement	1/16*.75mm, 75C/5000psi liq, N60/H	PC			145,000	
DC10UWE	10 port 2-pos valve, replacement	1/16*.75mm, 225C/400psi gas, N60/E	PC			135,000	O
DC10UWEPI	10 port 2-pos valve, replacement, int. purged	1/16*.75mm, 175C/400psi gas, N60/E	PC			155,000	
DC10UWT	10 port 2-pos valve, replacement	1/16*.75mm, 330C/300psi gas, N60/T	PC			135,000	O
DC10W	10 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			135,000	O
DC10WE	10 port 2-pos valve, replacement	1/16*.4mm, 225C/400psi gas, N60/E	PC			135,000	
DC10WT	10 port 2-pos valve, replacement	1/16*.4mm, 350C/300psi gas, N60/T	PC			135,000	
DC4UW	4 port 2-pos valve, replacement	1/16*.75mm, 75C/5000psi liq, N60/H	PC			123,000	
DC4UWE	4 port 2-pos valve, replacement	1/16*.75mm, 225C/400psi gas, N60/E	PC			113,000	
DC4UWEPI	4 port 2-pos valve, replacement, int. purged	1/16*.75mm, 175C/400psi gas, N60/E	PC			133,000	O
DC4UWT	4 port 2-pos valve, replacement	1/16*.75mm, 330C/300psi gas, N60/T	PC			113,000	
DC4W	4 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			113,000	
DC4WE	4 port 2-pos valve, replacement	1/16*.4mm, 225C/400psi gas, N60/E	PC			113,000	
DC4WT	4 port 2-pos valve, replacement	1/16*.4mm, 350C/300psi gas, N60/T	PC			113,000	
DC6UW	6 port 2-pos valve, replacement	1/16*.75mm, 75C/5000psi liq, N60/H	PC			134,000	
DC6UWE	6 port 2-pos valve, replacement	1/16*.75mm, 225C/400psi gas, N60/E	PC			124,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
DC6UWEPI	6 port 2-pos valve, replacement, int. purged	1/16*.75mm, 175C/400psi gas, N60/E	PC			144,000	
DC6UWT	6 port 2-pos valve, replacement	1/16*.75mm, 330C/300psi gas, N60/T	PC			124,000	
DC6W	6 port 2-pos valve, K-hole, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			124,000	
DC6WE	6 port 2-pos valve, replacement	1/16*.4mm, 225C/400psi gas, N60/E	PC			124,000	
DC6WT	6 port 2-pos valve, replacement	1/16*.4mm, 350C/300psi gas, N60/T	PC			124,000	
DC8UW	8 port 2-pos valve, replacement	1/16*.75mm, 75C/5000psi liq, N60/H	PC			145,000	
DC8UWE	8 port 2-pos valve, replacement	1/16*.75mm, 225C/400psi gas, N60/E	PC			135,000	
DC8UWEPI	8 port 2-pos valve, replacement, int. Purged	1/16*.75mm, 150C/600psi liq, N60/E	PC			165,000	
DC8UWT	8 port 2-pos valve, replacement	1/16*.75mm, 330C/300psi gas, N60/T	PC			135,000	
DC8W	8 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	PC			135,000	
DC8WE	8 port 2-pos valve, replacement	1/16*.4mm, 225C/400psi gas, N60/E	PC			135,000	
DC8WT	8 port 2-pos valve, replacement	1/16*.4mm, 350C/300psi gas, N60/T	PC			135,000	OR
DCI4UW.2	4 port 2-pos int vol valve, replacement	1/16*.75mm, 75C/5000psi liq, .2ul, N60/H	PC			133,000	
DCI4UW.5	4 port 2-pos int vol valve, replacement	1/16*.75mm, 75C/5000psi liq, .5ul, N60/H	PC			133,000	
DCI4UW1	4 port 2-pos int vol valve, replacement	1/16*.75mm, 75C/5000psi liq, 1ul, N60/H	PC			133,000	
DCI4UW2	4 port 2-pos int vol valve, replacement	1/16*.75mm, 75C/5000psi liq, 2ul, N60/H	PC			133,000	
DCI4UWE.2	4 port 2-pos int vol valve, replacement	1/16*.75mm, 175C/1000psi liq, .2ul, N60/E	PC			123,000	
DCI4UWE.5	4 port 2-pos int vol valve, replacement	1/16*.75mm, 175C/1000psi liq, .5ul, N60/E	PC			123,000	
DCI4UWE1	4 port 2-pos int vol valve, replacement	1/16*.75mm, 175C/1000psi liq, 1ul, N60/E	PC			123,000	
DCI4UWE1PI	4 port 2-pos int vol valve, replacement,int.purg.	1/16*.75MM, 175C/1000PSI LIQ, 1UL, N60/E	PC			143,000	
DCI4UWE2	4 port 2-pos int vol valve, replacement	1/16*.75mm, 175C/1000psi liq, 2ul, N60/E	PC			123,000	
DCI4UWE2PI	4 port 2-pos int vol valve, replacement,int.purg.	1/16*.75MM,175C/1000PSILIQ, 2UL, N60/E	PC			143,000	
DCI4W.06	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/5000psi liq, .06ul, N60/H	PC			123,000	
DCI4W.1	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/5000psi liq, .1ul, N60/H	PC			123,000	
DCI4W.2	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/5000psi liq, .2ul, N60/H	PC			123,000	
DCI4W.5	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/5000psi liq, .5ul, N60/H	PC			123,000	
DCI4WE.06	4 port 2-pos int vol valve, replacement	1/16*.4mm, 175C/1000psi liq, .06ul,N60/E	PC			123,000	
DCI4WE.1	4 port 2-pos int vol valve, replacement	1/16*.4mm, 175C/1000psi liq, .1ul, N60/E	PC			123,000	
DCI4WE.2	4 port 2-pos int vol valve, replacement	1/16*.4mm, 175C/1000psi liq, .2ul, N60/E	PC			123,000	OR
DCI4WE.5	4 port 2-pos int vol valve, replacement	1/16*.4mm, 175C/1000psi liq, .5ul, N60/E	PC			123,000	
DCI4WE.6	4 port 2-pos int vol valve, replacement,int.purg.	1/16*.4MM, 175C/1000PSI LIQ, .5UL, N60/E	PC			123,000	
DCSC10MWE	10 mpos common outlet path, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	PC			164,000	
DCSC12MWE	12 mpos common outlet path, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	PC			183,000	
DCSC16MWE	16 mpos common outlet path, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	PC			183,000	
DCSC6MWE	6 mpos common outlet path, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	PC			148,000	
DCSD10MWE	10 mpos dead-end path, MW, replacement	1/16*.75mm, 200C/400psi gas, N60/E	PC			157,000	
DCSD10UW	10 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, N60/E	PC			167,000	
DCSD12MWE	12 mpos dead-end path, MW, replacement	1/16*.75mm, 200C/400psi gas, N60/E	PC			176,000	
DCSD16MWE	16 mpos dead-end path, MW, replacement	1/16*.75mm, 200C/400psi gas, N60/E	PC			176,000	
DCSD4UW	4 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, N60/E	PC			140,000	
DCSD6MWE	6 mpos dead-end path, MW, replacement	1/16*.75mm, 200C/400psi gas, N60/E	PC			141,000	
DCSD6UW	6 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, N60/E	PC			151,000	
DCSF10MWE	10 mpos flow-through, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	PC			188,000	
DCSF12MWE	12 mpos flow-through, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	PC			210,000	
DCSF16MWE	16 mpos flow-through, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	PC			210,000	
DCSF6MWE	6 mpos flow-through, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	PC			172,000	
DCST10MWE	10 mpos trapping path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	PC			188,000	
DCST12MWE	12 mpos trapping path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	PC			210,000	OR
DCST16MWE	16 mpos trapping path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	PC			210,000	
DCST4UW	4 mpos trapping path, replacement	1/16*.4mm, 75C/5000psi liq, N60/E	PC			159,000	
DCST6MWE	6 mpos trapping path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	PC			172,000	
DCST6UW	6 mpos trapping path, replacement	1/16*.4mm, 75C/5000psi liq, N60/E	PC			170,000	
DCSTF10MWE	10 mpos trap/flow path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	PC			195,000	
DCSTF12MWE	12 mpos trap/flow path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	PC			220,000	
DCSTF16MWE	16 mpos trap/flow path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	PC			220,000	
DCSTF6MWE	6 mpos trap/flow path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	PC			179,000	
DFS-00110	Fused silica, deactivated, 1m length, ID 0.10mm		PC			5,600	
DFS-00110-10	Fused silica, deactivated, 1m length, ID 0.10mm	10/pkg	PKG	10	PC	42,000	
DFS-00118	Fused silica, deactivated, 1m length, ID 0.18mm		PC			5,200	
DFS-00118-10	Fused silica, deactivated, 1m length, ID 0.18mm	10/pkg	PKG	10	PC	39,000	
DFS-00125	Fused silica, deactivated, 1m length, ID 0.25mm		PC			4,300	
DFS-00125-10	Fused silica, deactivated, 1m length, ID 0.25mm	10/pkg	PKG	10	PC	29,000	
DFS-00132	Fused silica, deactivated, 1m length, ID 0.32mm		PC			4,300	
DFS-00132-10	Fused silica, deactivated, 1m length, ID 0.32mm	10/pkg	PKG	10	PC	31,000	
DFS-00153	Fused silica, deactivated, 1m length, ID 0.53mm		PC			4,700	
DFS-00153-10	Fused silica, deactivated, 1m length, ID 0.53mm	10/pkg	PKG	10	PC	34,000	
DFS-00510	Fused silica, deactivated, 5m length, ID 0.10mm		PC			14,600	
DFS-00518	Fused silica, deactivated, 5m length, ID 0.18mm		PC			13,400	
DFS-00525	Fused silica, deactivated, 5m length, ID 0.25mm		PC			8,600	
DFS-00532	Fused silica, deactivated, 5m length, ID 0.32mm		PC			9,100	
DFS-01010	Fused silica, deactivated, 10m length, ID 0.10mm		PC			32,000	
DFS-01018	Fused silica, deactivated, 10m length, ID 0.18mm		PC			29,000	
DFS-01525	Fused silica, deactivated, 15m length, ID 0.25mm		PC			26,000	
DFS-01532	Fused silica, deactivated, 15m length, ID 0.32mm		PC			28,000	
DFS-01553	Fused silica, deactivated, 15m length, ID 0.53mm		PC			33,000	
DI4UWE.2	4 port 2-pos int vol valve, replacement	1/8*.75mm, 175C/1000psi liq, .2ul, N60/E	PC			123,000	
DI4UWE.5	4 port 2-pos int vol valve, replacement	1/8*.75mm, 175C/1000psi liq, .5ul, N60/E	PC			123,000	
DI4UWE1	4 port 2-pos int vol valve, replacement	1/8*.75mm, 175C/1000psi liq, 1ul, N60/E	PC			123,000	
DI4UWE2	4 port 2-pos int vol valve, replacement	1/8*.75mm, 175C/1000psi liq, 2ul, N60/E	PC			123,000	
DL10UW	10 port 2-pos valve, replacement	1/8*1.0mm, 75C/5000psi liq, N60/H	PC			155,000	O
DL4UW	4 port 2-pos valve, replacement	1/8*1.7mm, 75C/5000psi liq, N60/H	PC			132,000	O
DL6UW	6 port 2-pos valve, replacement	1/8*1.7mm, 75C/5000psi liq, N60/H	PC			143,000	
DL8UW	8 port 2-pos valve, replacement	1/8*1.3mm, 75C/5000psi liq, N60/H	PC			155,000	
DN10WE	10 port 2-pos valve, replacement	1/32*.25mm, 225C/400psi gas, N60/E	PC			160,000	
DN10WT	10 port 2-pos valve, replacement	1/32*.25mm, 350C/300psi gas, N60/T	PC			160,000	OR
DN4WE	4 port 2-pos valve, replacement	1/32*.25mm, 225C/400psi gas, N60/E	PC			138,000	

備考: O= Obsolete ; OR = On Request

上記金額は税別です。予告なく変更される場合があります。

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
DN4WT	4 port 2-pos valve, replacement	1/32*.25mm, 350C/300psi gas, N60/T	PC			138,000	
DN6WE	6 port 2-pos valve, replacement	1/32*.25mm, 225C/400psi gas, N60/E	PC			149,000	
DN6WT	6 port 2-pos valve, replacement	1/32*.25mm, 350C/300psi gas, N60/T	PC			149,000	
DN8WE	8 port 2-pos valve, replacement	1/32*.25mm, 225C/400psi gas, N60/E	PC			160,000	
DN8WT	8 port 2-pos valve, replacement	1/32*.25mm, 350C/300psi gas, N60/T	PC			160,000	OR
DNI4WE.06	4 port 2-pos int vol valve, replacement	1/32*.25mm, 175C/1000psi liq, .06ul,N60/E	PC			148,000	
DNI4WE.1	4 port 2-pos int vol valve, replacement	1/32*.25mm, 175C/1000psi liq, .1ul,N60/E	PC			148,000	
DNI4WE.2	4 port 2-pos int vol valve, replacement	1/32*.25mm, 175C/1000psi liq, .2ul,N60/E	PC			148,000	
DNI4WE.5	4 port 2-pos int vol valve, replacement	1/32*.25mm, 175C/1000psi liq, .5ul,N60/E	PC			148,000	
DSC10MWE	10 mpos common outlet path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			164,000	
DSC12MWE	12 mpos common outlet path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			183,000	
DSC16MWE	16 mpos common outlet path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			183,000	
DSC6MWE	6 mpos common outlet path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			148,000	
DSD10MWE	10 mpos dead-end path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			157,000	
DSD12MWE	12 mpos dead-end path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			176,000	
DSD16MWE	16 mpos dead-end path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			176,000	
DSD4UW	4 mpos dead-end path, replacement	1/8*.75mm, 75C/5000psi liq, N60/E	PC			140,000	
DSD6MWE	6 mpos dead-end path, MW, replacement	1/8*1mm, 200C/400psi gas, N60/E	PC			141,000	
DSD6UW	6 mpos dead-end path, replacement	1/8*.75mm, 75C/5000psi liq, N60/E	PC			151,000	
DSD8UW	8 mpos dead-end path, replacement	1/8*.75mm, 75C/5000psi liq, N60/E	PC			167,000	
DSF10MWE	10 mpos flow-through, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			188,000	
DSF12MWE	12 mpos flow-through, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			210,000	
DSF16MWE	16 mpos flow-through, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			210,000	
DSF6MWE	6 mpos flow-through, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			172,000	
DST10MWE	10 mpos trapping path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			188,000	
DST12MWE	12 mpos trapping path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			210,000	
DST16MWE	16 mpos trapping path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			210,000	
DST6MWE	6 mpos trapping path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			172,000	
DSTF10MWE	10 mpos trap/flow path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			195,000	
DSTF12MWE	12 mpos trap/flow path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			220,000	
DSTF16MWE	16 mpos trap/flow path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			220,000	
DSTF6MWE	6 mpos trap/flow path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	PC			179,000	
DV13-1110	NEW Mini diaphragm 10 port 2-pos valve	1/32*.25MM, 175C/300PSI LIQ, N60/POLYIMIDE	PC			270,000	
DV13-1114-.5	NEW Mini diaphragm 4 port 2-pos int/vol valve	1/32*.25MM, 50C/750PSI LIQ, N60/POLYIMIDE, .5UL	PC			250,000	
DV13-1114-1	NEW Mini diaphragm 4 port 2-pos int/vol valve	1/32*.25MM, 50C/750PSI LIQ, N60/POLYIMIDE, 1UL	PC			250,000	
DV13-1116	NEW Mini diaphragm 6 port 2-pos valve	1/32*.25MM, 175C/300PSI LIQ, N60/POLYIMIDE	PC			250,000	
DV22-21D	Diaphragm, replacement, 6/10 port, Polyimide	for valve bore 0.25 and 0.40 mm	PC			15,700	
DV22-22D	Diaphragm, replacement, 6/10 port, Teflon		PC			12,800	
DV22-31D	Diaphragm, replacement, 6/10 port, Polyimide	for valve bore 0.75 mm	PC			16,700	
DV22-PURGE	Purge ring for DV22 and DV23	type valves	PC			15,700	
DV23-2110	NEW Mini diaphragm 10 port 2-pos valve	1/16*.4mm, 175C/300psi gas, N60/Polyimide	PC			230,000	
DV23-2114-.5	NEW Mini diaphragm 4 port 2-pos int/vol valve	1/16*.4MM, 50C/750PSI LIQ, N60/POLYIMIDE, .5UL	PC			200,000	
DV23-2114-1	NEW Mini diaphragm 4 port 2-pos int/vol valve	1/16*.4MM, 50C/750PSI LIQ, N60/POLYIMIDE, 1UL	PC			200,000	
DV23-2116	NEW Mini diaphragm 6 port 2-pos valve	1/16*.4MM, 175C/300PSI GAS, N60/POLYIMIDE	PC			190,000	
DV23-3110	NEW Mini diaphragm 10 port 2-pos valve	1/16*.75mm, 175C/300psi gas, N60/Polyimide	PC			230,000	
DV23-3114-.5	NEW Mini diaphragm 4 port 2-pos int/vol valve	1/16*.75MM, 175C/300PSI GAS, N60/POLYIMIDE, .5UL	PC			200,000	
DV23-3114-1	NEW Mini diaphragm 4 port 2-pos int/vol valve	1/16*.75MM, 175C/300PSI GAS, N60/POLYIMIDE, 1UL	PC			200,000	
DV23-3116	NEW Mini diaphragm 6 port 2-pos valve	1/16*.75mm, 175C/300psi gas, N60/Polyimide	PC			190,000	
DVBRKIT	Mounting kit for diaphragm valves	includes SABB, CR4 and screws	PC			7,200	
DVI-110	Digital valve interface, 110Vac	Non-CE !!!	PC			0	
DVI-220	Digital valve interface, 220Vac	Non-CE !!!	PC			0	
DVL4MWE2	4 port 2-pos valve, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	PC			220,000	
DVL6MWE2	6 port 2-pos valve, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	PC			230,000	O
DVL8MWE2	8 port 2-pos valve, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	PC			240,000	
DVLS4MWE2	4 mpos common outlet path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	PC			240,000	
DVLS6MWE2	6 mpos common outlet path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	PC			250,000	
DVLS8MWE2	8 mpos common outlet path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	PC			270,000	
DVLSD10MWE2	10 mpos dead-end path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	PC			260,000	
DVLSD4MWE2	4 mpos dead-end path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	PC			230,000	
DVLSD6MWE2	6 mpos dead-end path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	PC			250,000	
DVLSD8MWE2	8 mpos dead-end path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	PC			260,000	
DVLSF4MWE2	4 mpos flow-through, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	PC			270,000	
DVLSF6MWE2	6 mpos flow-through, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	PC			280,000	
DVLSF8MWE2	8 mpos flow-through, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	PC			290,000	
EAOR21	External adaptor 1/8" to 10-32 thread	O-ring seal, SS	PC			5,000	
EAOR22	External adaptor 1/8" to 5/16-24 thread	O-ring seal, SS	PC			6,700	
EBU2L	Bulkhead external union 1/8"	2mm bore, SS	PC			9,200	
ECEF111.0	External column end fitting 1/16"	.25mm bore 1mm cone, without frit, 316SS	PC			4,800	
ECEF211.0	External column end fitting 1/8"*1/16"	.25mm bore 1mm cone, without frit, 316SS	PC			5,500	
ECEF412.1	External column end fitting 1/4"*1/16"	.4mm bore 2.1mm cone,without frit, 316SS	PC			7,400	
ECEF412.1F	External column end fitting 1/4"*1/16"	.4mm bore 2.1mm cone,removable 2um frit, 316SS	PC			7,400	
ECEF414.6	External column end fitting 1/4"*1/16"	.4mm bore 4.6mm cone,without frit, 316SS	PC			5,500	
ECEF414.6F	External column end fitting 1/4"*1/16"	.4mm bore 4.6mm cone,removable 2um frit,316SS	PC			7,400	
ECEF617.0	External column end fitting 3/8"*1/16"	.4mm bore 7mm cone, without frit, 316SS	PC			10,100	
ECEF617.0F	External column end fitting 3/8"*1/16"	.4mm bore 7mm cone, removable 2um frit, 316SS	PC			10,100	
ECEF8110.0	External column end fitting 1/2"*1/16"	.75mm bore 10mm cone, without frit, 316SS	PC			10,100	
ECEF8110.0F	External column end fitting 1/2"*1/16"	.75mm bore 10mm cone, removable 2um frit, 316SS	PC			12,900	
ED	OBSOLETE, replaced by U-elec or Modular options	medium torque 24Vdc, w.110/220Vac p-supply	PC			0	
ED2	OBSOLETE, replaced by U-elec or Modular options	medium torque 24Vdc, w.110/220Vac p-supply	PC			0	
EDS	OBSOLETE, replaced by U-elec or Modular options	middle torque 24Vdc, w.110/220Vac p-supply	PC			0	
EH	OBSOLETE, replaced by U-elec or Modular options	high speed 24Vdc, w.110/220Vac p-supply	PC			0	
EH2	OBSOLETE, replaced by U-elec or Modular options	high speed 24Vdc, w.110/220Vac p-supply	PC			0	
EHS	OBSOLETE, replaced by U-elec or Modular options	high speed 24Vdc, w.110/220Vac p-supply	PC			0	
EMH	OBSOLETE, replaced by U-elec or Modular options	high speed 24Vdc, w. 110/220Vac p-supply	PC			0	
EMH2	OBSOLETE, replaced by U-elec or Modular options	high speed 24Vdc, w. 110/220Vac p-supply	PC			0	
EMH2-CE	OBSOLETE, replaced by U-elec or Modular options	high speed 24Vdc, w. 110/220Vac p-supply	PC			0	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
EMH-CE	OBSOLETE, replaced by U-elec or Modular options		PC			0	
EMHS	OBSOLETE, replaced by U-elec or Modular options	high speed 24Vdc, w. 110/220Vac p-supply	PC			0	
EMHS-CE	OBSOLETE, replaced by U-elec or Modular options	high speed 24Vdc, w. 110/220Vac p-supply	PC			0	
EMT	OBSOLETE, replaced by U-elec or Modular options	high torque 24Vdc, w.110/220Vac p-supply	PC			0	
EMT2	OBSOLETE, replaced by U-elec or Modular options	high torque 24Vdc, w.110/220Vac p-supply	PC			0	
EMT2-CE	OBSOLETE, replaced by U-elec or Modular options	high torque 24Vdc, w.110/220Vac p-supply	PC			0	
EMT-CE	OBSOLETE, replaced by U-elec or Modular options		PC			0	
EMTS	OBSOLETE, replaced by U-elec or Modular options	high torque 24Vdc, w.110/220Vac p-supply	PC			0	
EMTS-CE	OBSOLETE, replaced by U-elec or Modular options	high torque 24Vdc, w.110/220Vac p-supply	PC			0	
EN.5	External nut 1/32", hex	SS	PC			1,670	
EN.5KN	External nut 1/32", knurled	SS	PC			920	
EN1	External nut 1/16", hex	SS	PC			670	
EN2	External nut 1/8", hex	SS	PC			800	
EN2SI	Septum injector nut, 1/8" connection	with polyimide support and 1/4" septum	PC			10,000	
EN4	External nut 1/4", hex	SS	PC			840	
EP	OBSOLETE, replaced by U-elec or Modular options	medium torque 24Vdc, w.110/220Vac p-supply	PC			0	
EP2	OBSOLETE, replaced by U-elec or Modular options	medium torque 24Vdc, w.110/220Vac p-supply	PC			0	
EPS	OBSOLETE, replaced by U-elec or Modular options	medium torque 24Vdc, w.110/220Vac p-supply	PC			0	
EQ	OBSOLETE, replaced by U-elec or Modular options	highest speed 24Vdc, w.110/220Vac p-supply	PC			0	
EQ2	OBSOLETE, replaced by U-elec or Modular options	highest speed 24Vdc, w.110/220Vac p-supply	PC			0	
EQS	OBSOLETE, replaced by U-elec or Modular options	highest speed 24Vdc, w.110/220Vac p-supply	PC			0	
ERU21	External reducing union 1/8"*1/16"	.75mm bore, SS	PC			6,000	
ERU21T	External reducing union 1/8"*1/16"	1/16" through bore, SS	PC			7,400	
ET	OBSOLETE, replaced by U-elec or Modular options	highest torque 24Vdc, w.110/220Vac p-supply	PC			0	
ET2	OBSOLETE, replaced by U-elec or Modular options	highest torque 24Vdc, w.110/220Vac p-supply	PC			0	
ETS	OBSOLETE, replaced by U-elec or Modular options	highest torque 24Vdc, w.110/220Vac p-supply	PC			0	
EU.5	External union 1/32"	.25mm bore, SS	PC			5,500	
EU.5L	External union 1/32"	.50mm bore, SS	PC			8,400	
EU.5T	External union 1/32"	1/32" through bore, SS	PC			6,700	
EUD	Universal actuator, no interface, no clamp ring	medium torque 24Vdc, w.110/220Vac p-supply	PC			210,000	
EUDA	Universal actuator, RS-232/485, no clamp ring	medium torque 24Vdc, w.110/220Vac p-supply	PC			220,000	
EUDA-10UW	10 port 2-pos valve, U-electric, RS232/485	1/8*.75mm, 50C/5000psi liq, N60/H	PC			350,000	
EUDA-2C10UWEPI	10 port 2-pos vlv, U-elec/2"so,RS232/485,int.purg.	1/16*.75mm, 175C/400psi gas, N60/E	PC			380,000	
EUDA-2C4UWEPI	4 port 2-pos vlv, U-elec/2"so,RS232/485,int.purg.	1/16*.75MM, 175C/400PSI GAS, N60/E	PC			360,000	
EUDA-2C6UWEPI	6 port 2-pos vlv, u-elec/2"so,RS-232/485,int.purg.	1/16*.75MM, 175C/400PSI GAS, N60/E	PC			370,000	O
EUDA-2C8UWEPI	8 port 2-pos vlv, u-elec/2"so,RS-232/485,int.purg.	1/16*.75mm, 175C/400psi gas, N60/E	PC			380,000	O
EUDA-2CI4UWE.2	4 port 2-pos int vol valve, u-elec/2"so,RS-232/485	1/16*.75mm, 175C/400psi gas, N60/E, .2ul	PC			350,000	
EUDA-2CI4UWE.2PI	4 port 2-pos int vol valve, u-elec/2"so,RS-232/485	1/16*.75mm, 175C/1000psi liq, N60/E,.2ul,int.purg.	PC			370,000	O
EUDA-2CI4UWE.5	4 port 2-pos int vol vlv, u-elec/2"so,RS-232/485	1/16*.75mm, 175C/400psi gas, N60/E, .5ul	PC			350,000	
EUDA-2CI4UWE1	4 port 2-pos int vol valve, u-elec/2"so,RS-232/485	1/16*.75MM, 175C/400PSI GAS, N60/E, 1UL	PC			350,000	
EUDA-2CI4UWE1PI	4 port 2-pos vlv, u-elec/2"so,RS-232/485,int.purg.	1/16*.75MM, 175C/1000PSI LIQ, N60/E, 1UL	PC			370,000	O
EUDA-2CI4UWE2	4 port 2-pos valve, u-elec/2"so, RS-232/485	1/16*.75MM, 175C/400PSI GAS, N60/E, 2UL	PC			350,000	
EUDA-2CI4UWE2PI	4 port 2-pos vlv, u-elec/2"so,RS-232/485,int.purg.	1/16*.75MM, 175C/1000PSI LIQ, N60/E, 2UL	PC			370,000	O
EUDA-2I4UWE.2	4 port 2-pos int vol valve, u-elec/2"so,RS232/485	1/16*.75MM, 175C/400PSI GAS, N60/E, .2UL	PC			350,000	
EUDA-2I4UWE.5	4 port 2-pos int vol valve, u-elec/2"so,RS232/485	1/16*.75MM, 175C/400PSI GAS, N60/E, .5UL	PC			350,000	
EUDA-2I4UWE1	4 port 2-pos int vol valve, u-elec/2"so,RS232/485	1/16*.75MM, 175C/400PSI GAS, N60/E, 1UL	PC			350,000	
EUDA-2I4UWE2	4 port 2-pos int vol valve, u-elec/2"so,RS232/485	1/16*.75MM, 175C/400PSI GAS, N60/E, 2UL	PC			350,000	
EUDA-410UWE	10 port 2-pos valve, u-electric,/4"so, RS232/485	1/8*.75mm, 225C/400psi gas, N60/E	PC			360,000	
EUDA-410UWT	10 port 2-pos valve, u-electric/4"so, RS232/485	1/8*.75MM, 330C/300PSI GAS, N60/T	PC			360,000	
EUDA-44UWE	4 port 2-pos valve, u-electric/4"so, RS232/485	1/8*.75mm, 225C/400psi gas, N60/E	PC			340,000	
EUDA-44UWT	4 port 2-pos valve, u-electric/4"so,RS232/485	1/8*.75mm, 330C/300PSI GAS, N60/T	PC			340,000	
EUDA-46UWE	6 port 2-pos valve, u-electric/4"so, RS232/485	1/8*.75mm, 225C/400psi gas, N60/E	PC			350,000	
EUDA-46UWT	6 port 2-pos valve, u-electric/4"so, RS232/485	1/8*.75mm, 330C/300PSI GAS, N60/T	PC			350,000	
EUDA-48UWE	8 port 2-pos valve, u-electric/4"so, RS232/485	1/8*.75MM, 225C/400PSI GAS, N60/E	PC			360,000	
EUDA-48UWT	8 port 2-pos valve, u-electric/4"so, RS232/485	1/8*.75MM, 330C/300PSI GAS, N60/T	PC			360,000	
EUDA-4C10UWE	10 port 2-pos valve, u-elec/4"so, RS232/485	1/16*.75mm, 225C/400psi gas, N60/E	PC			360,000	
EUDA-4C10UWT	10 port 2-pos valve, u-elec/4"so, RS232/485	1/16*.75MM, 330C/300PSI GAS, N60/T	PC			360,000	
EUDA-4UW	4 port 2-pos valve, u-electric, RS232/485	1/8*.75MM, 50C/5000PSI LIQ, N60/H	PC			330,000	
EUDA-6UW	6 port 2-pos valve, u-electric, RS2-232/485	1/8*.75mm, 50C/5000psi liq, N60/H	PC			340,000	
EUDA-8UW	8 port 2-pos valve, u-electric, RS2-232/485	1/8*.75MM, 50C/5000PSI LIQ, N60/H	PC			350,000	
EUDA-C10UW	10 port 2-pos valve, u-electric, RS2-232/485	1/16*.75mm, 50C/5000PSI LIQ, N60/H	PC			350,000	
EUDA-C10W	10 port 2-pos valve, u-elec. RS-232/485	1/16*.4mm, 75C/5000PSI LIQ, N60/H	PC			340,000	
EUDA-C4UW	4 port 2-pos valve,u-electric,RS-232/485	1/16*.75mm, 50C/5000psi liq, N60/H	PC			330,000	
EUDA-C4W	4 port 2-pos valve, u-elec. RS-232/485	1/16*.4mm, 75C/5000PSI LIQ, N60/H	PC			320,000	
EUDA-C6UW	6 port 2-pos valve, u-electric, RS-232/485	1/16*.75mm, 50C/5000psi liq, N60/H	PC			340,000	
EUDA-C6W	6 port 2-pos valve, u-elec. RS-232/485	1/16*.4mm, 75C/5000PSI LIQ, N60/H	PC			330,000	
EUDA-C8UW	8 port 2-pos valve, u-electric, RS232/485	1/16*.75mm, 50C/5000PSI LIQ, N60/H	PC			350,000	
EUDA-C8W	8 port 2-pos valve, u-electric, RS-232/485	1/16*.4mm, 75C/5000PSI LIQ, N60/H	PC			340,000	
EUDA-CI4UW.2	4 port 2-pos int vol valve, u-electric, RS232/485	1/16*.75mm, 50C/5000psi liq, .2ul, N60/H	PC			340,000	
EUDA-CI4UW.5	4 port 2-pos int vol valve, u-electric, RS232/485	1/16*.4MM, 50C/5000PSI LIQ, N60/H, .5UL	PC			340,000	
EUDA-CI4UW1	4 port 2-pos int vol valve, u-electric, RS232/485	1/16*.4mm, 50C/5000psi liq, 1ul, N60/H	PC			340,000	
EUDA-CI4UW2	4 port 2-pos int vol valve, u-electric, RS232/485	1/16*.4MM, 50C/5000PSI LIQ, N60/H, 2UL	PC			340,000	
EUDA-L10UW	10 port 2-pos valve u-electric, RS232/485	1/8*1.0mm, 50C/5000psi liq, N60/H	PC			360,000	
EUDA-L4UW	4 port 2-pos valve,u-electric,RS-232/485	1/8*1.7mm, 50C/5000psi liq, N60/H	PC			340,000	
EUDA-L6UW	6 port 2-pos valve,u-electric,RS-232/485	1/8*1.7mm, 50C/5000psi liq, N60/H	PC			350,000	
EUDA-L8UW	8 port 2-pos valve u-electric, RS232/485	1/8*1.3mm, 50C/5000psi liq, N60/H	PC			360,000	
EUSB	Universal actuator, USB, no clamp ring	medium torque 24Vdc, w.110/220Vac p-supply	PC			220,000	
EUDC	Universal actuator, BCD, no clamp ring	medium torque 24Vdc, w.110/220Vac p-supply	PC			220,000	
EUDF	Universal actuator, RS-485, no clamp ring	medium torque 24Vdc, w.110/220Vac p-supply	PC			220,000	
EUH	Universal actuator, no interface, no clamp ring	high speed 24Vdc, w.110/220Vac p-supply	PC			200,000	
EUHA	Universal actuator, RS-232/485, no clamp ring	high speed 24Vdc, w.110/220Vac p-supply	PC			210,000	
EUHA-2CI4WE.06	4 port 2-pos int vol valve, u-elec/2"so, RS232/485	1/16*.4mm, 175C/1000psi liq, N60/E, .06ul	PC			340,000	
EUHA-2CI4WE.1	4 port 2-pos int vol valve, u-elec/2"so, RS232/485	1/16*.4mm, 175C/1000psi liq, N60/E, .1ul	PC			340,000	
EUHA-2CI4WE.2	4 port 2-pos int vol valve, u-elec/2"so, RS232/485	1/16*.4mm, 175C/1000psi liq, N60/E, .2ul	PC			340,000	
EUHA-2CI4WE.5	4 port 2-pos int vol valve, u-elec/2"so, RS232/485	1/16*.4mm, 175C/1000psi liq, N60/E, .5ul	PC			340,000	
EUHA-2NI4WE.06	4 port 2-pos valve, u-electric/2"so, RS-232/485	1/32*.25MM, 175C/1000PSI LIQ, N60/E, .06UL	PC			370,000	O

備考: O= Obsolete ; OR = On Request

上記金額は税別です。予告なく変更される場合があります。

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
EUHA-2NI4WE.1	4 port 2-pos valve, u-electric/2"so, RS-232/485	1/32*.25MM, 175C/1000PSI LIQ, N60/E, .1UL	PC			370,000	O
EUHA-2NI4WE.2	4 port 2-pos valve, u-electric/2"so, RS-232/485	1/32*.25MM, 175C/1000PSI LIQS, N60/E, .2UL	PC			370,000	O
EUHA-2NI4WE.5	4 port 2-pos valve, u-electric/2"so, RS-232/485	1/32*.25MM, 175C/1000PSI LIQ, N60/E, .5UL	PC			370,000	O
EUHA-4C10WE	10 port 2-pos valve, u-elec./4"so, RS232/485	1/16*.4mm, 225C/400psi gas, N60/E	PC			350,000	
EUHA-4C10WT	10 port 2-pos valve, u-elec./4"so,RS232/485	1/16*.4MM, 330C/300PSI GAS, N60/T	PC			350,000	
EUHA-4C4WE	4 port 2-pos valve, u-elec./4"so,RS232/485	1/16*.4MM, 225C/400PSI GAS, N60/E	PC			330,000	
EUHA-4C4WT	4 port 2-pos valve, u-elec./4"so,RS232/485	1/16*.4MM, 330C/300PSI GAS, N60/T	PC			330,000	
EUHA-4C6WE	6 port 2-pos valve, u-elec./4"so,RS232/485	1/16*.4MM, 225C/400PSI GAS, N60/E	PC			340,000	
EUHA-4C6WT	6 port 2-pos valve, u-elec./4"so,RS232/485	1/16*.4mm, 350C/300psi gas, N60/T	PC			340,000	
EUHA-4C8WE	8 port 2-pos valve, u-elec./4"so,RS232/485	1/16*.4MM, 225C/400PSI GAS, N60/E	PC			350,000	
EUHA-4C8WT	8 port 2-pos valve, u-elec./4"so,RS232/485	1/16*.4MM, 330C/300PSI GAS, N60/T	PC			350,000	
EUHA-4N10WE	10 port 2-pos int vol valve, u-elect/4"so,RS232/485	1/32*.25MM, 225C/400PSI GAS, N60/E	PC			380,000	O
EUHA-4N10WT	10 port 2-pos int vol valve, u-elect/4"so,RS232/485	1/32*.25MM, 330C/300PSI GAS, N60/T	PC			380,000	O
EUHA-4N4WE	4 port 2-pos int vol valve, u-elect/4"so,RS232/485	1/32*.25MM, 225C/400PSI GAS, N60/E	PC			360,000	
EUHA-4N4WT	4 port 2-pos int vol valve, u-elect/4"so,RS232/485	1/32*.25MM, 330C/300PSI GAS, N60/T	PC			360,000	
EUHA-4N6WE	6 port 2-pos int vol valve, u-elect/4"so,RS232/485	1/32*.25MM, 225C/400PSI GAS, N60/E	PC			370,000	O
EUHA-4N6WT	6 port 2-pos int vol valve, u-elect/4"so,RS232/485	1/32*.25mm, 330C/300psi gas, N60/T	PC			370,000	O
EUHA-4N8WE	8 port 2-pos int vol valve, u-elect/4"so,RS232/485	1/32*.25MM, 225C/400PSI GAS, N60/E	PC			380,000	O
EUHA-4N8WT	8 port 2-pos int vol valve, u-elect/4"so,RS232/485	1/32*.25MM, 330C/300PSI GAS, N60/T	PC			380,000	O
EUHA-C10W	10 port 2-pos valve, u-electric, RS-232/485	1/16*.4mm, 50C/5000psi liq, N60/H	PC			0	
EUHA-C4W	4 port 2-pos valve, u-elec. RS-232/485	1/16*.4mm, 50C/5000PSI LIQ, N60/H	PC			0	
EUHA-C6W	Obsolete! Use EUDA-C6W		PC			0	
EUHA-C8W	8 port 2-pos valve, u-electric, RS-232/485	1/16*.4mm, 50C/5000PSI LIQ, N60/H	PC			0	
EUHA-CI4W.06	4 port 2-pos int vol valve, u-electric, RS232/485	1/16*.4mm, 50C/5000psi liq, .06ul, N60/H	PC			320,000	
EUHA-CI4W.1	4 port 2-pos int vol valve, u-electric, RS232/485	1/16*.4mm, 50C/5000psi liq, N60/H, .1ul	PC			320,000	
EUHA-CI4W.2	4 port 2-pos int vol valve, u-electric, RS232/485	1/16*.4mm, 50C/5000psi liq, N60/H, .2ul	PC			320,000	
EUHA-CI4W.5	4 port 2-pos int vol valve, u-electric, RS232/485	1/16*.4mm, 50C/5000psi liq, N60/H, .5ul	PC			320,000	
EUHB	Universal actuator, USB, no clamp ring	high speed 24Vdc, w.110/220Vac p-supply	PC			210,000	
EUHC	Universal actuator, BCD, no clamp ring	high speed 24Vdc, w.110/220Vac p-supply	PC			210,000	
EUHF	Universal actuator, RS-485, no clamp ring	high speed 24Vdc, w.110/220Vac p-supply	PC			210,000	
EUT	Universal actuator, no interface, no clamp ring	high torque 24Vdc, w.110/220Vac p-supply	PC			210,000	
EUTA	Universal actuator, RS-232/485, no clamp ring	high torque 24Vdc, w.110/220Vac p-supply	PC			220,000	
EUTA-2CSC10MWE	10 mpos common outlet path,MW,u-ele/2"so RS232/485	1/16*1MM, 200C/200PSI GAS, N60/E	PC			390,000	
EUTA-2CSC12MWE	12 mpos common outlet path,MW,u-ele/2"so RS232/485	1/16*1mm, 200C/200psi gas, N60/E	PC			410,000	
EUTA-2CSC16MWE	16 mpos common outlet path,MW,u-ele/2"so RS232/485	1/16*1MM, 200C/200PSI GAS, N60/E	PC			410,000	
EUTA-2CSC6MWE	6 mpos common outlet path,MW,u-ele/2"so RS232/485	1/16*1mm, 200C/200psi gas, N60/E	PC			370,000	
EUTA-2CSD10MWE	10 mpos dead-end path, MW, u-ele/2"so,RS-232-485	1/16*.75mm, 200C/400psi gas, N60/E	PC			380,000	
EUTA-2CSD12MWE	12 mpos dead-end path, MW,u-elec/2"so,RS232/485	1/16*.75mm, 200C/400psi gas, N60/E	PC			400,000	
EUTA-2CSD16MWE	16 mpos dead-end path, MW,u-elec/2"so,RS232/485	1/16*.75mm, 200C/400psi gas, N60/E	PC			400,000	
EUTA-2CSD6MWE	6 mpos dead-end path, MW, u-elect/2"so, RS-232-485	1/16*.75mm, 200C/400psi gas, N60/E	PC			370,000	
EUTA-2CSF10MWE	10 mpos flow-through, u-electric/2"so,RS232/485	1/16*1mm, 200C/200psi gas, N60/E	PC			410,000	
EUTA-2CSF12MWE	12 mpos flow-through, u-electric/2"so,RS232/485	1/16*1MM, 200C/200PSI GAS, N60/E	PC			430,000	
EUTA-2CSF16MWE	16 mpos flow-through, MW, u-elec/2"so,RS232/485	1/16*1mm, 200C/200psi gas, N60/E	PC			430,000	
EUTA-2CSF6MWE	6 mpos flow-through, MW, u-elec/2"so,RS232/485	1/16*1mm, 200C/200psi gas, N60/E	PC			400,000	
EUTA-2CST10MWE	10 mpos trapping path, MW,u-elect/2"so,RS-232/485	1/16*.75MM, 200C/200PSI GAS, N60/E	PC			410,000	
EUTA-2CST12MWE	12 mpos trapping path, MW,u-elect/2"so,RS-232/485	1/16*.75MM, 200C/200PSI GAS, N60/E	PC			430,000	
EUTA-2CST16MWE	16 mpos trapping path, MW, u-elec/2"so, RS232/485	1/16*.75mm, 200C/200psi gas, N60/E	PC			430,000	
EUTA-2CST6MWE	6 mpos trapping path, MW, u-elect/2"so, RS232/485	1/16*.75mm, 200C/200psi gas, N60/E	PC			400,000	
EUTA-2CSTF10MWE	10 mpos trap/flow path, MW,u-elect/2"so,RS-232/485	1/16*.75mm, 200C/200psi gas, N60/E	PC			420,000	
EUTA-2CSTF12MWE	12 mpos trap/flow path, MW,u-elect/2"so,RS-232/485	1/16*.75MM, 200C/200PSI GAS, N60/E	PC			440,000	
EUTA-2CSTF16MWE	16 mpos trap/flow path, MW,u-elect/2"so,RS-232/485	1/16*.75MM, 200C/200PSI GAS, N60/E	PC			440,000	
EUTA-2CSTF6MWE	6 mpos trap/flow path, MW,u-el/2"so,RS-232/485 PH	1/16*.75MM, 50C/200PSI GAS, N60/E	PC			400,000	
EUTA-2SC10MWE	10 mpos common outlet path,MW,u-ele/2"so RS232/485	1/8*1mm, 200C/200psi gas, N60/E	PC			390,000	
EUTA-2SC12MWE	12 mpos common outlet path,MW,u-ele/2"so RS232/485	1/8*1MM, 200C/200PSI GAS, N60/E	PC			410,000	
EUTA-2SC16MWE	16 mpos common outlet path,MW,u-ele/2"so RS232/485	1/8*1mm, 200C/200psi gas, N60/E	PC			410,000	
EUTA-2SD10MWE	10 mpos dead-end path, MW, u-elect/2"so,RS232/485	1/8*1mm, 200C/200psi gas, N60/E	PC			380,000	
EUTA-2SD12MWE	12 mpos dead-end path,MW, u-elec/2"so,RS232/485	1/8*1mm, 200C/200psi gas, N60/E	PC			400,000	
EUTA-2SD16MWE	16 mpos dead-end path, MW,u-elec/2"so,RS232/485	1/8*1mm, 200C/200psi gas, N60/E	PC			400,000	
EUTA-2SD6MWE	6 mpos dead-end path,MW, u-elec/2"so,RS232/485	1/8*1mm, 200C/400psi gas, N60/E	PC			370,000	O
EUTA-2SF6MWE	6 mpos flow-through path, MW, u-el./2"so,RS232/485	1/8*1MM, 200C/200PSI GAS, N60/E	PC			400,000	
EUTA-2ST6MWE	6 mpos trapping path, MW, u-elec/2"so, RS232/485	1/8*1MM, 200C/200PSI GAS, N60/E	PC			400,000	
EUTA-2STF10MWE	10 mpos trapping path, MW, u-elect/2"so, RS232/485	1/8*1MM, 200C/200PSI GAS, N60/E	PC			420,000	
EUTA-2STF12MWE	12 mpos trapping path, MW, u-elect/2"so, RS232/485	1/8*1MM, 200C/200PSI GAS, N60/E	PC			440,000	
EUTA-2STF16MWE	16 mpos trapping path, MW, u-elect/2"so, RS232/485	1/8*1mm, 200C/200PSI GAS, N60/E	PC			440,000	
EUTA-2STF6MWE	6 mpos trap/flow path, MW,u-elec/2"so, RS-232/485	1/8*1mm, 200C/200psi gas, N60/E	PC			400,000	
EUTA-2VLSC4MWE2	4 mpos common outl.path, MW,u-elec/2"so,RS-232/485	1/4*4mm, 75C/100psi gas, N60/E2	PC			500,000	
EUTA-2VLSC6MWE2	6 mpos common outl.path, MW,u-elec/2"so,RS-232/485	1/4*4mm, 75C/100PSI GAS, N60/E2	PC			510,000	
EUTA-2VLSC8MWE2	8 mpos common outl.path, MW,u-elec/2"so,RS-232/485	1/4*4mm, 75C/100PSI GAS, N60/E2	PC			520,000	
EUTA-2VLSD4MWE2	4 mpos dead-end path, MW, u-elect2"so,RS232/485	1/4*4mm, 75C/100psi gas, N60/E2	PC			490,000	
EUTA-2VLSD6MWE2	6 mpos dead-end path, MW, u-elect/2"so, RS232/485	1/4*4mm, 75C/100psi gas, N60/E2	PC			500,000	
EUTA-2VLSD8MWE2	8 mpos dead-end path, MW, u-elect/2"so,RS232/485	1/4*4mm, 75C/100psi gas, N60/E2	PC			520,000	
EUTA-2VLSD12MWE2	12 mpos dead-end path, MW, u-elect/2"so,RS232/485	1/4*4mm, 75C/100psi gas, N60/E2	PC			520,000	
EUTA-2VLSD16MWE2	16 mpos dead-end path, MW, u-elect/2"so,RS232/485	1/4*4mm, 75C/100PSI GAS, N60/E2	PC			530,000	
EUTA-2VLSF8MWE2	8 mpos flow-through, MW, u-elect./2"so, RS-232/485	1/4*4mm, 75C/100psi gas, N60/E2	PC			550,000	
EUTA-CSD4UW	4 mpos dead-end path, u-electric, RS232/485	1/16*.4mm, 50C/5000psi liq, N60/E	PC			350,000	
EUTA-CSD6UW	6 mpos dead-end path, u-electric, RS232/485	1/16*.4mm, 50C/5000psi liq, N60/E	PC			360,000	
EUTA-CST4UW	4 mpos trapping path, u-electric, RS232/485	1/16*.4mm, 50C/5000psi liq, N60/E	PC			370,000	
EUTA-CST6UW	6 mpos trapping path, u-electric. RS232/485	1/16*.4mm, 50C/5000psi liq, N60/E	PC			380,000	O
EUTA-SD4UW	4 mpos dead-end path, u-electric, RS232/485	1/8*.75mm, 50C/5000psi liq, N60/E	PC			350,000	
EUTA-SD6UW	6 mpos dead-end path, u-electric, RS-232/485	1/8*.75mm, 50C/5000psi liq, N60/E	PC			360,000	O
EUTA-SD8UW	8 mpos dead-end path, u-electric, RS-232/485	1/8*.75mm, 50C/5000psi liq, N60/E	PC			380,000	
EUTB	Universal actuator, USB, no clamp ring	high torque 24Vdc, w.110/220Vac p-supply	PC			220,000	
EUTC	Universal actuator, BCD, no clamp ring	high torque 24Vdc, w.110/220Vac p-supply	PC			220,000	
EZBRU.51	Bulkhead ext/int red. union 1/16"*1/32"	.25mm bore, SS	PC			7,400	
EZBRU21	Bulkhead ext/int red. union 1/8"*1/16"	.75mm bore, SS	PC			6,700	
EZBRU21T	Bulkhead ext/int red. union 1/8"*1/16"	1/16" through bore, SS	PC			6,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
EZBU1	Bulkhead ext./int union 1/16"	.75mm bore, SS	PC			6,700	
EZBU1C	Bulkhead ext./int union 1/16"	.25mm bore, SS	PC			6,700	
EZBU1M	Bulkhead ext./int union 1/16"	.5mm bore, SS	PC			8,300	
EZBU1T	Bulkhead ext./int union 1/16"	1/16" through bore, SS	PC			8,400	
EZRF21PK-5	External reducing ferrule 1/8"*1/16"	PEEK, 5/pkg	PKG	5	PC	7,700	
EZRF42PK-5	External reducing ferrule 1/4"*1/8"	PEEK, 5/pkg	PKG	5	PC	12,000	
EZRU.51	Int./ext. reducing union 1/16"*1/32"	.25mm bore, SS	PC			5,000	
EZRU21	Ext./int. reducing union 1/8"*1/16"	.75mm bore, SS	PC			5,000	
EZRU21T	Ext./int. reducing union 1/8"*1/16"	1/16" through bore, SS	PC			10,900	
EZRU41	Ext./Int. reducing unions 1/4"*1/16"	.75mm bore, SS	PC			7,400	
EZU1	Ext./int union 1/16"	.75mm bore, SS	PC			6,000	
EZU1C	Ext./int union 1/16"	.25mm bore, SS	PC			5,500	
EZU1M	Ext./int union 1/16"	.5mm bore, SS	PC			6,300	
EZU1T	Ext./int union 1/16"	1/16" through bore, SS	PC			6,700	
FC10AS1K	Flow controller M100, standard knob	1/8" ext, 150ml N2 40psi, Aluminum/SS	PC			100,000	
FC10AS1S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 150ml N2 40psi, Aluminum/SS	PC			119,000	
FC10AS1S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 150ml N2 40psi, Aluminum/SS	PC			122,000	
FC10AS2K	Flow controller M100, standard knob	1/8" ext, 250ml N2 40psi, Aluminum/SS	PC			100,000	
FC10AS2S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 250ml N2 40psi, Aluminum/SS	PC			119,000	
FC10AS2S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 250ml N2 40psi, Aluminum/SS	PC			122,000	
FC10AS3K	Flow controller M100, standard knob	1/8" ext, 850ml N2 40psi, Aluminum/SS	PC			100,000	
FC10AS3S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 850ml N2 40psi, Aluminum/SS	PC			119,000	
FC10AS3S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 850ml N2 40psi, Aluminum/SS	PC			0	
FC10AS4K	Flow controller M100, standard knob	1/8" ext, 1.2l N2 40psi, Aluminum/SS	PC			100,000	
FC10AS4S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 1.2l N2 40psi, Aluminum/SS	PC			119,000	
FC10AS4S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 1.2l N2 40psi, Aluminum/SS	PC			122,000	
FC10AS5K	Flow controller M100, standard knob	1/8" ext, 4.5l N2 40psi, Aluminum/SS	PC			100,000	
FC10AS5S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 4.5l N2 40psi, Aluminum/SS	PC			119,000	
FC10AS5S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 4.5l N2 40psi, Aluminum/SS	PC			122,000	
FC10AS6K	Flow controller M100, standard knob	1/8" ext, 10.0l N2 40psi, Aluminum/SS	PC			100,000	
FC10AS6S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 10.0l N2 40psi, Aluminum/SS	PC			119,000	
FC10AS6S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 10.0l N2 40psi, Aluminum/SS	PC			122,000	
FC10AV1K	Flow controller M100, standard knob	1/8" ext, 150ml N2 40psi, Aluminum/Viton	PC			95,000	
FC10AV1S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 150ml N2 40psi, Aluminum/Viton	PC			114,000	
FC10AV1S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 150ml N2 40psi, Aluminum/Viton	PC			117,000	
FC10AV2K	Flow controller M100, standard knob	1/8" ext, 250ml N2 40psi, Aluminum/Viton	PC			95,000	
FC10AV2S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 250ml N2 40psi, Aluminum/Viton	PC			114,000	
FC10AV2S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 250ml N2 40psi, Aluminum/Viton	PC			117,000	
FC10AV3K	Flow controller M100, standard knob	1/8" ext, 850ml N2 40psi, Aluminum/Viton	PC			95,000	
FC10AV3S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 850ml N2 40psi, Aluminum/Viton	PC			114,000	
FC10AV3S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 850ml N2 40psi, Aluminum/Viton	PC			117,000	
FC10AV4K	Flow controller M100, standard knob	1/8" ext, 1.2l N2 40psi, Aluminum/Viton	PC			95,000	
FC10AV4S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 1.2l N2 40psi, Aluminum/Viton	PC			114,000	
FC10AV4S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 1.2l N2 40psi, Aluminum/Viton	PC			0	
FC10AV5K	Flow controller M100, standard knob	1/8" ext, 4.5l N2 40psi, Aluminum/Viton	PC			95,000	
FC10AV5S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 4.5l N2 40psi, Aluminum/Viton	PC			114,000	
FC10AV5S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 4.5l N2 40psi, Aluminum/Viton	PC			117,000	
FC10AV6K	Flow controller M100, standard knob	1/8" ext, 10.0l N2 40psi, Aluminum/Viton	PC			95,000	
FC10AV6S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 10.0l N2 40psi, Aluminum/Viton	PC			0	
FC10AV6S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 10.0l N2 40psi, Aluminum/Viton	PC			117,000	
FC10SS1K	Flow controller M100, standard knob	1/8" ext, 150ml N2 40psi, SS/SS	PC			124,000	
FC10SS1S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 150ml N2 40psi, SS/SS	PC			142,000	
FC10SS1S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 150ml N2 40psi, SS/SS	PC			145,000	
FC10SS2K	Flow controller M100, standard knob	1/8" ext, 250ml N2 40psi, SS/SS	PC			124,000	
FC10SS2S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 250ml N2 40psi, SS/SS	PC			142,000	
FC10SS2S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 250ml N2 40psi, SS/SS	PC			145,000	
FC10SS3K	Flow controller M100, standard knob	1/8" ext, 850ml N2 40psi, SS/SS	PC			124,000	
FC10SS3S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 850ml N2 40psi, SS/SS	PC			0	
FC10SS3S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 850ml N2 40psi, SS/SS	PC			145,000	
FC10SS4K	Flow controller M100, standard knob	1/8" ext, 1.2l N2 40psi, SS/SS	PC			124,000	
FC10SS4S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 1.2l N2 40psi, SS/SS	PC			0	
FC10SS4S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 1.2l N2 40psi, SS/SS	PC			145,000	
FC10SS5K	Flow controller M100, standard knob	1/8" ext, 4.5l N2 40psi, SS/SS	PC			124,000	
FC10SS5S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 4.5l N2 40psi, SS/SS	PC			142,000	
FC10SS5S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 4.5l N2 40psi, SS/SS	PC			142,000	
FC10SS6K	Flow controller M100, standard knob	1/8" ext, 10.0l N2 40psi, SS/SS	PC			124,000	
FC10SS6S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 10.0l N2 40psi, SS/SS	PC			0	
FC10SS6S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 10.0l N2 40psi, SS/SS	PC			145,000	
FC10SV1K	Flow controller M100, standard knob	1/8" ext, 150ml N2 40psi, SS/Viton	PC			119,000	
FC10SV1S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 150ml N2 40psi, SS/Viton	PC			137,000	
FC10SV1S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 150ml N2 40psi, SS/Viton	PC			0	
FC10SV2K	Flow controller M100, standard knob	1/8" ext, 250ml N2 40psi, SS/Viton	PC			0	
FC10SV2S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 250ml N2 40psi, SS/Viton	PC			137,000	
FC10SV2S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 250ml N2 40psi, SS/Viton	PC			140,000	
FC10SV3K	Flow controller M100, standard knob	1/8" ext, 850ml N2 40psi, SS/Viton	PC			119,000	
FC10SV3S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 850ml N2 40psi, SS/Viton	PC			137,000	
FC10SV3S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 850ml N2 40psi, SS/Viton	PC			140,000	
FC10SV4K	Flow controller M100, standard knob	1/8" ext, 1.2l N2 40psi, SS/Viton	PC			119,000	
FC10SV4S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 1.2l N2 40psi, SS/Viton	PC			0	
FC10SV4S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 1.2l N2 40psi, SS/Viton	PC			0	
FC10SV5K	Flow controller M100, standard knob	1/8" ext, 4.5l N2 40psi, SS/Viton	PC			119,000	
FC10SV5S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 4.5l N2 40psi, SS/Viton	PC			137,000	
FC10SV5S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 4.5l N2 40psi, SS/Viton	PC			0	
FC10SV6K	Flow controller M100, standard knob	1/8" ext, 10.0l N2 40psi, SS/Viton	PC			119,000	
FC10SV6S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 10.0l N2 40psi, SS/Viton	PC			0	
FC10SV6S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 10.0l N2 40psi, SS/Viton	PC			0	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
FC22AS1K	Flow controller M202, standard knob	1/8"NPT, adjustable span, Aluminum/SS	PC			100,000	
FC22AS1S3	Flow controller M202, Spectrol 3-dial	1/8"NPT, adjustable span, Aluminum/SS	PC			115,000	
FC22AS1S4	Flow controller M202, Spectrol 4-dial	1/8"NPT, adjustable span, Aluminum/SS	PC			122,000	
FC22SS1K	Flow controller M202, standard knob	1/8"NPT, adjustable span, SS/SS	PC			124,000	
FC22SS1S3	Flow controller M202, Spectrol 3-dial	1/8"NPT, adjustable span, SS/SS	PC			142,000	
FC22SS1S4	Flow controller M202, Spectrol 4-dial	1/8"NPT, adjustable span, SS/SS	PC			145,000	
FC22SV1K	Flow controller M202, standard knob	1/8"NPT, adjustable span, SS/Viton	PC			119,000	
FC22SV1S3	Flow controller M202, Spectrol 3-dial	1/8"NPT, adjustable span, SS/Viton	PC			137,000	
FC22SV1S4	Flow controller M202, Spectrol 4-dial	1/8"NPT, adjustable span, SS/Viton	PC			140,000	
FC30AS1K	Flow controller M300, standard knob	1/8" ext, 200ml N2 40psi, Aluminum/SS	PC			100,000	
FC30AS1S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 200ml N2 40psi, Aluminum/SS	PC			119,000	
FC30AS1S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 200ml N2 40psi, Aluminum/SS	PC			122,000	
FC30AS2K	Flow controller M300, standard knob	1/8" ext, 300ml N2 40psi, Aluminum/SS	PC			100,000	
FC30AS2S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 300ml N2 40psi, Aluminum/SS	PC			119,000	
FC30AS2S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 300ml N2 40psi, Aluminum/SS	PC			0	
FC30AS3K	Flow controller M300, standard knob	1/8" ext, 800ml N2 40psi, Aluminum/SS	PC			100,000	
FC30AS3S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 800ml N2 40psi, Aluminum/SS	PC			119,000	
FC30AS3S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 800ml N2 40psi, Aluminum/SS	PC			122,000	
FC30AS4K	Flow controller M300, standard knob	1/8" ext, 1.6l N2 40psi, Aluminum/SS	PC			100,000	
FC30AS4S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 1.6l N2 40psi, Aluminum/SS	PC			119,000	
FC30AS4S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 1.6l N2 40psi, Aluminum/SS	PC			122,000	
FC30AV1K	Flow controller M300, standard knob	1/8" ext, 200ml N2 40psi, Aluminum/Viton	PC			95,000	
FC30AV1S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 200ml N2 40psi, Aluminum/Viton	PC			114,000	
FC30AV1S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 200ml N2 40psi, Aluminum/Viton	PC			117,000	
FC30AV2K	Flow controller M300, standard knob	1/8" ext, 300ml N2 40psi, Aluminum/Viton	PC			95,000	
FC30AV2S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 300ml N2 40psi, Aluminum/Viton	PC			114,000	
FC30AV2S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 300ml N2 40psi, Aluminum/Viton	PC			117,000	OR
FC30AV3K	Flow controller M300, standard knob	1/8" ext, 800ml N2 40psi, Aluminum/Viton	PC			95,000	
FC30AV3S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 800ml N2 40psi, Aluminum/Viton	PC			114,000	
FC30AV3S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 800ml N2 40psi, Aluminum/Viton	PC			117,000	
FC30AV4K	Flow controller M300, standard knob	1/8" ext, 1.6l N2 40psi, Aluminum/Viton	PC			95,000	
FC30AV4S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 1.6l N2 40psi, Aluminum/Viton	PC			114,000	
FC30AV4S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 1.6l N2 40psi, Aluminum/Viton	PC			0	
FC30SS1K	Flow controller M300, standard knob	1/8" ext, 200ml N2 40psi, SS/SS	PC			124,000	
FC30SS1S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 200ml N2 40psi, SS/SS	PC			142,000	
FC30SS1S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 200ml N2 40psi, SS/SS	PC			145,000	
FC30SS2K	Flow controller M300, standard knob	1/8" ext, 300ml N2 40psi, SS/SS	PC			124,000	
FC30SS2S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 300ml N2 40psi, SS/SS	PC			142,000	
FC30SS2S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 300ml N2 40psi, SS/SS	PC			0	
FC30SS3K	Flow controller M300, standard knob	1/8" ext, 800ml N2 40psi, SS/SS	PC			124,000	
FC30SS3S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 800ml N2 40psi, SS/SS	PC			142,000	
FC30SS3S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 800ml N2 40psi, SS/SS	PC			145,000	
FC30SS4K	Flow controller M300, standard knob	1/8" ext, 1.6l N2 40psi, SS/SS	PC			124,000	
FC30SS4S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 1.6l N2 40psi, SS/SS	PC			142,000	
FC30SS4S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 1.6l N2 40psi, SS/SS	PC			145,000	
FC30SV1K	Flow controller M300, standard knob	1/8" ext, 200ml N2 40psi, SS/Viton	PC			119,000	
FC30SV1S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 200ml N2 40psi, SS/Viton	PC			137,000	
FC30SV1S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 200ml N2 40psi, SS/Viton	PC			0	
FC30SV2K	Flow controller M300, standard knob	1/8" ext, 300ml N2 40psi, SS/Viton	PC			119,000	
FC30SV2S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 300ml N2 40psi, SS/Viton	PC			137,000	
FC30SV2S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 300ml N2 40psi, SS/Viton	PC			0	
FC30SV3K	Flow controller M300, standard knob	1/8" ext, 800ml N2 40psi, SS/Viton	PC			119,000	
FC30SV3S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 800ml N2 40psi, SS/Viton	PC			0	
FC30SV3S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 800ml N2 40psi, SS/Viton	PC			140,000	
FC30SV4K	Flow controller M300, standard knob	1/8" ext, 1.6l N2 40psi, SS/Viton	PC			119,000	
FC30SV4S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 1.6l N2 40psi, SS/Viton	PC			137,000	
FC30SV4S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 1.6l N2 40psi, SS/Viton	PC			0	
FC31AV1	Flow controller M300, screwdriver adjustment	1/8" ext, 750ml N2 40psi, Aluminium/Viton	PC			84,000	
FPZA21	Female pipe adaptor 1/8"F-NPT*1/16"int	1mm bore, SS	PC			12,000	
FPZA2L	Female pipe adaptor 1/4"F-NPT*1/8"int	2mm bore, SS	PC			6,700	
FRK1	Ferrule removal kit	upto 1/32" bore (0.8 mm)	PC			3,600	
FRK2	Ferrule removal kit	for 1/16" and 1/8" ferrules	PC			32,000	
FS.25-5	Fused silica adaptor 1/32"	for tubing .25mm OD, Valcon T, 5/pkg	PKG	5	PC	7,800	
FS.36-5	Fused silica adaptor 1/32"	for tubing .36mm OD, Valcon T, 5/pkg	PKG	5	PC	7,800	
FS.4-5	Fused silica adaptor 1/32"	for tubing .4mm OD, Valcon T, 5/pkg	PKG	5	PC	7,800	
FS.4PK-5	Fused silica adaptor 1/32"	for tubing .4mm OD, PEEK, 5/pkg	PKG	5	PC	5,200	
FS.5-5	Fused silica adaptor 1/32"	for tubing .5mm OD, Valcon T, 5/pkg	PKG	5	PC	7,800	
FS.5PK-5	Fused silica adaptor 1/32"	for tubing .5mm OD, PEEK, 5/pkg	PKG	5	PC	7,000	
FS1.2-5	Fused silica adaptor 1/16"	for tubing .2mm OD, Valcon T, 5/pkg	PKG	5	PC	7,800	
FS1.25-5	Fused silica adaptor 1/16"	for tubing .25mm OD, Valcon T, 5/pkg	PKG	5	PC	7,800	
FS1.3-5	Fused silica adaptor 1/16"	for tubing .3mm OD, Valcon T, 5/pkg	PKG	5	PC	7,800	
FS1.4-5	Fused silica adaptor 1/16"	for tubing .4mm OD, Valcon T, 5/pkg	PKG	5	PC	7,800	
FS1.5-5	Fused silica adaptor 1/16"	for tubing .5mm OD, Valcon T, 5/pkg	PKG	5	PC	7,800	
FS1.8-5	Fused silica adaptor 1/16"	for tubing .8mm OD, Valcon T, 5/pkg	PKG	5	PC	7,800	
FS11.0-5	Fused silica adaptor 1/16"	for tubing 1mm OD, Valcon T, 5/pkg	PKG	5	PC	9,600	
FS11.0V1-5	Fused silica adaptor 1/16"	for tubing 1mm OD, Polyimide, Virgin, 5/pkg	PKG	5	PC	9,600	
FS1L.4-5	Liner fused silica adaptor 1/16"	for tubing .4mm OD, Polyimide, Valcon, 5/pkg	PKG	5	PC	10,400	
FS1L.5-5	Liner fused silica adaptor 1/16"	for tubing .5mm OD, Polyimide, Valcon, 5/pkg	PKG	5	PC	10,400	
FS1L.8-5	Liner fused silica adaptor 1/16"	for tubing .8mm OD, Polyimide, Valcon, 5/pkg	PKG	5	PC	10,400	
FS1R.4-5	Fused silica adaptor 1/16", removable	for tubing .4mm OD, Polyimide, Valcon, 5/pkg	PKG	5	PC	22,000	
FS1R.5-5	Fused silica adaptor 1/16", removable	for tubing .5mm OD, Polyimide, Valcon, 5/pkg	PKG	5	PC	22,000	
FS1R.8-5	Fused silica adaptor 1/16", removable	for tubing .8mm OD, Polyimide, Valcon, 5/pkg	PKG	5	PC	22,000	
F-TCF	Tube connector for air actuator	compressed fitting, 1/8 fgt to 10-32 thread	PC			800	
GH-LNR-CIS4-B-5	Reduced breakdown liner, Gerstel CIS-4/PTV	Baffled, 5/pkg	PKG	5	PC	30,000	
GH-LNR-DGS4-5	Reduced breakdown liner, Agilent/Finnigan	4mm double gooseneck, 5/pkg	PKG	5	PC	27,000	
GH-LNR-GS2-5	Reduced breakdown liner, 2mm gooseneck	Agilent/Finnigan/Varian CP-1177, 5/pkg	PKG	5	PC	26,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
GH-LNR-GS4-5	Reduced breakdown liner, 4mm gooseneck	Agilent/Finnigan/Varian CP-1177, 5/pkg	PKG	5	PC	19,200	
GH-LNR-HP2-5	Reduced breakdown liner, Agilent/Finnigan	2mm straight, splitless, 5/pkg	PKG	5	PC	22,000	
GH-LNR-HP4-5	Reduced breakdown liner, Agilent/Finnigan	4mm straight, splitless, 5/pkg	PKG	5	PC	14,600	
GH-LNR-VAR2-5	Replaced by GH-LNR-GS2-5		PKG	5	PC	0	
GH-LNR-VAR3.4-5	Reduced breakdown liner, Varian 1078/9	3.4mm gooseneck, 5/pkg	PKG	5	PC	32,000	
GH-LNR-VAR4-5	Replaced by GH-LNR-GS4-5		PKG	5	PC	0	
GH-LNR-VARGS2-5	Reduced breakdown liner, Varian 1078/9	2mm gooseneck, 5/pkg	PKG	5	PC	24,000	
HA1-110	Heater assembly for single valve	65W/120Vac	PC			59,000	
HA1-220	Heater assembly for single valve	65W/220Vac	PC			59,000	
HA1T-110	Heater assembly for single valve	100W/110Vac, NON-CE !!!	PC			54,000	
HA1T-220	Heater assembly for single valve	100W/220Vac	PC			54,000	
HA2-110	Heater assembly for two valves	125W/110Vac	PC			54,000	
HA2-220	Heater assembly for two valves	125W/220Vac	PC			54,000	
HA3-110	Heater assembly for three valves	150W/110Vac	PC			54,000	
HA3-220	Heater assembly for three valves	150W/220Vac	PC			54,000	
HA6-110	Heater assembly for six valves	300W/110Vac	PC			98,000	
HA6-220	Heater assembly for six valves	300W/220Vac	PC			98,000	
HB	Heater block standard for single valve	w/o heater cartridge	PC			17,800	
HB1N	Heater block for single NW type valve	w/o heater cartridge	PC			17,800	
HBS	Heater block low mass for single valve	w/o heater cartridge	PC			27,000	
HCE1-110	Heated column enclosure, 1 col. mandrel	4"x4.25"x3.63"d, 65W/110Vac	PC			143,000	
HCE1-220	Heated column enclosure, 1 col. mandrel	4"x4.25"x3.63"d, 65W/220Vac	PC			143,000	
HCE1X	Heated column enclosure, 1 col. mandrel	4"x4.25"x3.63"d, without heater cartridge	PC			107,000	
HCE2-110	Heated column enclosure, 2 col. mandrel	8"x5.25"x4"d, 65W/110Vac	PC			152,000	
HCE2-220	Heated column enclosure, 2 col. mandrel	8"x5.25"x4"d, 65W/220Vac	PC			152,000	
HCE2X	Heated column enclosure, 2 col. mandrel	8"x5.25"x4"d, without heater cartridge	PC			134,000	
HCEB-110	Heated column enclosure, 1 col. mandrel	4.25"x5.13"x3.63"d, 65W/110Vac	PC			120,000	
HCEB-220	Heated column enclosure, 1 col. mandrel	4.25"x5.13"x3.63"d, 65W/220Vac	PC			120,000	
HCEBX	Heated column enclosure, 1 col. mandrel	4.25"x5.13"x3.63"d, without heater cartridge	PC			111,000	
HCEC-110	Heated column enclosure, 1 col. mandrel	8"x8"x6"d, 65W/110Vac	PC			160,000	
HCEC-220	Heated column enclosure, 1 col. mandrel	8"x8"x6"d, 65W/220Vac	PC			160,000	
HCECX	Heated column enclosure, 1 col. mandrel	8"x8"x6"d, without heater cartridge	PC			143,000	
HKS	Hex key set		PC			2,600	
HP2-110	Helium purifier, Model 2	24VDC, input 110/230Vac US power cable	PC			178,000	
HP2-220	Helium purifier, Model 2	24VDC, input 110/230Vac EUR power cable	PC			178,000	
HPM-110	Helium purifier, Mini version	24VDC, input 110/230Vac US power cable	PC			116,000	
HPM-220	Helium purifier, Mini version	24VDC, input 110/230Vac, power cable	PC			116,000	
HSSA	High speed switching assembly,	for use with solenoid valves or DVI	PC			47,000	
HVE2-110	Heated valve enclosure for 2 valves	8"x5.25"x4", 125W/110Vac, Non-CE !!!	PC			143,000	
HVE2-220	Heated valve enclosure for 2 valves	8"x5.25"x4", 125W/220Vac, Non-CE !!!	PC			143,000	
HVE2X	Heated valve enclosure for 2 valves	8"x5.25"x4", no heater cartridge	PC			139,000	
HVE3-110	Heated valve enclosure for 3 valves	13.5"x5.75"x4", 150W/110Vac, Non-CE !!!	PC			196,000	
HVE3-220	Heated valve enclosure for 3 valves	13.5"x5.75"x4", 150W/220Vac, Non-CE !!!	PC			196,000	
HVE3X	Heated valve enclosure for 3 valves	13.5"x5.75"x4", no heater cartridge	PC			192,000	
HVE6-110	Heated valve enclosure for 6 valves	13.75"x8"x6", 300W/110Vac, Non-CE !!!	PC			290,000	
HVE6-220	Heated valve enclosure for 6 valves	13.75"x8"x6", 300W/220Vac, Non-CE !!!	PC			290,000	
HVE6X	Heated valve enclosure for 6 valves	13.75"x8"x6", no heater cartridge	PC			290,000	
HVEA-110	Heated valve enclosure for 1 valve	4"x4.25"x3.63", 65W/110Vac, Non-CE !!!	PC			118,000	
HVEA-220	Heated valve enclosure for 1 valve	4"x4.25"x3.63", 65W/220Vac, Non-CE !!!	PC			118,000	
HVEAN-110	Heated valve enclosure for NW valve	4"x4.25"x3.63", 65W/110Vac, Non-CE !!!	PC			169,000	
HVEAN-220	Heated valve enclosure for NW valve	4"x4.25"x3.63", 65W/220Vac, Non-CE !!!	PC			169,000	
HVEANX	Heated valve enclosure for NW valve	4"x4.25"x3.63", no heater cartridge	PC			166,000	
HVEAX	Heated valve enclosure for 1 valve	4"x4.25"x3.63", no heater cartridge	PC			114,000	
HVEB-110	Heated valve enclosure for 1 valve	4.25"x5.13"x3.63"65W/110Vac, Non-CE !!!	PC			118,000	
HVEB-220	Heated valve enclosure for 1 valve	4.25"x5.13"x3.63", 65W/220Vac, Non-CE !!!	PC			118,000	
HVEBN-110	Heated valve enclosure for NW valve	4.25"x5.13"x3.63", 65W/110Vac, Non-CE !!!	PC			111,000	
HVEBN-220	Heated valve enclosure for NW valve	4.25"x5.13"x3.63", 65W/220Vac, Non-CE !!!	PC			111,000	
HVEBNX	Heated valve enclosure for NW valve	4.25"x5.13"x3.63", no heater cartridge	PC			107,000	
HVEBX	Heated valve enclosure for 1 valve	4.25"x5.13"x3.63", no heater cartridge	PC			114,000	
HVEC-110	Heated valve enclosure for 1 valve	8"x8"x6" 100W/110Vac, Non-CE !!!	PC			146,000	
HVEC-220	Heated valve enclosure for 1 valve	8"x8"x6" 100W/220Vac, Non-CE !!!	PC			146,000	
HVECX	Heated valve enclosure for 1 valve	8"x8"x6", no heater cartridge	PC			143,000	
HWSC-SC8-6	Screw, 8-32*3/8" long	socket cap SS	PC			120	
HWSC-SC8-6TDH	Screw, 8-32*3/8" long	socket cap SS, turned down head	PC			130	
HWSC-SC8-8B	Screw, 8-32*1/2" long	socket cap, black oxide, SS.	PC			120	
I-21014-01	Thermocouple wire assy	ITC typ "K"	PC			14,300	
I-21208-05	Heater cartridge, repl. for HVEC	100W/110Vac	PC			14,300	
I-21208-06	Heater cartridge, repl. for HVEC	100W/220Vac	PC			22,000	
I-21208-32	Heater cartridge for HVEA/HVEB	65W/120Vac, Non-CE!	PC			12,500	
I-21208-33	Heater cartridge repl. for HVEA/HVEB	65W/220Vac, Non-CE!	PC			14,300	
I-22697	Interface cable RS-232, 6 feet	for 2-pos/mpos micro electric actuator	PC			6,500	
I-23062	Communication cable, multidrop, 22" long	for 2-pos/mpos micro elec. act., RS232 / RS485	PC			9,800	
I-23062-20	Communication cable, multidrop, 20' (6.5m) long	for 2-pos/mpos micro elec. act., RS232 / RS485	PC			21,000	
I-23062-3.3	Communication cable, multidrop, 3.3' (1.0m) long	for 2-pos/mpos micro elec. act., RS232 / RS485	PC			14,700	
I-23062-5	Communication cable, multidrop, 5ft long	for 2-pos/mpos micro elec. act., RS232 / RS485	PC			7,900	
I-23572HP2	Getter assembly, replacement for HP2	Helium purifier	PC			107,000	
I-23572NP2	Getter assembly, replacement for NP2	nitrogen purifier	PC			107,000	
I4UWE.2	4 port 2-pos int vol valve, manual	1/8".75mm, 175C/1000psi liq, .2ul, N60/E	PC			138,000	
I4UWE.5	4 port 2-pos int vol valve, manual	1/8".75mm, 175C/1000psi liq, .5ul, N60/E	PC			138,000	
I4UWE1	4 port 2-pos int vol valve, manual	1/8".75mm, 175C/1000psi liq, 1ul, N60/E	PC			138,000	
I4UWE2	4 port 2-pos int vol valve, manual	1/8".75mm, 175C/1000psi liq, 2ul, N60/E	PC			138,000	
ITC10399-110	Obsolete! Replaced by ITC2		PC			0	
ITC10399-220	Obsolete! Replaced by ITC2		PC			0	
IZERA1.5	Int./Ext. reducer/adaptor 1/16"*1/32"	1mm bore, SS	PC			10,100	
IZERA1.5C	Int./Ext. reducer/adaptor 1/16"*1/32"	.25mm bore, SS	PC			9,200	
IZERA1.5M	Int./Ext. reducer/adaptor 1/16"*1/32"	.5mm bore, SS	PC			12,500	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
IZN1-10	Nut 1/16", 15.9mm (.625") long,	303SS, 10/pkg	PKG	10	PC	15,000	
IZR1.5	Internal reducer 1/16"*1/32"	.25mm bore, SS	PC			5,000	
IZR1.5L	Internal reducer 1/16"*1/32"	.50mm bore, SS	PC			5,000	
IZR1.5T	Internal reducer 1/16"*1/32"	1/32" through bore, SS	PC			5,400	
IZR21	Internal reducer 1/8"*1/16"	.50mm bore, SS	PC			4,000	
IZR21C	Internal reducer 1/8"*1/16"	.25mm bore, SS	PC			5,700	
IZR21L	Internal reducer 1/8"*1/16"	1mm bore, SS	PC			3,700	
IZR21LF	Internal reducer 1/8"*1/16"	1mm bore, 2 um frit, SS	PC			6,900	
IZR21T	Internal reducer 1/8"*1/16"	1/16 through bore, SS	PC			5,400	
JR-201540	Easy-Flange, kit in plastic case		PC			33,000	O
JR-26501	Coupler, PEEK, red	0.13mm bore, 10-32	PC			3,700	
JR-26502	Coupler, PEEK, yellow	0.17mm bore, 10-32	PC			3,700	
JR-26503	Coupler, PEEK, blue	0.25mm bore, 10-32	PC			3,700	
JR-26504	Coupler, PEEK, orange	0.50mm bore, 10-32	PC			3,700	
JR-32178	Filter, PE, mobile phase No-Met 20 um, 1/8"		PC			2,800	
JR-32179	Filter, PE, mobile phase replacement, No-Met 20 um		PC			560	
JR-357090-5	Tubing Elbow 90°, 5/pkg		PKG	5	PC	1,170	
JR-357180-5	Tubing Elbow 180°, 5/pkg		PC			1,300	
JR-367008-10	Filter, SS, mobile phase 10 um	fittings for 1/8" tubing	PC			3,600	O
JR-367008-2	Filter, SS, mobile phase 2 um	fittings for 1/8" tubing	PC			3,600	
JR-367008-20	Filter, SS, mobile phase 20 um	fittings for 1/8" tubing	PC			3,600	
JR-367016-10	Filter, SS, mobile phase 10 um	fittings for 1/16" tubing	PC			3,600	
JR-367016-2	Filter, SS, mobile phase 2 um	fittings for 1/16" tubing	PC			3,600	
JR-367016-20	Filter, SS, mobile phase 20 um	fittings for 1/16" tubing	PC			3,600	O
JR-797	Tool, Clean-Cut Tubing Cutter		PC			2,600	
JR-798	Tool, replacement blade for JR-797		PC			340	
JR-9000-0520	Filter, PTFE, Last Drop 2.5 um	tripod stepped tubing connector	PC			3,500	O
JR-9000-0530	Filter, SS, Last Drop 2 um	tripod stepped tubing connector	PC			3,900	O
JR-9000-0602	Filter/Sparger, PTFE, Last Drop 2.5 um filter	10 um sparger	PC			12,200	
JR-9000-0640	Filter/Sparger, SS, Last Drop 2 um filter	10 um sparger	PC			12,200	
JR-9001-5	Tubing Clip, 5/pkg	PP	PKG	5	PC	1,670	O
JR-S-11001	VICI-Cap GL45, 2 ports		PC			5,200	
JR-S-11002	VICI-Cap GL45, 3 ports		PC			5,500	
JR-S-11003	VICI-Cap GL45, 4 ports		PC			5,800	
JR-T-5804	Tubing, PEEK, 1/16" x 0.100 mm ID, black striped		M			1,860	
JR-T-5999	Tubing, PEEK, 1/16" x 0.13 mm ID, red striped		M			1,310	
JR-T-6000	Tubing, PEEK, 1/16" x 0.18 mm ID, yellow striped		M			1,310	
JR-T-6001	Tubing, PEEK, 1/16" x 0.25 mm ID, blue striped	ID / OD tolerances: +/- .001"	M			1,310	
JR-T-6002	Tubing, PEEK, 1/16" x 0.50 mm ID, orange striped		M			1,310	
JR-T-6003	Tubing, PEEK, 1/16" x 0.75 mm ID, green striped		M			1,130	
JR-T-60031	Tubing, PEEK, 1/16" x 1.00 mm ID, grey striped		M			1,310	
JR-T-6007	Tubing, PEEK, 1/16" x 0.13 mm ID, solid red		M			1,310	
JR-T-6008	Tubing, PEEK, 1/16" x 0.18 mm ID, solid yellow		M			1,260	
JR-T-6009	Tubing, PEEK, 1/16" x 0.25 mm ID, solid blue		M			1,310	
JR-T-6010	Tubing, PEEK, 1/16" x 0.50 mm ID, solid orange		M			1,310	
JR-T-6011	Tubing, PEEK, 1/16" x 0.75 mm ID, solid green	tolerance OD/ID: +/- 0.001"	M			1,260	
JR-T-6020	Tubing, PEEK, 1/16" x 0.10 mm ID, black solid		M			1,310	
JR-T-6030	Tubing, PEEK, 1/16" x 0.15 mm ID, purple solid		M			1,310	
JR-T-6040	Tubing, PEEK, 1/16" x 0.38 mm ID, grey solid		M			1,310	
JR-TD-5804	Tubing, Dual Layer PEEK, 1/16" x 100 um ID	solid black outside, natural inside	M			1,860	
JR-TD-6007	Tubing, Dual Layer PEEK, 1/16" x 0.13 mm ID,	solid red outside, natural inside	M			1,360	
JR-TD-6008	Tubing, Dual Layer PEEK, 1/16" x 0.18 mm ID,	solid yellow outside, natural inside	M			1,360	
JR-TD-6009	Tubing, Dual Layer PEEK, 1/16" x 0.25 mm ID,	solid blue outside, natural inside	M			1,360	
JR-TD-6010	Tubing, Dual Layer PEEK, 1/16" x 0.50 mm ID,	solid orange outside, natural inside	M			1,360	
JR-TD-6011	Tubing, Dual Layer PEEK, 1/16" x 0.75 mm ID,	solid green outside, natural inside	M			1,360	
L4UW	!!! RECOMMEND 2L4UW	SUPPLIED WITH LARGER HANDLE	PC			0	
L6UW	!!! RECOMMEND 2L6UW	SUPPLIED WITH LARGER HANDLE	PC			0	
L8UW	!!! RECOMMEND 2L8UW	SUPPLIED WITH LARGER HANDLE	PC			0	
LZN.5-10	Nut 1/32", 11mm long, SS, 10/pkg		PKG	10	PC	8,400	
LZN.5FFK-10	Nut 1/32", fingertight, 13.7mm long	PEEK, 10/pkg	PKG	10	PC	10,000	
LZN1-10	Nut 1/16", 19mm long, SS, 10/pkg		PKG	10	PC	6,700	
LZN1PK-10	Nut 1/16", hex, 22mm long	PEEK, 10/pkg	PKG	10	PC	13,900	
LZN2-10	Nut 1/8", 21mm long, SS, 10/pkg		PKG	10	PC	10,000	
LZNF1KF-5	Nut 1/16", No Twist hex long, PEEK	with CTFE ferrule, 5/pkg	PC			18,400	
LZNF1PK-5	Nut 1/16", No Twist hex long, PEEK	with PEEK ferrule, 5/pkg	PKG	5	PC	18,400	
LZNF1PKG-5	Nut 1/16", No Twist hex long, PEEK	with glass-filled PEEK ferrule, 5/pkg	PKG	5	PC	20,000	
LZP.5FFK	Plug 1/32", fingertight, PEEK		PC			2,800	
LZP1	Plug 1/16", 28.8mm long	SS	PC			1,340	
LZP1H	Plug 1/16", 25.7 mm long, high pressure	SS	PC			3,000	
LZP1PK	Plug 1/16", long hex, PEEK		PC			5,000	O
LZP2	Plug 1/8", 35.6 mm long	SS	PC			1,840	
LZP2H	Plug 1/8", 21mm long, high pressure	SS	PC			8,400	
MS-P100-1	Helium Purifier	1/8" brass caps, Part No. P100-1	PC			42,000	
MS-P100-2	Helium Purifier	1/4" brass caps, Part No. P100-2	PC			42,000	
MS-P200-1	Hydrogen Purifier	1/8" brass caps, Part No. P200-1	PC			42,000	
MS-P200-2	Hydrogen Purifier	1/4" brass caps, Part No. P200-2	PC			42,000	
MS-P300-1	Nitrogen Purifier	1/8" brass caps, Part No. P300-1	PC			42,000	
MS-P300-2	Nitrogen Purifier	1/4" brass caps, Part No. P300-2	PC			42,000	
MS-P310-1	Nitrogen Purifier for LC/MS applications	1/8" brass caps, Part No. P310-1	PC			42,000	
MS-P310-2	Nitrogen Purifier for LC/MS applications	1/4" brass caps, Part No. P310-2	PC			42,000	
MS-P350-1	Nitrogen Purifier for nitrogen generators	1/8" brass caps, Part No. P350-1	PC			42,000	O
MS-P350-2	Nitrogen Purifier for nitrogen generators	1/4" brass caps, Part No. P350-2	PC			42,000	O
MS-P400-1	Air Purifier	1/8" brass caps, Part No. P400-1	PC			42,000	O
MS-P400-2	Air Purifier	1/4" brass caps, Part No. P400-2	PC			42,000	O
MS-P500-1	Methane Purifier/CI	1/8" brass caps, Part No. P500-1	PC			40,000	O
MS-P500-2	Methane Purifier/CI	1/4" brass caps, Part No. P500-2	PC			40,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
MS-P600-1	Carbon Dioxide (gas) Purifier with	1/8" brass caps, Part No. P600-1	PC			42,000	O
MS-P600-2	Carbon Dioxide (gas) Purifier with	1/4" brass caps, Part No. P600-2	PC			42,000	O
MS-P700-1	Carbon Dioxide (liquid) Purifier with	1/8" brass caps, Part No. P700-1	PC			42,000	
MS-P700-2	Carbon Dioxide (liquid) Purifier with	1/4" brass caps, Part No. P700-2	PC			42,000	
MS-T100-1	Moisture Trap	1/8" brass caps, Part No. T100-1	PC			42,000	
MS-T100-2	Moisture Trap	1/4" brass caps, Part No. T100-2	PC			42,000	
MS-T200-1	Hydrocarbon Trap	1/8" brass caps, Part No. T200-1	PC			42,000	
MS-T200-2	Hydrocarbon Trap	1/4" brass caps, Part No. T200-2	PC			42,000	
MS-T300-1	Oxygen Trap	1/8" brass caps, Part No. T300-1	PC			42,000	O
MS-T300-2	Oxygen Trap	1/4" brass caps, Part No. T300-2	PC			42,000	O
MS-T400-1	Sulfur/Halocarbon Trap, length 12"	1/8" brass caps, Part No. T400-1	PC			40,000	
MS-T400-2	Sulfur/Halocarbon Trap, length 12"	1/4" brass caps, Part No. T400-2	PC			40,000	
MS-T401-1	Sulfur/Halocarbon Trap, length 24"	1/8" brass caps, Part No. T401-1	PC			60,000	
MS-T401-2	Sulfur/Halocarbon Trap, length 22.5"	1/4" brass caps, Part No. T401-2	PC			60,000	
MS-T700-1	Mercury Trap	1/8" brass caps, Part No. T700-1	PC			45,000	O
MS-T700-2	Mercury Trap	1/4" brass caps, Part No. T700-2	PC			45,000	
MSVA2-240VAC	3-way manifold solenoid valve assy., 220Vac	2 out, Non-CE !!!	PC			0	
MSVA2-24VDC	3-way manifold solenoid valve assy., 24Vdc	Non-CE !!!	PC			52,000	
MZN1-10	Nut 1/16", 13mm long, SS, 10/pkg	303SS	PKG	10	PC	4,200	
MZN1PK-10	Nut 1/16", hex, 15.7mm long	PEEK, 10/pkg	PKG	10	PC	8,400	
MZNF1KF-5	Nut 1/16", No Twist hexmedium, PEEK	with CTFE ferrule, 5/pkg	PKG	5	PC	10,000	
MZNF1PK-5	Nut 1/16", No Twist hex medium, PEEK	with PEEK ferrule, 5/pkg	PKG	5	PC	8,700	
MZNF1PKG-5	Nut 1/16", No Twist hex medium, PEEK	with glass-filled PEEK ferrule, 5/pkg	PKG	5	PC	10,400	
MZP1PK	Plug 1/16", hex, PEEK		PC			3,400	
NP2-110	Nitrogen purifier, Model 2	24VDC, input 110/230Vac US power cable	PC			178,000	
NP2-220	Nitrogen purifier, Model 2	24VDC, input 110/230Vac EUR power cable	PC			178,000	
NPM-110	Nitrogen purifier, Mini version	24VDC, input 110/230Vac US power cable	PC			116,000	
NPM-220	Nitrogen purifier, Mini version	24VDC, input 110/230Vac, power cable	PC			116,000	
OEW-1	Open end wrench 3/16"x1/4"	for 1/32" and 1/16" fittings, catalog No. OEW	PC			3,000	O
OEW-2	Open end wrench 3/8"x7/16"	for 1/8" fittings	PC			3,000	O
OEW-3	Open end wrench 1/2"x9/16"	for 1/4" fittings	PC			3,100	
OR	O-ring set, incl. lubricant	standard 2-pos air actuator	PC			3,000	
ORMP	O-ring set, incl. lubricant	standard mpos air actuator	PC			3,400	
ORT	O-ring set, incl. lubricant	high temperature 2-pos air actuator	PC			3,400	
ORTMP	O-ring set, incl. lubricant	high temperature mpos air actuator	PC			4,000	
PCS412F	Precolumn system 1/4"*2cm	incl. insert, body and 2um frit, SS	PC			16,700	
PD-D2-IM	Pulsed discharge detector assembly	HID, Mini, 48V, CE	PC			800,000	
PFA2	Position feedback adapter	for air actuator	PC			39,000	O
PFC2	Position feedback	Cheminert C2 and C3 series 6/10 port	PC			45,000	
PFC4	Position feedback	to flat plate valve C4	PC			45,000	
PFW36	Position feedback for 2-pos manual valve	W type 8 and 10 port, 36 deg	PC			32,000	
PFW60	Position feedback for 2-pos manual valve	W type 6 port and int. 4 port, 60 deg	PC			36,000	
PFW90	Position feedback for 2-pos manual valve	W type 4 port, 90 deg	PC			36,000	
PM	Pencil magnet	for W and UW rotor seals	PC			1,600	
PR50A15E2	Combo pressure regulator, 0-15psi	1/8" ext, Aluminum/SS	PC			87,000	
PR50A15Z1	Combo pressure regulator, 0-15psi	1/16" int, Aluminum/SS	PC			84,000	
PR50A15Z2	Combo pressure regulator, 0-15psi	1/8" int, Aluminum/SS	PC			84,000	
PR50A30E2	Combo pressure regulator, 0-30psi	1/8" ext, Aluminum/SS	PC			87,000	
PR50A30Z1	Combo pressure regulator, 0-30psi	1/16" int, Aluminum/SS	PC			84,000	
PR50A30Z2	Combo pressure regulator, 0-30psi	1/8" int, Aluminium/SS	PC			84,000	
PR50A60E2	Combo pressure regulator, 0-60psi	1/8" ext, Aluminum/SS	PC			87,000	
PR50A60Z1	Combo pressure regulator, 0-60psi	1/16" int, Aluminum/SS	PC			84,000	
PR50A60Z2	Combo pressure regulator, 0-60psi	1/8" int, Aluminium/SS	PC			84,000	
PR51A15E2	Pressure regulator, 0-15psi	1/8" ext, Aluminum/SS	PC			87,000	
PR51A15Z1	Pressure regulator, 0-15psi	1/16" int, Aluminum/SS	PC			84,000	
PR51A15Z2	Pressure regulator, 0-15psi	1/8" int, Aluminum/SS	PC			84,000	
PR51A30E2	Pressure regulator, 0-30psi	1/8" ext, Aluminum/SS	PC			87,000	
PR51A30Z1	Pressure regulator, 0-30psi	1/16" int, Aluminum/SS	PC			84,000	
PR51A30Z2	Pressure regulator, 0-30psi	1/8" int, Aluminium/SS	PC			84,000	
PR51A60E2	Pressure regulator, 0-60psi	1/8" ext, Aluminum/SS	PC			87,000	
PR51A60Z1	Pressure regulator, 0-60psi	1/16" int, Aluminum/SS	PC			84,000	
PR51A60Z2	Pressure regulator, 0-60psi	1/8" int, Aluminium/SS	PC			84,000	
PS-050023	Gas syringe A-2, 25 ul	RN, .028"x.005"x2", bevel open end	PC			11,700	
PS-050024	Gas syringe A-2, 50 ul	RN, .028"x.005"x2", bevel open end	PC			11,900	
PS-050025	Gas syringe A-2, 100 ul	RN, .028"x.005"x2", bevel open end	PC			12,200	
PS-050031	Gas syringe A-2, 250 ul	RN, .029"x.012"x2", bevel open end	PC			12,200	
PS-050032	Gas syringe A-2, 500 ul	RN, .029"x.012"x2", bevel open end	PC			12,200	
PS-050033	Gas syringe A-2, 1 ml	RN, .029"x.012"x2", bevel open end	PC			12,600	
PS-050034	Gas syringe A-2, 2 ml	RN, .029"x.012"x2", bevel open end	PC			12,600	
PS-050035	Gas syringe A-2, 5 ml	RN, .029"x.012"x2", bevel open end	PC			13,900	
PS-050036	Gas syringe A-2, 10 ml	RN, .029"x.012"x2", bevel open end	PC			13,900	
PS-050043-LL	Gas syringe A-2, 25 ul	RN, .028"x.005"x2", bevel open end, Luer lock	PC			12,600	
PS-050044-LL	Gas syringe A-2, 50 ul	RN, .028"x.005"x2", bevel open end, Luer lock	PC			12,600	
PS-050045-LL	Gas syringe A-2, 100 ul	RN, .028"x.005"x2", bevel open end, Luer lock	PC			13,100	
PS-050051-LL	Gas syringe A-2, 250 ul	RN, .029"x.012"x2", bevel open end, Luer lock	PC			13,100	
PS-050052-LL	Gas syringe A-2, 500 ul	RN, .029"x.012"x2", bevel open end, Luer lock	PC			13,100	
PS-050053-LL	Gas syringe A-2, 1 ml	RN, .029"x.012"x2", bevel open end, Luer lock	PC			13,400	
PS-050054-LL	Gas syringe A-2, 2 ml	RN, .029"x.012"x2", bevel open end, Luer lock	PC			14,000	
PS-050055-LL	Gas syringe A-2, 5 ml	RN, .029"x.012"x2", bevel open end, luer lock	PC			14,900	
PS-050056-LL	Gas syringe A-2, 10 ml	RN, .029"x.012"x2", bevel open end, luer lock	PC			14,900	
PS-123050	Needles removable C-160, CG-130	.019"x.005"x2.25", bevel open end, 3/pkg	PKG	3	PC	4,700	
PS-123050R	Needles removable C-160,	22GAx2", blunt tip, open end, V/C/Rh, 3/pkg	PKG	3	PC	4,700	
PS-160021	Liquid syringe C-160, 5 ul	FN, .019"x.005"x2", bevel open end	PC			5,800	
PS-160021R	Liquid syringe C-160, 5 ul	FN, 22GAx2", blunt tip open end, V/C/Rh	PC			6,100	
PS-160022	Liquid syringe C-160, 10 ul	FN, .019"x.005"x2", bevel open end	PC			6,100	
PS-160022R	Liquid syringe C-160, 10 ul	FN, 22GAx2", blunt tip open end, V/C/Rh	PC			6,300	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
PS-160023	Liquid syringe C-160, 25 ul	FN, .019"x.005"x2", bevel open end	PC			5,500	
PS-160023R	Liquid syringe C-160, 25 ul	FN, 22GAx2", blunt tip open end, V/C/Rh	PC			5,900	
PS-160024	Liquid syringe C-160, 50 ul	FN, .019"x.005"x2", bevel open end	PC			5,800	
PS-160024R	Liquid syringe C-160, 50 ul	FN, 22GAx2", blunt tip open end, V/C/Rh	PC			6,100	
PS-160025	Liquid syringe C-160, 100 ul	FN, 019"x.005"x2", bevel open end	PC			6,500	
PS-160025R	Liquid syringe C-160, 100 ul	FN, 22GAx2", blunt tip open end, V/C/Rh	PC			6,800	
PS-160221	Liquid syringe C-160, 5 ul	RN, .019"x.005"x2.25", bevel open end	PC			8,500	
PS-160221R	Liquid syringe C-160, 5 ul	RN, 22GAx2", blunt tip open end, V/C/Rh	PC			8,700	
PS-160222	Liquid syringe C-160, 10 ul	RN, .019"x.005"x2.25", bevel open end	PC			8,700	
PS-160222R	Liquid syringe C-160, 10 ul	RN, 22GAx2", blunt tip open end, V/C/Rh	PC			9,100	
PS-160223	Liquid syringe C-160, 25 ul	RN, .019"x.005"x2.25", bevel open end	PC			8,500	
PS-160223R	Liquid syringe C-160, 25 ul	RN, 22GAx2", blunt tip open end, V/C/Rh	PC			8,700	
PS-160224	Liquid syringe C-160, 50 ul	RN, .019"x.005"x2.25", bevel open end	PC			8,700	
PS-160224R	Liquid syringe C-160, 50 ul	RN, 22GAx2", blunt tip open end, V/C/Rh	PC			9,100	
PS-160225	Liquid syringe C-160, 100 ul	RN, .019"x.005"x2.25", bevel open end	PC			9,300	
PS-160225R	Liquid syringe C-160, 100 ul	RN, 22GAx2", blunt tip open end, V/C/Rh	PC			9,700	
PS-614158	Mininert valve, 13mm-425, 12/pkg		PKG	12	PC	16,900	
PS-614160	Mininert valve, 15mm-425, 12/pkg		PKG	12	PC	15,800	
PS-614161	Mininert valve, 18mm-400, 12/pkg		PKG	12	PC	17,000	
PS-614163	Mininert valve, 24mm-400, 12/pkg		PKG	12	PC	18,300	
PS-614170	Mininert valve, 20mm-400, 12/pkg		PKG	12	PC	18,500	
PS-614250	Mininert valve, crimp-top, 12/pkg	for 13 mm ID glassware	PKG	12	PC	24,000	
PS-631201	Mininert valve, termination	1/4"-28 male to Mininert	PC			4,200	
PS-631202	Mininert valve, termination	1/8" male NPT to Mininert	PC			4,200	
PS-631203	Mininert valve, termination	1/4"-28 female to Mininert	PC			4,200	
PS-631204	Mininert valve, termination	1/8" female NPT to Mininert	PC			5,100	
PS-631205	Mininert valve, in-line	1/4"-28 male to 1/4"-28 male	PC			5,100	
PS-631206	Mininert valve, in-line	1/4"-28 female to 1/4"-28 female	PC			5,100	
PS-644350	Mininert needle seal septa, 50/pkg		PKG	50	PC	4,500	
PS-644850	Septum installation tool		PC			4,000	
PS-654050	Mininert syringe valve	for C or D syringe	PC			3,200	
PS-654051	Mininert syringe valve	for luer-tip	PC			3,400	
PS-660100	Valve, 3-port, manual, T-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail	PC			13,100	
PS-660110	Valve, 4-port, manual, T-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail	PC			14,000	
PS-660200	Valve, 2-port, manual, 180-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail	PC			12,300	
PS-660210	Valve, 4-port, manual, 180-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail	PC			14,000	
PS-660300	Valve, 2-port, manual, 90-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail	PC			12,300	
PS-660310	Valve, 3-port, manual, 90-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail	PC			13,100	
PS-660320	Valve, 4-port, manual, 90-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail	PC			14,000	
PS-943050	Needles RN p-lok A-2, C	.029"x.005"x2", bevel open end, 3/pkg	PKG	3	PC	4,200	
PS-943051	Needles RN p-lok A-2, C, D	.029"x.012"x2", bevel open end, 3/pkg	PKG	3	PC	4,200	
PS-943052	Needles RN p-lok A-2, C, D	.029"x.012"x2", side-port taper, 3/pkg	PKG	3	PC	5,600	
PS-943060	Needles RN luer A-2, C, Magnum	.029"x.005"x2", bevel open end, 3/pkg	PKG	3	PC	4,400	
PS-943061	Needles RN luer A-2, D	.029"x.012"x2", bevel open end, 3/pkg	PKG	3	PC	4,400	
PS-943062	Needles RN luer A-2, C, D, Magnum	.029"x.012"x2", side port taper, 3/pkg	PKG	3	PC	5,600	
PV	Pin vise and drill index .34-1mm		PC			17,800	
PZA21	Male pipe adaptor 1/8"M-NPT*1/16"int	1mm bore, SS	PC			3,700	
PZA21T	Male pipe adaptor 1/8"M-NPT*1/16"int	1/16" through bore, SS	PC			5,000	O
PZA22	Male pipe adaptor 1/8"M-NPT*1/8"int	1mm bore, SS	PC			5,000	
PZA41	Male pipe adaptor 1/4"M-NPT*1/16"int	1mm bore, SS	PC			5,000	
PZA42L	Male pipe adaptor 1/4" M-NPT*1/8"int	2mm bore, 316SS	PC			9,000	
RAD	Right angle drive, close mount		PC			72,000	
RF21PK-5	Standard reducing ferrule 1/8"*1/16"	PEEK, 5/pkg	PKG	10	PC	6,100	
RF21V-5	Standard reducing ferrule 1/8"*1/16"	Polyimide, Valcon, 5/pkg	PKG	5	PC	10,400	
SD4UW	4 mpos dead-end path, manual	1/8*.75mm, 75C/5000psi liq, N60/E	PC			185,000	
SD6UW	6 mpos dead-end path, manual	1/8*.75mm, 75C/5000psi liq, N60/E	PC			195,000	
SD8UW	8 mpos dead-end path, manual	1/8*.75mm, 75C/5000psi liq, N60/E	PC			220,000	
SFV	Prime/Purge valve, manual	3*1/16".50 mm bore, 100C/10'000psi, SS	PC			47,000	
SFVHT	Prime/Purge valve, manual, high temp.	3*1/16".50 mm bore, 300C/6'000psi, SS	PC			62,000	
SFVHT4	Prime/Purge valve, manual/4" knob, high temp.	3*1/16".50 mm bore, 300C/6'000psi, SS	PC			62,000	
SFVL	Prime/Purge valve, manual	3*1/16".75 mm bore, 100C/10'000psi, SS	PC			50,000	
SFVLHT	Prime/Purge valve, manual, high temp.	3*1/16".75 mm bore, 300C/6'000psi, SS	PC			65,000	
SFVLHT4	Prime/Purge valve, manual/4"knob, high temp.	3*1/16".75 mm bore, 300C/6'000psi, SS	PC			0	
SFVO	On/Off valve, manual	2*1/16".50 mm bore, 100C/10'000psi liq, SS	PC			42,000	
SFVOHT	On/Off valve, manual, high temperature/pressure	2*1/16".50 mm bore, 300C/6000psi, SS	PC			57,000	
SFVOHT4	On/Off valve, manual, high temp/pressure/4"so	2*1/16".50 mm bore, 300C/6000psi, SS	PC			0	
SFVOL	On/Off valve, manual	2*1/16".75 mm bore, 100C/10'000psi, SS	PC			45,000	
SFVOLHT	On/Off valve, manual, high temp.	2*1/16".75 mm bore, 300C/6'000psi, SS	PC			60,000	
SFVOLHT4	On/Off valve, manual/4" knob, high temp.	2*1/16".75 mm bore, 300C/6'000psi, SS	PC			0	
SI4G	Replacement septa for septum injector, 350C	1/4" OD low bleed, 10/pkg	PKG	10	PC	7,000	
SL100CSTP	Sample loop 100ul, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,300	
SL100CSTUW	Sample loop 100ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,300	
SL100CUW	Sample loop 100ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL100CW	Sample loop 100ul, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL100NW	Sample loop 100ul, W type valve	1/32" ends with nuts & ferrules, 316SS	PC			6,100	
SL100STP	Sample loop 100ul, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	PC			6,500	
SL100UW	Sample loop 100ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	PC			6,100	
SL10CSTUW	Sample loop 10ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,300	
SL10CUW	Sample loop 10ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL10CW	Sample loop 10ul, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL10KCSTP	Sample loop 10ml, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	PC			16,200	
SL10KCSTUW	Sample loop 10ml, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	PC			15,600	
SL10KCUW	Sample loop 10ml, UW type valve	1/16" ends with nuts & ferrules, 316SS	PC			16,800	
SL10KCW	Sample loop 10ml, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			16,800	
SL10KSTP	Sample loop 10ml, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	PC			12,800	
SL10KUW	Sample loop 10ml, UW type valve	1/8" ends with nuts & ferrules, 316SS	PC			12,600	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
SL10NW	Sample loop 10ul, W type valve	1/32" ends with nuts & ferrules, 316SS	PC			5,700	
SL10UW	Sample loop 10ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	PC			11,700	
SL15CSTUW	Sample loop 15ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,300	
SL15CUW	Sample loop 15ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	PC			6,700	
SL15CW	Sample loop 15ul, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL15NW	Sample loop 15ul, W type valve	1/32" ends with nuts & ferrules, 316SS	PC			5,700	
SL15UW	Sample loop 15ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	PC			13,200	
SL1KCSTP	Sample loop 1ml, mpos ST/MT P-type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,300	
SL1KCSTUW	Sample loop 1ml, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	PC			8,100	
SL1KCUW	Sample loop 1ml, UW type valve	1/16" ends with nuts & ferrules, 316SS	PC			7,900	
SL1KCW	Sample loop 1ml, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			7,900	
SL1KSTP	Sample loop 1ml, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	PC			7,300	
SL1KCUW	Sample loop 1ml, UW type valve	1/8" ends with nuts & ferrules, 316SS	PC			6,700	
SL20CSTUW	Sample loop 20ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,300	
SL20CUW	Sample loop 20ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL20CW	Sample loop 20ul, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL20KUW	Sample loop 20 ml, UW type valve	1/8" ends with nuts & ferrules, 316SS	PC			23,000	
SL20NW	Sample loop 20ul, W type valve	1/32" ends with nuts & ferrules, 316SS	PC			5,700	
SL20UW	Sample loop 20ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	PC			11,400	
SL250CSTP	Sample loop 250ul, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,300	
SL250CSTUW	Sample loop 250ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	PC			6,500	
SL250CUW	Sample loop 250ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	PC			6,100	
SL250CW	Sample loop 250ul, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			6,100	
SL250NW	Sample loop 250ul, W type valve	1/32" ends with nuts & ferrules, 316SS	PC			6,900	
SL250STP	Sample loop 250ul, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	PC			6,500	
SL250UW	Sample loop 250ul, UW type valve	1/8" ends with nuts & ferrules	PC			6,100	
SL25CSTUW	Sample loop 25ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,300	
SL25CUW	Sample loop 25ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL25CW	Sample loop 25ul, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL25NW	Sample loop 25ul, W type valve	1/32" ends with nuts & ferrules, 316SS	PC			5,700	
SL25UW	Sample loop 25ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	PC			11,600	
SL2CW	Sample loop 2ul, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL2KCSTP	Sample loop 2ml, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	PC			10,400	
SL2KCSTUW	Sample loop 2ml, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	PC			10,400	
SL2KCUW	Sample loop 2ml, UW type valve	1/16" with nuts & ferrules, 316SS	PC			10,100	
SL2KCW	Sample loop 2ml, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			10,100	
SL2KSTP	Sample loop 2ml, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	PC			7,500	
SL2KUW	Sample loop 2ml, UW type valve	1/8" ends with nuts & ferrules, 316SS	PC			7,300	
SL2NW	Sample loop 2ul, W type valve	1/32" ends with nuts & ferrules, 316SS	PC			5,700	
SL500CSTP	Sample loop 500ul, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	PC			12,000	
SL500CSTUW	Sample loop 500ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	PC			7,100	
SL500CUW	Sample loop 500ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	PC			6,900	
SL500CW	Sample loop 500ul, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			6,900	
SL500NW	Sample loop 500ul, W type valve	1/32" ends with nuts & ferrules, 316SS	PC			8,300	
SL500STP	Sample loop 500ul, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	PC			6,900	
SL500UW	Sample loop 500ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	PC			6,700	
SL50CSTP	Sample loop 50ul, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,300	
SL50CSTUW	Sample loop 50ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,300	
SL50CUW	Sample loop 50ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL50CW	Sample loop 50ul, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL50NW	Sample loop 50ul, W type valve	1/32" ends with nuts & ferrules, 316SS	PC			6,100	
SL50UW	Sample loop 50ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	PC			11,200	
SL5CUW	Sample loop 5ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL5CW	Sample loop 5ul, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			5,100	
SL5KCSTP	Sample loop 5ml, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	PC			13,000	
SL5KCSTUW	Sample loop 5ml, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	PC			12,000	
SL5KCUW	Sample loop 5ml, UW type valve	1/16" ends with nuts & ferrules, 316SS	PC			14,200	
SL5KCW	Sample loop 5ml, W type valve	1/16" ends with nuts & ferrules, 316SS	PC			14,200	
SL5KSTP	Sample loop 5ml, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	PC			9,100	
SL5KUW	Sample loop 5ml, UW type valve	1/8" ends with nuts & ferrules, 316SS	PC			8,900	
SL5NW	Sample loop 5ul, W type valve	1/32" ends with nuts & ferrules, 316SS	PC			5,700	
SOMAP	Manual adaptor for standoff	incl. MHA and SVH	PC			17,600	
SOMAW	Manual adaptor for standoff	incl. MHA and WK	PC			17,600	
SOUTH	Handle for use with standoff	2-pos. UW-type valve	PC			6,300	
SPSS40	OBSOLETE	Ultra High Pressure Injection System, 40K psi liq	PC			0	
SSA10UW	Rotor seal 10 port 2-pos UW-valve	1/8".75mm, 75C/5000psi liq, H	PC			17,800	
SSA10UWE	Rotor seal 10 port 2-pos UW-valve	1/8".75mm, 225C/400psi gas, E	PC			17,800	
SSA10UWT	Rotor seal 10 port 2-pos UW-valve	1/8".75mm, 330C/300psi gas, T	PC			17,800	
SSA4UW	Rotor seal 4 port 2-pos UW-valve	1/8".75mm, 75C/5000psi liq, H	PC			17,800	
SSA4UWE	Rotor seal 4 port 2-pos UW-valve	1/8".75mm, 225C/400psi gas, E	PC			17,800	
SSA4UWT	Rotor seal 4 port 2-pos UW-valve	1/8".75mm, 330C/300psi gas, T	PC			17,800	
SSA6UW	Rotor seal 6 port 2-pos UW-valve	1/8".75mm, 75C/5000psi liq, H	PC			17,800	
SSA6UWE	Rotor seal 6 port 2-pos UW-valve	1/8".75mm, 225C/400psi gas, E	PC			17,800	
SSA6UWT	Rotor seal 6 port 2-pos UW-valve	1/8".75mm, 330C/300psi gas, T	PC			17,800	
SSA8UW	Rotor seal 8 port 2-pos UW-valve	1/8".75mm, 75C/5000psi liq, H	PC			17,800	
SSA8UWE	Rotor seal 8 port 2-pos UW-valve	1/8".75mm, 225C/400psi gas, E	PC			17,800	
SSA8UWT	Rotor seal 8 port 2-pos UW-valve	1/8".75mm, 330C/300psi gas, T	PC			17,800	
SSAC10UW	Rotor seal 10 port 2-pos UW-valve	1/16".75mm, 75C/5000psi liq, H	PC			17,800	
SSAC10UWE	Rotor seal 10 port 2-pos UW-valve	1/16".75mm, 225C/400psi gas, E	PC			17,800	
SSAC10UWEPI	Rotor seal 10 port 2-pos UW-PI, C10UWEPI	1/16".75mm, 175C/400psi gas, T	PC			24,000	
SSAC10UWT	Rotor seal 10 port 2-pos UW-valve	1/16".75mm, 330C/300psi gas, T	PC			17,800	
SSAC10W	Rotor seal 10 port 2-pos W-valve	1/16".4mm, 75C/5000psi liq, H	PC			17,800	
SSAC10WE	Rotor seal 10 port 2-pos W-valve	1/16".4mm, 225C/400psi gas, E	PC			17,800	
SSAC10WT	Rotor seal 10 port 2-pos W-valve	1/16".4mm, 350C/300psi gas, T	PC			17,800	
SSAC4UW	Rotor seal 4 port 2-pos UW-valve	1/16".75mm, 75C/5000psi liq, H	PC			17,800	
SSAC4UWE	Rotor seal 4 port 2-pos UW-valve	1/16".75mm, 225C/400psi gas, E	PC			17,800	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
SSAC4UWEPI	Rotor seal 4 port 2-pos UW-PI, C4UWEPI	1/16*.75mm, 175C/400psi gas, E	PC			24,000	
SSAC4UWT	Rotor seal 4 port 2-pos UW-valve	1/16*.75mm, 330C/300psi gas, T	PC			17,800	
SSAC4W	Rotor seal 4 port 2-pos W-valve	1/16*.4mm, 75C/500psi liq, H	PC			17,800	
SSAC4WE	Rotor seal 4 port 2-pos W-valve	1/16*.4mm, 225C/400psi gas, E	PC			17,800	
SSAC4WT	Rotor seal 4 port 2-pos W-valve	1/16*.4mm, 350C/300psi gas, T	PC			17,800	
SSAC6UW	Rotor seal 6 port 2-pos UW-valve	1/16*.75mm, 75C/500psi liq, H	PC			17,800	
SSAC6UWE	Rotor seal 6 port 2-pos UW-valve	1/16*.75mm, 225C/400psi gas, E	PC			17,800	
SSAC6UWEPI	Rotor seal 6 port 2-pos, UW-PI, C6UWEPI	1/16*.75mm, 175C/400psi gas, E	PC			24,000	
SSAC6UWT	Rotor seal 6 port 2-pos UW-valve	1/16*.75mm, 330C/300psi gas, T	PC			17,800	
SSAC6W	Rotor seal, 6 port 2-pos W-valve	1/16*.4mm, 75C/500psi liq, H	PC			17,800	
SSAC6WE	Rotor seal 6 port 2-pos W-valve	1/16*.4mm, 225C/400psi gas, E	PC			17,800	
SSAC6WT	Rotor seal 6 port 2-pos W-valve	1/16*.4mm, 350C/300psi gas, T	PC			17,800	
SSAC8UW	Rotor seal 8 port 2-pos UW-valve	1/16*.75mm, 75C/500psi liq, H	PC			17,800	
SSAC8UWE	Rotor seal 8 port 2-pos UW-valve	1/16*.75mm, 225C/400psi gas, E	PC			17,800	
SSAC8UWT	Rotor seal 8 port 2-pos UW-valve	1/16*.75mm, 330C/300psi gas, T	PC			17,800	
SSAC8W	Rotor seal 8 port 2-pos W-valve	1/16*.4mm, 75C/500psi liq, H	PC			17,800	
SSAC8WE	Rotor seal 8 port 2-pos W-valve	1/16*.4mm, 225C/400psi gas, E	PC			17,800	
SSAC8WT	Rotor seal 8 port 2-pos valve	1/16*.4mm, 350C/300psi gas, T	PC			17,800	
SSACI4UW.2	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 75C/500psi liq, .2ul, H	PC			17,800	
SSACI4UW.5	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 75C/500psi liq, .5ul, H	PC			17,800	
SSACI4UW1	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 75C/500psi liq, 1ul, H	PC			17,800	
SSACI4UW2	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 75C/500psi liq, 2ul, H	PC			17,800	
SSACI4UWE.2	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 175C/100psi liq, .2ul, E	PC			17,800	
SSACI4UWE.2PI	Rotor seal 4 port 2-pos int vol UWPI-valve	1/16*.75mm, 175C/100psi liq, .2ul, E	PC			24,000	
SSACI4UWE.5	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 175C/100psi liq, .5ul, E	PC			17,800	
SSACI4UWE.5PI	Rotor seal 4 port 2-pos int vol UWPI-valve	1/16*.75mm, 175C/100psi liq, .5ul, E	PC			24,000	
SSACI4UWE1	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 175C/100psi liq, 1ul, E	PC			17,800	
SSACI4UWE1PI	Rotor seal 4 port 2-pos int vol UWPI-valve	1/16*.75mm, 175C/100psi liq, 1ul, E	PC			24,000	
SSACI4UWE2	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 175C/100psi liq, 2ul, E	PC			17,800	
SSACI4UWE2PI	Rotor seal 4 port 2-pos int vol UWPI-valve	1/16*.75mm, 175C/100psi liq, 2ul, E	PC			24,000	
SSACI4W.06	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 75C/500psi liq, .06ul, H	PC			17,800	
SSACI4W.1	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 75C/500psi liq, .1ul, H	PC			17,800	
SSACI4W.2	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 75C/500psi liq, .2ul, H	PC			17,800	
SSACI4W.5	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 75C/500psi liq, .5ul, H	PC			17,800	
SSACI4WE.06	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 175C/100psi liq, .06ul, E	PC			17,800	
SSACI4WE.1	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 175C/100psi liq, .1ul, E	PC			17,800	
SSACI4WE.2	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 175C/100psi liq, .2ul, E	PC			17,800	
SSACI4WE.5	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 175C/100psi liq, .5ul, E	PC			17,800	
SSACSC10MWE	Rotor seal 10 mpos common outlet MW valve	1/16*1mm, 200C/200psi gas, E	PC			27,000	
SSACSC12MWE	Rotor seal 12 mpos common outlet MW valve	1/16*1mm, 200C/200psi gas, E	PC			27,000	
SSACSC16MWE	Rotor seal 16 mpos common outlet MW valve	1/16*1mm, 200C/200psi gas, E	PC			27,000	
SSACSC6MWE	Rotor seal 6 mpos common outlet MW valve	1/16*1mm, 200C/200psi gas, E	PC			27,000	
SSACSD10MWE	Rotor seal 10 mpos dead-end path MW-valve	1/16*.75mm, 200C/400psi gas, E	PC			27,000	
SSACSD10UW	Rotor seal 10 mpos dead-end path UW-valve	1/16*.4mm, 75C/500psi liq, E	PC			27,000	
SSACSD12MWE	Rotor seal 12 mpos dead-end path MW-valve	1/16*.75mm, 200C/400psi gas, E	PC			27,000	
SSACSD16MWE	Rotor seal 16 mpos dead-end path MW-valve	1/16*.75mm, 200C/400psi gas, E	PC			27,000	
SSACSD4UW	Rotor seal 4 mpos dead-end path UW-valve	1/16*.4mm, 75C/500psi liq, E	PC			27,000	
SSACSD6MWE	Rotor seal 6 mpos dead-end path MW-valve	1/16*.75mm, 200C/400psi gas, E	PC			27,000	
SSACSD6UW	Rotor seal 6 mpos dead-end path UW-valve	1/16*.4mm, 75C/500psi liq, E	PC			27,000	
SSACSF10MWE	Rotor seal 10 mpos flow-through MW-valve	1/16*1mm, 200C/200psi gas, E	PC			27,000	
SSACSF12MWE	Rotor seal 12 mpos flow-through MW-valve	1/16*1mm, 200C/200psi gas, E	PC			27,000	
SSACSF16MWE	Rotor seal 16 mpos flow-through MW-valve	1/16*1mm, 200C/200psi gas, E	PC			27,000	
SSACSF6MWE	Rotor seal 6 mpos flow-through MW-valve	1/16*1mm, 200C/200psi gas, E	PC			27,000	
SSACST10MWE	Rotor seal 10 mpos trapping path MW-valve	1/16*.75mm, 200C/200psi gas, E	PC			27,000	
SSACST12MWE	Rotor seal 12 mpos trapping path MW-valve	1/16*.75mm, 200C/200psi gas, E	PC			27,000	
SSACST16MWE	Rotor seal 16 mpos trapping path MW-valve	1/16*.75mm, 200C/200psi gas, E	PC			27,000	
SSACST4UW	Rotor seal 4 mpos trapping-path UW-valve	1/16*.4mm, 75C/500psi liq, E	PC			27,000	
SSACST6MWE	Rotor seal 6 mpos trapping path MW-valve	1/16*.75mm, 200C/200psi gas, E	PC			27,000	
SSACST6UW	Rotor seal 6 mpos trapping-path UW-valve	1/16*.4mm, 75C/500psi liq, E	PC			27,000	
SSACSTF10MWE	Rotor seal 10 mpos trap/flow path MW-valve	1/16*.75mm, 200C/200psi gas, E	PC			27,000	
SSACSTF12MWE	Rotor seal 12 mpos trap/flow path MW-valve	1/16*.75mm, 200C/200psi gas, E	PC			27,000	OR
SSACSTF16MWE	Rotor seal 16 mpos trap/flow path MW-valve	1/16*.75mm, 200C/200psi gas, E	PC			27,000	
SSACSTF6MWE	Rotor seal 6 mpos trap/flow path MW-valve	1/16*.75mm, 200C/200psi gas, E	PC			27,000	
SSAI4UWE.2	Rotor seal 4 port 2-pos int vol UW-valve	1/8*.75mm, 175C/100psi liq, .2ul, E	PC			17,800	
SSAI4UWE.5	Rotor seal 4 port 2-pos int vol UW-valve	1/8*.75mm, 175C/100psi liq, .5ul, E	PC			17,800	
SSAI4UWE1	Rotor seal 4 port 2-pos int vol UW-valve	1/8*.75mm, 175C/100psi liq, 1ul, E	PC			17,800	
SSAI4UWE2	Rotor seal 4 port 2-pos int vol UW-valve	1/8*.75mm, 175C/100psi liq, 2ul, E	PC			17,800	
SSAL10UW	Rotor seal 10 port 2-pos UW-valve	1/8*1.0mm, 75C/500psi liq, H	PC			24,000	
SSAL4UW	Rotor seal 4 port 2-pos UW-valve	1/8*1.7mm, 75C/500psi liq, H	PC			24,000	
SSAL6UW	Rotor seal 6 port 2-pos UW-valve	1/8*1.7mm, 75C/500psi liq, H	PC			24,000	
SSAL8UW	Rotor seal 8 port 2-pos UW-valve	1/8*1.3mm, 75C/500psi liq, H	PC			24,000	
SSAN10WE	Rotor seal 10 port 2-pos W-valve	1/32*.25mm, 225C/400psi gas, E	PC			17,800	
SSAN10WT	Rotor seal 10 port 2-pos W-valve	1/32*.25mm, 300C/300psi gas, T	PC			17,800	
SSAN4WE	Rotor seal 4 port 2-pos W-valve	1/32*.25mm, 225C/400psi gas, E	PC			17,800	
SSAN4WT	Rotor seal 4 port 2-pos W-valve	1/32*.25mm, 350C/300psi gas, T	PC			17,800	
SSAN6WE	Rotor seal 6 port 2-pos W-valve	1/32*.25mm, 250C/400psi gas, E	PC			17,800	
SSAN6WT	Rotor seal 6 port 2-pos W-valve	1/32*.25mm, 350C/300psi gas, T	PC			17,800	
SSAN8WE	Rotor seal 8 port 2-pos W-valve	1/32*.25mm, 225C/400psi gas, E	PC			17,800	
SSAN8WT	Rotor seal 8 port 2-pos W-valve	1/32*.25mm, 350C/300psi gas, T	PC			17,800	
SSANI4WE.06	Rotor seal 4 port 2-pos int vol W-valve	1/32*.25mm, 175C/100psi liq, .06ul, E	PC			17,800	
SSANI4WE.1	Rotor seal 4 port 2-pos int vol W-valve	1/32*.25mm, 175C/100psi liq, .1ul, E	PC			17,800	
SSANI4WE.2	Rotor seal 4 port 2-pos int vol W-valve	1/32*.25mm, 175C/100psi liq, .2ul, E	PC			17,800	
SSANI4WE.5	Rotor seal 4 port 2-pos int vol W-valve	1/32*.25mm, 175C/100psi liq, .5ul, E	PC			17,800	
SSASC10MWE	Rotor seal 10 mpos common outlet MW valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	OR
SSASC12MWE	Rotor seal 12 mpos common outlet MW valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSASC16MWE	Rotor seal 16 mpos common outlet MW valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	

備考: O= Obsolete ; OR = On Request

上記金額は税別です。予告なく変更される場合があります。

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
SSASC6MWE	Rotor seal 6 mpos common outlet MW valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	OR
SSASD10MWE	Rotor seal 10 mpos dead-end path MW-valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSASD12MWE	Rotor seal 12 mpos dead-end path MW-valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSASD16MWE	Rotor seal 16 mpos dead-end path MW-valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSASD4UW	Rotor seal 4 mpos dead-end path UW-valve	1/8*.75mm, 75C/500psi liq, E	PC			27,000	
SSASD6MWE	Rotor seal 6 mpos dead-end path MW-valve	1/8*1mm, 200C/400psi gas, E	PC			27,000	
SSASD6UW	Rotor seal 6 mpos dead-end path UW-valve	1/8*.75mm, 75C/500psi liq, E	PC			27,000	
SSASD8UW	Rotor seal 8 mpos dead-end path UW-valve	1/8*.75mm, 75C/500psi liq, E	PC			27,000	
SSASF10MWE	Rotor seal 10 mpos flow-through MW-valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSASF12MWE	Rotor seal 12 mpos flow-through MW-valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSASF16MWE	Rotor seal 16 mpos flow-through MW-valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSASF6MWE	Rotor seal 6 mpos flow-through MW-valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSAST10MWE	Rotor seal 10 mpos trapping path MW-valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSAST12MWE	Rotor seal 12 mpos trapping path MW-valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSAST16MWE	Rotor seal 16 mpos trapping path MW-valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSAST6MWE	Rotor seal 6 mpos trapping path MW-valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSASTF10MWE	Rotor seal 10 mpos trap/flow path MWvalve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSASTF12MWE	Rotor seal 12 mpos trap/flow path MWvalve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSASTF16MWE	Rotor seal 16 mpos trap/flow path MWvalve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSASTF6MWE	Rotor seal 6 mpos trap/flow path MW-valve	1/8*1mm, 200C/200psi gas, E	PC			27,000	
SSAVL4MWE2	Rotor seal 4 port 2 pos MW-valve	1/4*4mm, 75C/100psi gas, E2	PC			45,000	
SSAVL6MWE2	Rotor seal 6 port 2 pos MW-valve	1/4*4mm, 75C/100psi gas, E2	PC			45,000	
SSAVL8MWE2	Rotor seal 8 port 2 pos MW-valve	1/4*4mm, 75C/100psi gas, E2	PC			45,000	
SSAVLSC4MWE2	Rotor seal 4 mpos common outlet MW valve	1/4*4mm, 75C/100psi gas, E2	PC			54,000	
SSAVLSC6MWE2	Rotor seal 6 mpos common outlet MW valve	1/4*4mm, 75C/100psi gas, E2	PC			54,000	
SSAVLSC8MWE2	Rotor seal 8 mpos common outlet MW valve	1/4*4mm, 75C/100psi gas, E2	PC			54,000	
SSAVLSD10MWE2	Rotor seal 10 mpos dead-end path MW-valve	1/4*4mm, 75C/100psi gas, E2	PC			54,000	
SSAVLSD4MWE2	Rotor seal 4 mpos dead-end path MW-valve	1/4*4mm, 75C/100psi gas, E2	PC			54,000	
SSAVLSD6MWE2	Rotor seal 6 mpos dead-end path MW-valve	1/4*4mm, 75C/100psi gas, E2	PC			54,000	
SSAVLSD8MWE2	Rotor seal 8 mpos dead-end path MW-valve	1/4*4mm, 75C/100psi gas, E2	PC			54,000	
SSAVLSF4MWE2	Rotor seal 4 mpos flow-through MW-valve	1/4*4mm, 75C/100psi gas, E2	PC			54,000	
SSAVLSF6MWE2	Rotor seal 6 mpos flow-through MW-valve	1/4*4mm, 75C/100psi gas, E2	PC			54,000	
SSAVLSF8MWE2	Rotor seal 8 mpos flow-through MW-valve	1/4*4mm, 75C/100psi gas, E2	PC			54,000	
SWH3	Socket wrench handle 3/16"	for 1/32" nuts	PC			4,200	
SWH4	Socket wrench handle 1/4"	for 1/16" nuts	PC			2,700	O
T100C10-10	Tube-kit 1/16", .010"/.25mm	100 cm long, 316SS, 10/pkg	PKG	10	PC	25,000	
T100C10-100	Tube-kit 1/16", .010"/.25mm	100 cm long, 316SS, 100/pkg	PKG	100	PC	184,000	
T100C10-50	Tube-kit 1/16", .010"/.25mm	100 cm long, 316SS, 50/pkg	PKG	50	PC	120,000	
T100C10D	Tube-kit 1/16", .010"/.25mm	100 cm long, 316SS, 2/pkg	PKG	2	PC	5,200	
T100C20-10	Tube-kit 1/16", .020"/.50mm	100 cm long, 316SS, 10/pkg	PKG	10	PC	25,000	
T100C20-100	Tube-kit 1/16", .020"/.50mm	100 cm long, 316SS, 100/pkg	PKG	100	PC	240,000	
T100C20-50	Tube-kit 1/16", .020"/.50mm	100 cm long, 316SS, 50/pkg	PKG	50	PC	120,000	
T100C20D	Tube-kit 1/16", .020"/.50mm	100 cm long, 316SS, 2/pkg	PKG	2	PC	5,200	
T100C30-10	Tube-kit 1/16", .030"/.75mm	100 cm long, 316SS, 10/pkg	PKG	10	PC	25,000	
T100C30-100	Tube-kit 1/16", .030"/.75mm	100 cm long, 316SS, 100/pkg	PKG	100	PC	240,000	
T100C30-50	Tube-kit 1/16", .030"/.75mm	100 cm long, 316SS, 50/pkg	PKG	50	PC	120,000	
T100C30D	Tube-kit 1/16", .030"/.75mm	100 cm long, 316SS, 2/pkg	PKG	2	PC	5,200	
T100C40-10	Tube-kit 1/16", .040"/1.0mm	100 cm long, 316SS, 10/pkg	PKG	10	PC	25,000	
T100C40-100	Tube-kit 1/16", .040"/1.0mm	100 cm long, 316SS, 100/pkg	PKG	100	PC	240,000	
T100C40-50	Tube-kit 1/16", .040"/1.0mm	100 cm long, 316SS, 50/pkg	PKG	50	PC	120,000	
T100C40D	Tube-kit 1/16", .040"/1.0 mm	100 cm long, 316SS, 2/pkg	PKG	2	PC	5,200	
T100N10-10	Tube-kit 1/32", .010"/.25mm	100 cm long, 316SS, 10/pkg	PKG	10	PC	27,000	
T100N10-100	Tube-kit 1/32", .010"/.25mm	100 cm long, 316SS, 100/pkg	PKG	100	PC	260,000	
T100N10-50	Tube-kit 1/32", .010"/.25mm	100 cm long, 316SS, 50/pkg	PKG	50	PC	129,000	
T100N10D	Tube-kit 1/32", .010"/.25mm	100 cm long, 316SS, 2/pkg	PKG	2	PC	5,500	
T100N20-10	Tube-kit 1/32", .020"/.50mm	100 cm long, 316SS, 10/pkg	PKG	10	PC	27,000	
T100N20-100	Tube-kit 1/32", .020"/.50mm	100 cm long, 316SS, 100/pkg	PKG	100	PC	260,000	
T100N20-50	Tube-kit 1/32", .020"/.50mm	100 cm long, 316SS, 50/pkg	PKG	50	PC	129,000	
T100N20D	Tube-kit 1/32", .020"/.50mm	100 cm long, 316SS, 2/pkg	PKG	2	PC	5,500	
T10C10-10	Tube-kit 1/16", .010"/.25mm	10 cm long, 316SS, 10/pkg	PKG	10	PC	8,300	
T10C10-100	Tube-kit 1/16", .010"/.25mm	10 cm long, 316SS, 100/pkg	PKG	100	PC	70,000	
T10C10-50	Tube-kit 1/16", .010"/.25mm	10 cm long, 316SS, 50/pkg	PKG	50	PC	37,000	
T10C10D	Tube-kit 1/16", .010"/.25mm	10 cm long, 316SS, 2/pkg	PKG	2	PC	1,840	
T10C20-10	Tube-kit 1/16", .020"/.50mm	10 cm long, 316SS, 10/pkg	PKG	10	PC	8,300	
T10C20-100	Tube-kit 1/16", .020"/.50mm	10 cm long, 316SS, 100/pkg	PKG	100	PC	70,000	
T10C20-50	Tube-kit 1/16", .020"/.50mm	10 cm long, 316SS, 50/pkg	PKG	50	PC	37,000	
T10C20D	Tube-kit 1/16", .020"/.50mm	10 cm long, 316SS, 2/pkg	PKG	2	PC	1,840	
T10C30-10	Tube-kit 1/16", .030"/.75mm	10 cm long, 316SS, 10/pkg	PKG	10	PC	8,300	
T10C30-100	Tube-kit 1/16", .030"/.75mm	10 cm long, 316SS, 100/pkg	PKG	100	PC	70,000	
T10C30-50	Tube-kit 1/16", .030"/.75mm	10 cm long, 316SS, 50/pkg	PKG	50	PC	37,000	
T10C30D	Tube-kit 1/16", .030"/.75mm	10 cm long, 316SS, 2/pkg	PKG	2	PC	1,840	
T10C40-10	Tube-kit 1/16", .040"/1.0mm	10 cm long, 316SS, 10/pkg	PKG	10	PC	8,300	
T10C40-100	Tube-kit 1/16", .040"/1.0mm	10 cm long, 316SS, 100/pkg	PKG	100	PC	70,000	
T10C40-50	Tube-kit 1/16", .040"/1.0mm	10 cm long, 316SS, 50/pkg	PKG	50	PC	37,000	
T10C40D	Tube-kit 1/16", .040"/1.0mm	10 cm long, 316SS, 2/pkg	PKG	2	PC	1,840	
T10C5-10	Tube-kit 1/16", .005"/.12mm	10 cm long, 316SS, 10/pkg	PKG	10	PC	8,300	
T10C5-100	Tube-kit 1/16", .005"/.12mm	10 cm long, 316SS, 100/pkg	PKG	100	PC	70,000	
T10C5-50	Tube-kit 1/16", .005"/.12mm	10 cm long, 316SS, 50/pkg	PKG	50	PC	37,000	
T10C5D	Tube-kit 1/16", .005"/.12mm	10 cm long, 316SS, 2/pkg	PKG	2	PC	1,840	
T10N10-10	Tube-kit 1/32", .010"/.25mm	10 cm long, 316SS, 10/pkg	PKG	10	PC	9,200	
T10N10-100	Tube-kit 1/32", .010"/.25mm	10 cm long, 316SS, 100/pkg	PKG	100	PC	79,000	
T10N10-50	Tube-kit 1/32", .010"/.25mm	10 cm long, 316SS, 50/pkg	PKG	50	PC	42,000	
T10N10D	Tube-kit 1/32", .010"/.25mm	10 cm long, 316SS, 2/pkg	PKG	2	PC	2,100	
T10N20-10	Tube-kit 1/32", .020"/.50mm	10 cm long, 316SS, 10/pkg	PKG	10	PC	9,200	
T10N20-100	Tube-kit 1/32", .020"/.50mm	10 cm long, 316SS, 100/pkg	PKG	100	PC	79,000	
T10N20-50	Tube-kit 1/32", .020"/.50mm	10 cm long, 316SS, 50/pkg	PKG	50	PC	42,000	

備考: O= Obsolete ; OR = On Request

上記金額は税別です。予告なく変更される場合があります。

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
T10N20D	Tube-kit 1/32", .020"/.50mm	10 cm long, 316SS, 2/pkg	PKG	2	PC	2,100	
T10N5-10	Tube-kit 1/32", .005"/.12mm	10 cm long, 316SS, 10/pkg	PKG	10	PC	9,200	
T10N5-100	Tube-kit 1/32", .005"/.12mm	10 cm long, 316SS, 100/pkg	PKG	100	PC	79,000	
T10N5-50	Tube-kit 1/32", .005"/.12mm	10 cm long, 316SS, 50/pkg	PKG	50	PC	42,000	
T10N5D	Tube-kit 1/32", .005"/.12mm	10 cm long, 316SS, 2/pkg	PKG	2	PC	2,100	
T20C10-10	Tube-kit 1/16", .010"/.25mm	20 cm long, 316SS, 10/pkg	PKG	10	PC	9,300	
T20C10-100	Tube-kit 1/16", .010"/.25mm	20 cm long, 316SS, 100/pkg	PKG	100	PC	85,000	
T20C10-50	Tube-kit 1/16", .010"/.25mm	20 cm long, 316SS, 50/pkg	PKG	50	PC	47,000	
T20C10D	Tube-kit 1/16", .010"/.25mm	20 cm long, 316SS, 2/pkg	PKG	2	PC	2,100	
T20C20-10	Tube-kit 1/16", .020"/.50mm	20 cm long, 316SS, 10/pkg..	PKG	10	PC	9,300	
T20C20-100	Tube-kit 1/16", .020"/.50mm	20 cm long, 316SS, 100/pkg	PKG	100	PC	85,000	
T20C20-50	Tube-kit 1/16", .020"/.50mm	20 cm long, 316SS, 50/pkg	PKG	50	PC	47,000	
T20C20D	Tube-kit 1/16", .020"/.50mm	20 cm long, 316SS, 2/pkg	PKG	2	PC	2,100	
T20C30-10	Tube-kit 1/16", .030"/.75mm	20 cm long, 316SS, 10/pkg	PKG	10	PC	9,300	
T20C30-100	Tube-kit 1/16", .030"/.75mm	20 cm long, 316SS, 100/pkg	PKG	100	PC	85,000	
T20C30-50	Tube-kit 1/16", .030"/.75mm	20 cm long, 316SS, 50/pkg	PKG	50	PC	47,000	
T20C30D	Tube-kit 1/16", .030"/.75mm	20 cm long, 316SS, 2/pkg	PKG	2	PC	2,100	
T20C40-10	Tube-kit 1/16", .040"/1.0mm	20 cm long, 316SS, 10/pkg	PKG	10	PC	9,300	
T20C40-100	Tube-kit 1/16", .040"/1.0mm	20 cm long, 316SS, 100/pkg	PKG	100	PC	85,000	
T20C40-50	Tube-kit 1/16", .040"/1.0mm	20 cm long, 316SS, 50/pkg	PKG	50	PC	47,000	
T20C40D	Tube-kit 1/16", .040"/1.0mm	20 cm long, 316SS, 2/pkg	PKG	2	PC	2,100	
T20C5-10	Tube-kit 1/16", .005"/.12mm	20 cm long, 316SS, 10/pkg	PKG	10	PC	9,300	
T20C5-100	Tube-kit 1/16", .005"/.12mm	20 cm long, 316SS, 100/pkg	PKG	100	PC	85,000	
T20C5-50	Tube-kit 1/16", .005"/.12mm	20 cm long, 316SS, 50/pkg	PKG	50	PC	47,000	
T20C5D	Tube-kit 1/16", .005"/.12mm	20 cm long, 316SS, 2/pkg	PKG	2	PC	2,100	
T20N10-10	Tube-kit 1/32", .010"/.25mm	20 cm long, 316SS, 10/pkg	PKG	10	PC	10,700	
T20N10-100	Tube-kit 1/32", .010"/.25mm	20 cm long, 316SS, 100/pkg	PKG	100	PC	95,000	
T20N10-50	Tube-kit 1/32", .010"/.25mm	20 cm long, 316SS, 50/pkg	PKG	50	PC	53,000	
T20N10D	Tube-kit 1/32", .010"/.25mm	20 cm long, 316SS, 2/pkg	PKG	2	PC	2,200	
T20N20-10	Tube-kit 1/32", .020"/.50mm	20 cm long, 316SS, 10/pkg	PKG	10	PC	10,700	
T20N20-100	Tube-kit 1/32", .020"/.50mm	20 cm long, 316SS, 100/pkg	PKG	100	PC	95,000	
T20N20-50	Tube-kit 1/32", .020"/.50mm	20 cm long, 316SS, 50/pkg	PKG	50	PC	53,000	
T20N20D	Tube-kit 1/32", .020"/.50mm	20 cm long, 316SS, 2/pkg	PKG	2	PC	2,200	
T20N5-10	Tube-kit 1/32", .005"/.12mm	20 cm long, 316SS, 10/pkg	PKG	10	PC	10,700	
T20N5-100	Tube-kit 1/32", .005"/.12mm	20 cm long, 316SS, 100/pkg	PKG	100	PC	97,000	
T20N5-50	Tube-kit 1/32", .005"/.12mm	20 cm long, 316SS, 50/pkg	PKG	50	PC	53,000	
T20N5D	Tube-kit 1/32", .005"/.12mm	20 cm long, 316SS, 2/pkg	PKG	2	PC	2,200	
T30C10-10	Tube-kit 1/16", .010"/.25mm	30 cm long, 316SS, 10/pkg	PKG	10	PC	12,000	
T30C10-100	Tube-kit 1/16", .010"/.25mm	30 cm long, 316SS, 100/pkg	PKG	100	PC	107,000	
T30C10-50	Tube-kit 1/16", .010"/.25mm	30 cm long, 316SS, 50/pkg	PKG	50	PC	55,000	
T30C10D	Tube-kit 1/16", .010"/.25mm	30 cm long, 316SS, 2/pkg	PKG	2	PC	2,600	
T30C20-10	Tube-kit 1/16", .020"/.50mm	30 cm long, 316SS, 10/pkg	PKG	10	PC	12,000	
T30C20-100	Tube-kit 1/16", .020"/.50mm	30 cm long, 316SS, 100/pkg	PKG	100	PC	107,000	
T30C20-50	Tube-kit 1/16", .020"/.50mm	30 cm long, 316SS, 50/pkg	PKG	50	PC	55,000	
T30C20D	Tube-kit 1/16", .020"/.50mm	30 cm long, 316SS, 2/pkg	PKG	2	PC	2,600	
T30C30-10	Tube-kit 1/16", .030"/.75mm	30 cm long, 316SS, 10/pkg	PKG	10	PC	12,000	
T30C30-100	Tube-kit 1/16", .030"/.75mm	30 cm long, 316SS, 100/pkg	PKG	100	PC	107,000	
T30C30-50	Tube-kit 1/16", .030"/.75mm	30 cm long, 316SS, 50/pkg	PKG	50	PC	55,000	
T30C30D	Tube-kit 1/16", .030"/.75mm	30 cm long, 316SS, 2/pkg	PKG	2	PC	2,600	
T30C40-10	Tube-kit 1/16", .040"/1.0mm	30 cm long, 316SS, 10/pkg	PKG	10	PC	12,000	
T30C40-100	Tube-kit 1/16", .040"/1.0mm	30 cm long, 316SS, 100/pkg	PKG	100	PC	107,000	
T30C40-50	Tube-kit 1/16", .040"/1.0mm	30 cm long, 316SS, 50/pkg	PKG	50	PC	55,000	
T30C40D	Tube-kit 1/16", .040"/1.0mm	30 cm long, 316SS, 2/pkg	PKG	2	PC	2,600	
T30C5-10	Tube-kit 1/16", .005"/.12mm	30 cm long, 316SS, 10/pkg	PKG	10	PC	12,000	
T30C5-100	Tube-kit 1/16", .005"/.12mm	30 cm long, 316SS, 100/pkg	PKG	100	PC	107,000	
T30C5-50	Tube-kit 1/16", .005"/.12mm	30 cm long, 316SS, 50/pkg	PKG	50	PC	55,000	
T30C5D	Tube-kit 1/16", .005"/.12mm	30 cm long, 316SS, 2/pkg	PKG	2	PC	2,600	
T30N10-10	Tube-kit 1/32", .010"/.25mm	30 cm long, 316SS, 10/pkg	PKG	10	PC	12,900	
T30N10-100	Tube-kit 1/32", .010"/.25mm	30 cm long, 316SS, 100/pkg	PKG	100	PC	105,000	
T30N10-50	Tube-kit 1/32", .010"/.25mm	30 cm long, 316SS, 50/pkg	PKG	50	PC	60,000	
T30N10D	Tube-kit 1/32", .010"/.25mm	30 cm long, 316SS, 2/pkg	PKG	2	PC	2,800	
T30N20-10	Tube-kit 1/32", .020"/.50mm	30 cm long, 316SS, 10/pkg	PKG	10	PC	12,900	
T30N20-100	Tube-kit 1/32", .020"/.50mm	30 cm long, 316SS, 100/pkg	PKG	100	PC	105,000	
T30N20-50	Tube-kit 1/32", .020"/.50mm	30 cm long, 316SS, 50/pkg	PKG	50	PC	60,000	
T30N20D	Tube-kit 1/32", .020"/.50mm	30 cm long, 316SS, 2/pkg	PKG	2	PC	2,800	
T30N5-10	Tube-kit 1/32", .005"/.12mm	30 cm long, 316SS, 10/pkg	PKG	10	PC	12,900	
T30N5-100	Tube-kit 1/32", .005"/.12mm	30 cm long, 316SS, 100/pkg	PKG	100	PC	105,000	
T30N5-50	Tube-kit 1/32", .005"/.12mm	30 cm long, 316SS, 50/pkg	PKG	50	PC	60,000	
T30N5D	Tube-kit 1/32", .005"/.12mm	30 cm long, 316SS, 2/pkg	PKG	2	PC	2,800	
T50C10-10	Tube-kit 1/16", .010"/.25mm	50 cm long, 316SS, 10/pkg	PKG	10	PC	15,600	
T50C10-100	Tube-kit 1/16", .010"/.25mm	50 cm long, 316SS, 100/pkg	PKG	100	PC	110,000	
T50C10-50	Tube-kit 1/16", .010"/.25mm	50 cm long, 316SS, 50/pkg	PKG	50	PC	74,000	
T50C10D	Tube-kit 1/16", .010"/.25mm	50 cm long, 316SS, 2/pkg	PKG	2	PC	3,300	
T50C20-10	Tube-kit 1/16", .020"/.50mm	50 cm long, 316SS, 10/pkg	PKG	10	PC	15,600	
T50C20-100	Tube-kit 1/16", .020"/.50mm	50 cm long, 316SS, 100/pkg	PKG	100	PC	144,000	
T50C20-50	Tube-kit 1/16", .020"/.50mm	50 cm long, 316SS, 50/pkg	PKG	50	PC	74,000	
T50C20D	Tube-kit 1/16", .020"/.50mm	50 cm long, 316SS, 2/pkg	PKG	2	PC	3,300	
T50C30-10	Tube-kit 1/16", .030"/.75mm	50 cm long, 316SS, 10/pkg	PKG	10	PC	15,600	
T50C30-100	Tube-kit 1/16", .030"/.75mm	50 cm long, 316SS, 100/pkg	PKG	100	PC	144,000	
T50C30-50	Tube-kit 1/16", .030"/.75mm	50 cm long, 316SS, 50/pkg	PKG	50	PC	74,000	
T50C30D	Tube-kit 1/16", .030"/.75mm	50 cm long, 316SS, 2/pkg	PKG	2	PC	3,300	
T50C40-10	Tube-kit 1/16", .040"/1.0mm	50 cm long, 316SS, 10/pkg	PKG	10	PC	15,600	
T50C40-100	Tube-kit 1/16", .040"/1.0mm	50 cm long, 316SS, 100/pkg	PKG	100	PC	144,000	
T50C40-50	Tube-kit 1/16", .040"/1.0mm	50 cm long, 316SS, 50/pkg	PKG	50	PC	74,000	
T50C40D	Tube-kit 1/16", .040"/1.0mm	50 cm long, 316SS, 2/pkg	PKG	2	PC	3,300	
T50C5-10	Tube-kit 1/16", .005"/.12mm	50 cm long, 316SS, 10/pkg	PKG	10	PC	15,600	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
T50C5-100	Tube-kit 1/16", .005"/.12mm	50 cm long, 316SS, 100/pkg	PKG	100	PC	144,000	
T50C5-50	Tube-kit 1/16", .005"/.12mm	50 cm long, 316SS, 50/pkg	PKG	50	PC	74,000	
T50C5D	Tube-kit 1/16", .005"/.12mm	50 cm long, 316SS, 2/pkg	PKG	2	PC	3,300	
T50N10-10	Tube-kit 1/32", .010"/.25mm	50 cm long, 316SS, 10/pkg	PKG	10	PC	18,400	
T50N10-100	Tube-kit 1/32", .010"/.25mm	50 cm long, 316SS, 100/pkg	PKG	100	PC	162,000	
T50N10-50	Tube-kit 1/32", .010"/.25mm	50 cm long, 316SS, 50/pkg	PKG	50	PC	83,000	
T50N10D	Tube-kit 1/32", .010"/.25mm	50 cm long, 316SS, 2/pkg	PKG	2	PC	3,700	
T50N20-10	Tube-kit 1/32", .020"/.50mm	50 cm long, 316SS, 10/pkg	PKG	10	PC	17,500	
T50N20-100	Tube-kit 1/32", .020"/.50mm	50 cm long, 316SS, 100/pkg	PKG	100	PC	162,000	
T50N20-50	Tube-kit 1/32", .020"/.50mm	50 cm long, 316SS, 50/pkg	PKG	50	PC	70,000	
T50N20D	Tube-kit 1/32", .020"/.50mm	50 cm long, 316SS, 2/pkg	PKG	2	PC	3,700	
T50N5-10	Tube-kit 1/32", .005"/.12mm	50 cm long, 316SS, 10/pkg	PKG	10	PC	17,500	
T50N5-100	Tube-kit 1/32", .005"/.12mm	50 cm long, 316SS, 100/pkg	PKG	100	PC	162,000	
T50N5-50	Tube-kit 1/32", .005"/.12mm	50 cm long, 316SS, 50/pkg	PKG	50	PC	83,000	
T50N5D	Tube-kit 1/32", .005"/.12mm	50 cm long, 316SS, 2/pkg	PKG	2	PC	3,700	
T5C10-10	Tube-kit 1/16", .010"/.25mm	5 cm long, 316SS, 10/pkg	PKG	10	PC	7,400	
T5C10-100	Tube-kit 1/16", .010"/.25mm	5 cm long, 316SS, 100/pkg	PKG	100	PC	65,000	
T5C10-50	Tube-kit 1/16", .010"/.25mm	5 cm long, 316SS, 50/pkg	PKG	50	PC	35,000	
T5C10D	Tube-kit 1/16", .010"/.25mm	5 cm long, 316SS, 2/pkg	PKG	2	PC	1,560	
T5C20-10	Tube-kit 1/16", .020"/.50mm	5 cm long, 316SS, 10/pkg	PKG	10	PC	7,400	
T5C20-100	Tube-kit 1/16", .020"/.50mm	5 cm long, 316SS, 100/pkg	PKG	100	PC	65,000	
T5C20-50	Tube-kit 1/16", .020"/.50mm	5 cm long, 316SS, 50/pkg	PKG	50	PC	35,000	
T5C20D	Tube-kit 1/16", .020"/.50mm	5 cm long, 316SS, 2/pkg	PKG	2	PC	1,560	
T5C30-10	Tube-kit 1/16", .030"/.75mm	5cm long, 316SS, 10/pkg	PKG	10	PC	7,400	
T5C30-100	Tube-kit 1/16", .030"/.75mm	5 cm long, 316SS, 100/pkg	PKG	100	PC	61,000	
T5C30-50	Tube-kit 1/16", .030"/.75mm	5 cm long, 316SS, 50/pkg	PKG	50	PC	33,000	
T5C30D	Tube-kit 1/16", .030"/.75mm	5 cm long, 316SS, 2/pkg	PKG	2	PC	2,100	
T5C40-10	Tube-kit 1/16", .040"/1.0mm	5 cm long, 316SS, 10/pkg	PKG	10	PC	7,400	
T5C40-100	Tube-kit 1/16", .040"/1.0mm	5 cm long, 316SS, 100/pkg	PKG	100	PC	65,000	
T5C40-50	Tube-kit 1/16", .040"/1.0mm	5 cm long, 316SS, 50/pkg	PKG	50	PC	35,000	
T5C40D	Tube-kit 1/16", .040"/1.0mm	5 cm long, 316SS, 2/pkg	PKG	2	PC	2,200	
T5C5-10	Tube-kit 1/16", .005"/.12mm	5 cm long, 316SS, 10/pkg	PKG	10	PC	7,400	
T5C5-100	Tube-kit 1/16", .005"/.12mm	5 cm long, 316SS, 100/pkg	PKG	100	PC	65,000	
T5C5-50	Tube-kit 1/16", .005"/.12mm	5 cm long, 316SS, 50/pkg	PKG	50	PC	35,000	
T5C5D	Tube-kit 1/16", .005"/.12mm	5 cm long, 316SS, 2/pkg	PKG	2	PC	1,560	
T5N10-10	Tube-kit 1/32", .010"/.25mm	5 cm long, 316SS, 10/pkg	PKG	10	PC	8,300	
T5N10-100	Tube-kit 1/32", .010"/.25mm	5 cm long, 316SS, 100/pkg	PKG	100	PC	70,000	
T5N10-50	Tube-kit 1/32", .010"/.25mm	5 cm long, 316SS, 50/pkg	PKG	50	PC	37,000	
T5N10D	Tube-kit 1/32", .010"/.25mm	5 cm long, 316SS, 2/pkg	PKG	2	PC	1,750	
T5N20-10	Tube-kit 1/32", .020"/.50mm	5 cm long, 316SS, 10/pkg	PKG	10	PC	8,300	
T5N20-100	Tube-kit 1/32", .020"/.50mm	5 cm long, 316SS, 100/pkg	PKG	100	PC	70,000	
T5N20-50	Tube-kit 1/32", .020"/.50mm	5 cm long, 316SS, 50/pkg	PKG	50	PC	37,000	
T5N20D	Tube-kit 1/32", .020"/.50mm	5 cm long, 316SS, 2/pkg	PKG	2	PC	1,750	
T5N5-10	Tube-kit 1/32", .005"/.12mm	5 cm long, 316SS, 10/pkg	PKG	10	PC	8,300	
T5N5-100	Tube-kit 1/32", .005"/.12mm	5 cm long, 316SS, 100/pkg	PKG	100	PC	70,000	
T5N5-50	Tube-kit 1/32", .005"/.12mm	5 cm long, 316SS, 50/pkg	PKG	50	PC	37,000	
T5N5D	Tube-kit 1/32", .005"/.12mm	5 cm long, 316SS, 2/pkg	PKG	2	PC	1,750	
TCD3-C-110	TCD3 controller	110Vac	PC			1,070,000	
TCD3-C-220	TCD3 controller	220Vac	PC			1,070,000	
TCD3-NIFE-110	TCD3 detector with controller	Nickel-Iron filaments, 220Vac	PC			1,340,000	
TCD3-NIFE-220	TCD3 detector with controller	Nickel-Iron filaments, 220Vac	PC			1,340,000	
TCD3-NIFED-110	OBSOLETE! Replaced by TCD3-NIFED		PC			0	
TCD3-NIFED-220	OBSOLETE! replaced by TCD3-NIFED		PC			0	
TCD3-WRE-110	TCD3 detector with controller	Tungsten-Rhenium filaments, 110Vac	PC			1,340,000	
TCD3-WRE-220	TCD3 detector with controller	Tungsten-Rhenium filaments, 220Vac	PC			1,340,000	
TCEF1.5.5C	Tee column end fitting 1/16"*1/32"*1/32"	.25mm in/out, .25mm side, 1mm cone, SS	PC			31,000	
TCEF1.5.5T	Tee column end fitting 1/16"*1/32"*1/32"	.9mm in/out, .25mm side, 1mm cone, SS	PC			31,000	
TCEF111	Tee column end fitting 1/16"*1/16"*1/16"	.25mm in/out, .25mm side, 1mm cone, SS	PC			22,000	
TCEF211	Tee column end fitting 1/8"*1/16"*1/16"	.50mm in/out, .50mm side, 1mm cone, SS	PC			39,000	
TCEF211T	Tee column end fitting 1/8"*1/16"*1/16"	1.65mm in/out, .4mm side, 1mm cone, SS	PC			30,000	
TCEF411	Tee column end fitting 1/4"*1/16"*1/16"	.75mm in/out, .75mm side, 4.6mm cone, SS	PC			37,000	
TCEF411C	Tee column end fitting 1/4"*1/16"*1/16"	.25mm in/out, .25mm side, 4.6mm cone, SS	PC			31,000	
TCEF411T	Tee column end fitting 1/4"*1/16"*1/16"	1.65mm in/out, .75mm side, 4.6mm cone, SS	PC			29,000	
TCEF421	Tee column end fitting 1/4"*1/8"*1/16"	.75mm in/out, .75mm side, 4.6mm cone, SS	PC			52,000	
TCEF611	Tee column end fitting 3/8"*1/16"*1/16"	.75mm in/out, .75mm side, 6mm cone, SS	PC			39,000	
TCEF611T	Tee column end fitting 3/8"*1/16"*1/16"	1.65mm in/out, .75mm side, 6mm cone, SS	PC			43,000	
TCEF811	Tee column end fitting 1/2"*1/16"*1/16"	.75mm in/out, .75mm side, 9mm cone, SS	PC			37,000	
TCEF811T	Tee column end fitting 1/2"*1/16"*1/16"	1.65mm in/out, .75mm side, 9mm cone, SS	PC			50,000	
TEFNI.101	Tubing electroformed.360um OD	.001"/25um ID, Nickel	FT			0	
TEFNI.102	Tubing electroformed.360um OD	.002"/50um ID, Nickel	FT			0	
TEFNI.104	Tubing electroformed.360um OD	.004"/100um ID, Nickel	FT			0	
TEFNI.105	Tubing electroformed.360um OD	.005"/125um ID, Nickel	FT			0	
TEFNI.502	Tubing electroformed.1/32"OD	.002"/.05mm ID, Nickel	FT			0	
TEFNI.504	Tubing electroformed.1/32"OD	.004"/.1mm ID, Nickel	FT			0	
TEFNI.505	Tubing electroformed.1/32"OD	.005"/.12mm ID, Nickel	FT			0	
TEFNI.507	Tubing electroformed.1/32"OD	.007"/.18mm ID, Nickel	FT			0	
TEFNI.510	Tubing electroformed.1/32"OD	.010"/.25mm ID, Nickel	FT			0	
TEFNI.512	Tubing electroformed.1/32"OD	.0126"/.32mm ID, Nickel	FT			0	
TEFNI.515	Tubing electroformed.1/32"OD	.015"/.38mm ID Nickel	FT			0	
TEFNI.520	Tubing electroformed.1/32"OD	.020"/.5mm ID, Nickel	FT			0	
TEFNI120	Tubing electroformed.1/16"OD	.020"/.5mmID, Nickel	FT			0	
TEFNI130	Tubing electroformed.1/16"OD	.030"/.75mmID, Nickel	FT			0	
TEFNI140	Tubing electroformed. 1/16"OD	.040"/1mm ID, Nickel	FT			0	
TEMPLATE1	Template for flow diagrams		PC			790	
TFEP110-10M	Tubing 1/16" OD, .010"/.25mm ID	FEP, 10m/pkg	PKG	10	M	10,400	
TFEP110-25M	Tubing 1/16" OD, .010"/.25mm ID	FEP, 25m/pkg	PKG	25	M	26,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
TFEP110-5M	Tubing 1/16" OD, .010"/.25mm ID	FEP, 5m/pkg	PKG	5 M		5,200	
TFEP120-10M	Tubing 1/16" OD, .020"/.5mm ID	FEP, 10m/pkg	PKG	10 M		10,400	
TFEP120-25M	Tubing 1/16" OD, .020"/.5mm ID	FEP, 25m/pkg	PKG	25 M		26,000	
TFEP120-5M	Tubing 1/16" OD, .020"/.5mm ID	FEP, 5m/pkg	PKG	5 M		5,200	
TFEP130-10M	Tubing 1/16" OD, .030"/.75mm ID	FEP, 10m/pkg	PKG	10 M		9,900	
TFEP130-25M	Tubing 1/16" OD, .030"/.75mm ID	FEP, 25m/pkg	PKG	25 M		26,000	
TFEP130-5M	Tubing 1/16" OD, .030"/.75mm ID	FEP, 5m/pkg	PKG	5 M		5,200	
TFEP260-10M	Tubing 1/8" OD, .060"/1.52mm ID	FEP, 10m/pkg	PKG	10 M		12,200	
TFEP260-25M	Tubing 1/8" OD, .060"/1.52mm ID	FEP, 25m/pkg	PKG	25 M		31,000	
TFEP260-5M	Tubing 1/8" OD, .060"/1.52mm ID	FEP, 5m/pkg	PKG	5 M		6,100	
THC110	Tubing 1/16" OD, .010"/.25mm ID, HC		M			9,100	
THC120	Tubing 1/16" OD, .020"/.50mm ID, HC		M			9,100	
THC130	Tubing 1/16" OD, .030"/.75mm ID, HC		M			9,100	
THC140	Tubing 1/16" OD, .040"/1.00mm ID, HC		M			9,100	O
TNFS1600050	Tubing, electroformed Nickel over FS	1/16" OD x 50um	FT			0	
TNFS1600075	Tubing, electroformed Nickel over FS	1/16" OD x 75um	FT			0	
TNFS1600100	Tubing, electroformed Nickel over FS	1/16" OD x 100um	FT			0	
TNFS1600200	Tubing, electroformed Nickel over FS	1/16" OD x 200um	FT			0	
TNFS1600300	Tubing, electroformed Nickel over FS	1/16" OD x 300um	FT			0	
TNFS1600400	Tubing, electroformed Nickel over FS	1/16" OD x 400um	FT			0	
TNFS1600500	Tubing, electroformed Nickel over FS	1/16" OD x 500um	FT			0	
TNFS1600700	Tubing, electroformed Nickel over FS	1/16" OD x 700um	FT			0	
TNFS800010	Tubing, electroformed Nickel over FS	1/32" OD x 10um	FT			0	
TNFS800015	Tubing, electroformed Nickel over FS	1/32" OD x 15um	FT			0	
TNFS800020	Tubing, electroformed Nickel over FS	1/32" OD x 20um	FT			0	O
TNFS800025	Tubing, electroformed Nickel over FS	1/32" OD x 25um	FT			0	
TNFS800050	Tubing, electroformed Nickel over FS	1/32" OD x 50um	FT			0	
TNFS800100	Tubing, electroformed Nickel over FS	1/32" OD x 100um	FT			0	
TNFS800180	Tubing, electroformed Nickel over FS	1/32" OD x 180um	FT			0	
TNFS800250	Tubing, electroformed Nickel over FS	1/32" OD x 250um	FT			0	O
TNI.510	Tubing 1/32" OD, .010"/.25mm ID, Nickel		M			6,600	
TNI.520	Tubing 1/32" OD, .020"/.5mm ID, Nickel		M			6,900	
TNI105	Tubing 1/16" OD, .005"/.12mm ID, Nickel		M			6,600	
TNI110	Tubing 1/16" OD, .010"/.25mm ID, Nickel		M			6,600	
TNI120	Tubing 1/16" OD, .020"/.5mm ID, Nickel		M			6,600	
TNI130	Tubing 1/16" OD, .030"/.75mm ID, Nickel		M			6,600	
TNI140	Tubing 1/16" OD, .040"/1mm ID, Nickel		M			6,600	
TPK.102	Tubing 360um OD, .002"/50um ID	PEEK	M			2,900	
TPK.104	Tubing 360um OD, .004"/100um ID	PEEK	M			2,800	
TPK.106	Tubing 360um OD, .006"/150um ID	PEEK	M			2,900	
TPK.502-10M	OSOLET, REPLACED BY JR-T-5764		PKG	M		0	
TPK.502-25M	OSOLET, REPLACED BY JR-T-5764		PKG	M		0	
TPK.502-5M	OSOLET, REPLACED BY JR-T-5764		PKG	M		0	
TPK.505-10M	Tubing 1/32" OD, .005"/125um	PEEK, 10m/pkg	PKG	10 M		18,900	
TPK.505-25M	Tubing 1/32" OD, .005"/125um	PEEK, 25m/pkg	PKG	25 M		48,000	
TPK.505-5M	Tubing 1/32" OD, .005"/125um	PEEK, 5m/pkg	PKG	5 M		9,500	
TPK.510-10M	Tubing 1/32" OD, .010"/.25mm	PEEK, 10m/pkg	PKG	10 M		16,700	
TPK.510-25M	Tubing 1/32" OD, .010"/.25mm	PEEK, 25m/pkg	PKG	25 M		42,000	
TPK.510-5M	Tubing 1/32" OD, .010"/.25mm	PEEK, 5m/pkg	PKG	5 M		8,400	
TPK.515-10M	Tubing 1/32" OD, .015"/.38mm	PEEK, 10m/pkg	PKG	10 M		16,700	
TPK.515-25M	Tubing 1/32" OD, .015"/.38mm	PEEK, 25m/pkg	PKG	25 M		42,000	
TPK.515-5M	Tubing 1/32" OD, .015"/.38mm	PEEK, 5m/pkg	PKG	5 M		8,400	
TPK106-10M	Tubing 1/16" OD, .006"/.15mm ID	PEEK, 10m/pkg	PKG	10 M		22,000	
TPK106-25M	Tubing 1/16" OD, .006"/.15mm ID	PEEK, 25m/pkg	PKG	25 M		55,000	
TPK106-5M	Tubing 1/16" OD, .006"/.15mm ID	PEEK, 5m/pkg	PKG	5 M		11,000	
TPK110-10M	Tubing 1/16" OD, .010"/.25mm ID	PEEK, 10m/pkg	PKG	10 M		17,700	
TPK110-25M	Tubing 1/16" OD, .010"/.25mm ID	PEEK, 25m/pkg	PKG	25 M		45,000	
TPK110-5M	Tubing 1/16" OD, .010"/.25mm ID	PEEK, 5m/pkg	PKG	5 M		8,900	
TPK120-10M	Tubing 1/16" OD, .020"/.5mm ID	PEEK, 10m/pkg	PKG	10 M		17,500	
TPK120-25M	Tubing 1/16" OD, .020"/.5mm ID	PEEK, 25m/pkg	PKG	25 M		44,000	
TPK120-5M	Tubing 1/16" OD, .020"/.5mm ID	PEEK, 5m/pkg	PKG	5 M		8,800	
TPK130-10M	Tubing 1/16" OD, .030"/.75mm ID	PEEK, 10m/pkg	PKG	10 M		17,500	
TPK130-25M	Tubing 1/16" OD, .030"/.75mm ID	PEEK, 25m/pkg	PKG	25 M		44,000	
TPK130-5M	Tubing 1/16" OD, .030"/.75mm ID	PEEK, 5m/pkg	PKG	5 M		8,800	
TPK260-10M	Tubing 1/8" OD, .060"/1.52mm ID	PEEK, 10m/pkg	PKG			0	
TPK260-25M	Tubing 1/8" OD, .060"/1.52mm ID	PEEK, 25m/pkg	PKG			0	
TPK260-5M	Tubing 1/8" OD, .060"/1.52mm ID	PEEK, 5m/pkg	PKG			0	
TSS.505	Tubing 1/32" OD, .005"/.12mm, 316SS		M			2,100	
TSS.507	Tubing 1/32" OD, .007"/.18mm, 316SS		M			2,100	
TSS.510	Tubing 1/32" OD, .010"/.25mm, 316SS		M			2,100	
TSS.520	Tubing 1/32" OD, .020"/.5mm ID, 316SS		M			2,100	
TSS105	Tubing 1/16" OD, .005"/.12mm ID, 316SS		M			2,100	
TSS110	Tubing 1/16" OD, .010"/.25mm ID, 316SS		M			2,100	
TSS115	Tubing 1/16" OD, .015"/.38mm ID, 316SS		M			2,100	
TSS120	Tubing 1/16" OD, .020"/.5mm ID, 316SS		M			2,100	
TSS126	Tubing 1/16" OD, .026"/.66mm ID, 316SS		M			2,100	
TSS130	Tubing 1/16" OD, .030"/.75mm ID, 316SS		M			2,100	
TSS140	Tubing 1/16" OD, .040"/1mm ID, 316SS		M			2,100	
TSS230	Tubing 1/8" OD, .030"/.75mm ID, 316SS		M			2,900	
TSS240	Tubing 1/8" OD, .040"/1mm ID, 316SS		M			2,900	
TSS260	Tubing 1/8" OD, .060"/1.50mm ID, 316SS		M			2,900	
TSS267	Tubing 1/8" OD, .067"/1.7mm ID, 316SS		M			2,900	
TSS285	Tubing 1/8" OD, .085"/2.16mm ID, 316SS		M			2,900	
TTF106-10M	Tubing 1/16" OD, .006"/.15mm ID	PTFE, 10m/pkg	PKG	10 M		9,400	
TTF106-25M	Tubing 1/16" OD, .006"/.15mm ID	PTFE, 25m/pkg	PKG	25 M		24,000	
TTF106-5M	Tubing 1/16" OD, .006"/.15mm ID	PTFE, 5m/pkg	PKG	5 M		4,700	

備考: O= Obsolete ; OR = On Request

上記金額は税別です。予告なく変更される場合があります。

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
TTF110-10M	Tubing 1/16" OD, .010"/.25mm ID	PTFE, 10m/pkg	PKG	10	M	9,400	
TTF110-25M	Tubing 1/16" OD, .010"/.25mm ID	PTFE, 25m/pkg	PKG	25	M	24,000	
TTF110-5M	Tubing 1/16" OD, .010"/.25mm ID	PTFE, 5m/pkg	PKG	5	M	4,700	
TTF115-10M	Tubing 1/16" OD, .015"/.38mm ID	PTFE, 10m/pkg	PKG	10	M	9,400	
TTF115-25M	Tubing 1/16" OD, .015"/.38mm ID	PTFE, 25m/pkg	PKG	25	M	24,000	
TTF115-5M	Tubing 1/16" OD, .015"/.38mm ID	PTFE, 5m/pkg	PKG	5	M	4,700	
TTF120-10M	Tubing 1/16" OD, .020"/.5mm ID	PTFE, 10m/pkg	PKG	10	M	9,400	
TTF120-25M	Tubing 1/16" OD, .020"/.5mm ID	PTFE, 25m/pkg	PKG	25	M	24,000	
TTF120-5M	Tubing 1/16" OD, .020"/.5mm ID	PTFE, 5m/pkg	PKG	5	M	4,700	
TTF130-10M	Tubing 1/16" OD, .030"/.75mm ID	PTFE, 10m/pkg	PKG	10	M	9,000	
TTF130-25M	Tubing 1/16" OD, .030"/.75mm ID	PTFE, 25m/pkg	PKG	25	M	23,000	
TTF130-5M	Tubing 1/16" OD, .030"/.75mm ID	PTFE, 5m/pkg	PKG	5	M	4,500	
TTF230-10M	Tubing 1/8" OD, .030"/.75mm ID	PTFE, 10m/pkg	PKG	10	M	12,800	
TTF230-25M	Tubing 1/8" OD, .030"/.75mm ID	PTFE, 25m/pkg	PKG	25	M	32,000	
TTF230-5M	Tubing 1/8" OD, .030"/.75mm ID	PTFE, 5m/pkg	PKG	5	M	6,400	
TTF260-10M	Tubing 1/8" OD, .060"/1.52mm ID	PTFE, 10m/pkg	PKG	10	M	12,800	
TTF260-25M	Tubing 1/8" OD, .060"/1.52mm ID	PTFE, 25m/pkg	PKG	25	M	32,000	
TTF260-5M	Tubing 1/8" OD, .060"/1.52mm ID	PTFE, 5m/pkg	PKG	5	M	6,400	
TTF285-10M	Tubing 1/8" OD, .085"/2.15mm ID	PTFE, 10m/pkg	PKG	10	M	12,800	
TTF285-25M	Tubing 1/8" OD, .085"/2.15mm ID	PTFE, 25m/pkg	PKG	25	M	32,000	
TTF285-5M	Tubing 1/8" OD, .085"/2.15mm ID	PTFE, 5m/pkg	PKG	5	M	6,400	
TTZ110-10M	Tubing 1/16" OD, .010"/.25mm ID	ETFE, 10m/pkg	PKG	10	M	15,200	
TTZ110-25M	Tubing 1/16" OD, .010"/.25mm ID	ETFE, 25m/pkg	PKG	25	M	38,000	
TTZ110-5M	Tubing 1/16" OD, .010"/.25mm ID	ETFE, 5m/pkg	PKG	5	M	7,600	
TTZ120-10M	Tubing 1/16" OD, .020"/.5mm ID	ETFE, 10m/pkg	PKG	10	M	15,200	
TTZ120-25M	Tubing 1/16" OD, .020"/.5mm ID	ETFE, 25m/pkg	PKG	25	M	38,000	
TTZ120-5M	Tubing 1/16" OD, .020"/.5mm ID	ETFE, 5m/pkg	PKG	5	M	7,600	
TTZ130-10M	Tubing 1/16" OD, .030"/.75mm ID	ETFE, 10m/pkg	PKG	10	M	15,200	
TTZ130-25M	Tubing 1/16" OD, .030"/.75mm ID	ETFE, 25m/pkg	PKG	25	M	38,000	
TTZ130-5M	Tubing 1/16" OD, .030"/.75mm ID	ETFE, 5m/pkg	PKG	5	M	7,600	
TTZ260-10M	Tubing 1/8" OD, .060"/1.52mm ID	ETFE, 10m/pkg	PKG	10	M	23,000	
TTZ260-25M	Tubing 1/8" OD, .060"/1.52mm ID	ETFE, 25m/pkg	PKG	25	M	56,000	
TTZ260-5M	Tubing 1/8" OD, .060"/1.52mm ID	ETFE, 5m/pkg	PKG	5	M	11,100	
V-EMPMCR-HP1100	Remote cable VICI micro E mpos. actuator	4/6 pos to HP1100, 1200, 1260, G1351A interface	PC			32,000	
V-EMPMCR-HP1100-10	Remote cable VICI micro E mpos. actuator	8/10 pos to HP1100, 1200, 1260, G1351A interface	PC			32,000	
V-EMPMCR-HP6890	BCD cable VICI micro E mpos. actuator	(26 pin connector) to HP 6890	PC			32,000	
V-EMPMCR-HP6890N	BCD cable VICI micro E mpos. actuator, length 2 m	(26 pin connector) to HP 6890N/7890	PC			32,000	
V-EMPMCR-WA2690	Remote cable VICI micro E mpos. actuator	4/6pos to Waters 2690 Separation Module	PC			32,000	
V-EMPMCR-WA2690-10	Remote cable VICI micro E mpos. actuator	10pos to Waters 2690 Separation Module	PC			32,000	
VISF-1	Syringe fillport for 1/16" connection	for .75"/19mm long needle, 22Gauge OD	PC			2,500	
VISF-2	Syringe fillport for 1/16" connection	for 2.0"/51mm long needle, 22Gauge OD	PC			4,700	
VISL-1	Liner, replacement for VISF-1 or C-VISF-1L	PTFE	PC			870	
VISL-1H	Liner, replacement for C-VISF-1H	PTFE	PC			870	
VISL-2	Liner, replacement for VISF-2 or VISF-A	PTFE	PC			770	
VSH	Valve spanner handle for mpos valve		PC			17,800	
V-SV-S32-110VAC	3-way solenoid air valve	for diaphragm valves, 110VAC, CE	PC			36,000	O
V-SV-S32-220VAC	3-way solenoid air valve	for diaphragm valves, 220VAC, CE	PC			36,000	O
V-SV-S32-24VAC	3-way solenoid air valve	for diaphragm valves, 24VAC, CE	PC			36,000	O
V-SV-S32-24VDC	3-way solenoid air valve	for diaphragm valves, 24VDC, CE	PC			36,000	
V-SV-S52-110VAC	4-way solenoid air valve, m-pos air actuator	110VAC, CE	PC			36,000	
V-SV-S52-220VAC	4-way solenoid air valve, m-pos air actuator	220VAC, CE	PC			36,000	
V-SV-S52-24VAC	4-way solenoid air valve, m-pos air actuator	24VAC, CE	PC			36,000	O
V-SV-S52-24VDC	4-way solenoid air valve, m-pos air actuator	24VDC, CE	PC			36,000	O
V-SV-S53-110VAC	5-way 3-pos solenoid air valve	for 2-pos air actuator, 110VAC, CE	PC			89,000	O
V-SV-S53-220VAC	5-way 3-pos solenoid air valve	for 2-pos air actuator, 220VAC, CE	PC			89,000	
V-SV-S53-24VAC	5-way 3-pos solenoid air valve	for 2-pos air actuator, 24VAC, CE	PC			89,000	
V-SV-S53-24VDC	5-way 3-pos solenoid air valve	for 2-pos air actuator, 24VDC, CE	PC			89,000	
WMMA	Close mount hdw. manual, W/UW	2-pos, 3,4,6,8,10 port valves	PC			17,800	
WMMA10	Close mount hdw. manual	valves with unthreaded mounting holes	PC			27,000	
WMMA50	Manual W-knob for use with standoff	2-pos, W-type valves	PC			10,700	
XLZN1-10	Nut 1/16", 25mm long, SS, 10/pkg		PKG	10	PC	7,500	
XLZN2-10	Nut 1/8", 27mm long, SS, 10/pkg		PKG	10	PC	9,000	
ZAOR11	Internal adaptor 1/16" to 10-32 thread	O-ring seal, SS	PC			2,900	
ZAOR12	Internal adaptor 1/16" to 5/16-24 thread	O-ring seal, SS	PC			2,800	
ZAOR22	Internal adaptor 1/8" to 5/16-24 thread	O-ring seal, SS	PC			9,200	
ZBAA1	Aerosol adaptor bulkhead union 1/16", SS	Bore 0.75 mm	PC			6,700	
ZBNV1	Micrometering needle valve, bulkhead, 2-225 ml/min	1/16" int, 2um screen,lubricated, 225C,SS/Viton	PC			32,000	
ZBNV1-D	Micrometering needle valve, bulkhead, 2-225 ml/min	1/16" int, 2um screen,225C,non-lubricated,SS/Viton	PC			35,000	
ZBNV1F	Micrometering needle valve, bulkhead, 2-175 ml/min	1/16" int, 10um frit,lubricated,225C,SS/Viton	PC			34,000	
ZBNV1F-D	Micrometering needle valve, bulkhead, 2-175 ml/min	1/16" int, 10um frit,225C,non-lubricated,SS/Viton	PC			36,000	
ZBNV1F-KZ	Micrometering needle valve, bulkhead, 2-175 ml/min	1/16" int, 10um frit,315C,non-lubricat,SS/Kalrez	PC			42,000	
ZBNV1-KZ	Micrometering needle valve, bulkhead, 2-225 ml/min	1/16" int, 2um screen,315C,non-lubricat.,SS/Kalrez	PC			40,000	
ZBNV1LF	Micrometering needle valve, bulkhead, 2-90 ml/min	1/16" int,1um frit,225C, lubricated,SS/Viton	PC			35,000	
ZBNV1LF-D	Micrometering needle valve, bulkhead, 2-90 ml/min	1/16" int,1um frit,225C,non-lubricated,SS/Viton	PC			38,000	
ZBNV1LF-KZ	Micrometering needle valve, bulkhead, 2-90 ml/min	1/16" int,1um frit,315C,non-lubricated,SS/Kalrez	PC			44,000	
ZBRU1.5	Bulkhead reducing union 1/16"*1/32"	.25mm bore, SS	PC			6,700	
ZBRU21	Bulkhead reducing union 1/8"*1/16"	.75mm bore, SS	PC			5,200	
ZBRU21T	Bulkhead reducing union 1/8"*1/16"	1/16" through bore, SS	PC			5,900	
ZBRU42L	Bulkhead reducing union 1/4"*1/8"	2mm bore, 316SS	PC			10,000	
ZBRUFR21	Bulkhead reducing union 1/8"*1/16"	.75mm bore, removable 2 um screen, SS	PC			21,000	
ZBU.5	Bulkhead union 1/32"	.25mm bore, SS	PC			6,700	
ZBU1	Bulkhead union 1/16"	.75mm bore, SS	PC			5,400	
ZBU1C	Bulkhead union 1/16"	.25mm bore, SS	PC			6,400	
ZBU1CFPK	Bulkhead union 1/16", fingertight	.25mm bore, PEEK	PC			8,700	
ZBU1CPK	Bulkhead union 1/16", hex	.25mm bore, PEEK	PC			8,700	
ZBU1L	Bulkhead union 1/16"	1mm bore, SS	PC			5,400	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
ZBU1M	Bulkhead union 1/16"	.5mm bore, SS	PC			5,500	
ZBU1MFPK	Bulkhead union 1/16", fingertight	.5mm bore, PEEK	PC			12,200	
ZBU1PK	Bulkhead union 1/16", hex	.75mm bore, PEEK	PC			8,700	
ZBU1T	Bulkhead union 1/16"	1/16" through bore, SS	PC			5,900	
ZBU1XC	Bulkhead union 1/16"	.15mm bore, SS	PC			7,500	
ZBU2	Bulkhead union 1/8"	.75mm bore, SS	PC			6,000	
ZBU2L	Bulkhead union 1/8"	2mm bore, SS	PC			5,400	
ZBUF1	Bulkhead union 1/16"	.75mm bore, pressed 2 um frit, SS	PC			18,400	
ZBUFLKF	Cheminert luer adapter bulkhead union	female luer to 10-32, 1mm bore, CTFE	PC			8,700	
ZBUFLPK	Cheminert luer adapter bulkhead union	female luer to 10-32, 1 mm bore, PEEK	PC			13,000	
ZBUFR1	Bulkhead union 1/16"	.50mm bore, removable 2 um screen, SS	PC			10,100	
ZBUFR2	Bulkhead union 1/8"	2mm bore, removable 2 um screen, SS	PC			18,400	
ZBUMLKF	Cheminert luer adapter bulkhead union	luer male to 10-32 ZDV, 1mm bore, CTFE	PC			17,400	
ZBUMLPK	Cheminert luer adapter bulkhead union	luer male to 10-32 ZDV, 1mm bore, PEEK	PC			17,400	
ZC.5	Cap 1/32"	SS	PC			3,000	
ZC.5FPK	Cap 1/32", fingertight, PEEK		PC			7,800	
ZC1	Cap 1/16"	SS	PC			2,400	
ZC1FPK	Cap 1/16", fingertight, PEEK		PC			4,700	
ZC2	Cap 1/8"	SS	PC			2,900	
ZC4	Cap 1/4"	SS	PC			5,500	
ZERU1.5FPK	Union, Reducing, Int/Ext, 1/16"1/32", 20mm	200um, PEEK	PC			19,100	
ZF.5B-10	Ferrule 1/32", Brass, 10/pkg		PKG	10	PC	5,000	
ZF.5FEP-10	Ferrule 1/32", FEP, 10/pkg		PKG	10	PC	16,500	
ZF.5GP-10	Ferrule 1/32", SS, gold plated, 10/pkg		PKG	10	PC	12,500	
ZF.5GV-5	Ferrule 1/32"	Polyimide, Graphite, 5/pkg	PKG	5	PC	7,800	
ZF.5HC	Ferrule 1/32", HC		PC			3,400	
ZF.5KF-10	Ferrule 1/32", CTFE, 10/pkg		PKG	10	PC	7,000	
ZF.5PFA-10	Ferrule 1/32", PFA, 10/pkg		PKG	10	PC	13,000	
ZF.5PK-10	Ferrule 1/32", PEEK, 10/pkg		PKG	10	PC	6,700	
ZF.5PK-5	Ferrule 1/32", PEEK, 5/pkg		PKG	5	PC	3,400	O
ZF.5PKG-10	Ferrule 1/32", 10/pkg	PEEK, glass-filled	PKG	5	PC	34,000	
ZF.5S6-10	Ferrule 1/32", 316SS, 10/pkg		PKG	10	PC	5,900	
ZF.5TF-10	Ferrule 1/32"	PTFE, Virgin, 10/pkg	PKG	10	PC	6,100	
ZF.5TFG-10	Ferrule 1/32"	PTFE, Glass-filled, 10/pkg	PKG	10	PC	6,100	
ZF.5TI	Ferrule 1/32", Titanium		PC			3,800	
ZF.5V-5	Ferrule 1/32"	Polyimide, Valcon, 5/pkg	PKG	5	PC	6,700	
ZF1-10	Ferrule 1/16", 303SS, 10/pkg		PKG	10	PC	3,400	
ZF1B-10	Ferrule 1/16", Brass, 10/pkg		PKG	10	PC	3,400	
ZF1FEP-10	Ferrule 1/16", FEP, 10/pkg		PKG	10	PC	13,900	
ZF1GP-10	Ferrule 1/16", SS, gold plated, 10/pkg		PKG	10	PC	7,900	
ZF1GV-5	Ferrule 1/16"	Polyimide, Graphite, 5/pkg	PKG	5	PC	6,100	
ZF1HC	Ferrule 1/16", HC		PC			1,590	
ZF1KF-10	Ferrule 1/16", CTFE, 10/pkg		PKG	10	PC	8,400	
ZF1NI	Ferrule 1/16", Nickel		PC			3,700	
ZF1PFA-10	Ferrule 1/16", PFA, 10/pkg		PKG	10	PC	8,700	
ZF1PK-10	Ferrule 1/16", PEEK, 10/pkg		PKG	10	PC	6,700	
ZF1PKG-10	Ferrule 1/16", 10/pkg	PEEK, glass-filled	PKG	10	PC	0	
ZF1S6-10	Ferrule 1/16", 316SS, 10/pkg		PKG	10	PC	6,000	
ZF1TF-10	Ferrule 1/16"	PTFE, Virgin, 10/pkg	PKG	10	PC	7,000	
ZF1TFG-10	Ferrule 1/16"	PTFE, Glass-filled 25%, 10/pkg	PKG	10	PC	5,200	
ZF1TI	Ferrule 1/16", Titanium		PC			2,200	
ZF1V1-5	Ferrule 1/16"	Polyimide, Virgin, 5/pkg	PKG	5	PC	10,400	OR
ZF1V-5	Ferrule 1/16"	Polyimide, Valcon, 5/pkg	PKG	5	PC	7,000	
ZF1VISF	Ferrule, replacement for VISF-1 or VISF-2	or C-VISF-1 (L or H), CTFE	PC			960	
ZF2-10	Ferrule 1/8", 303SS, 10/pkg		PKG	10	PC	4,700	
ZF2B-10	Ferrule 1/8", Brass, 10/pkg		PKG	10	PC	3,400	
ZF2FEP-10	Ferrule 1/8", FEP, 10/pkg		PKG	10	PC	10,400	
ZF2GP-10	Ferrule 1/8", SS, gold plated, 10/pkg		PKG	10	PC	15,000	
ZF2GV-5	Ferrule 1/8"	Polyimide, Graphite, 5/pkg	PKG	5	PC	13,900	
ZF2HC	Ferrule 1/8", HC		PC			1,670	
ZF2KF-10	Ferrule 1/8", CTFE, 10/pkg		PKG	10	PC	7,000	
ZF2NI	Ferrule 1/8", Nickel		PC			3,700	
ZF2PFA-10	Ferrule 1/8", PFA, 10/pkg		PKG	10	PC	6,100	
ZF2PK-10	Ferrule 1/8", PEEK, 10/pkg		PKG	10	PC	8,400	
ZF2PKG-10	Ferrule 1/8", 10/pkg	PEEK, glass-filled	PKG	5	PC	28,000	
ZF2S6-10	Ferrule 1/8", 316SS, 10/pkg		PKG	10	PC	5,000	
ZF2SI	Replacement support for septum injector	Valcon T polyimide	PC			2,600	
ZF2TF-10	Ferrule 1/8"	PTFE, Virgin, 10/pkg	PKG	10	PC	5,200	
ZF2TFG-10	Ferrule 1/8"	PTFE, Glass-filled 25%, 10/pkg	PKG	10	PC	5,200	
ZF2TI	Ferrule 1/8", Titanium		PC			5,300	
ZF2V1-5	Ferrule 1/8"	Polyimide, Virgin, 5/pkg	PKG	5	PC	44,000	
ZF2V-5	Ferrule 1/8"	Polyimide, Valcon, 5/pkg	PKG	5	PC	10,400	
ZF4GP-10	Ferrule 1/4", SS, gold plated, 10/pkg		PKG	10	PC	40,000	
ZF4GV-5	Ferrule 1/4"	Polyimide, Graphite, 5/pkg	PKG	5	PC	17,400	
ZF4PK-10	Ferrule 1/4", PEEK, 10/pkg		PKG	10	PC	10,400	OR
ZF4S6-10	Ferrule 1/4", 316SS, 10/pkg		PKG	10	PC	5,000	
ZF4TF-10	Ferrule 1/4"	PTFE, Virgin, 10/pkg	PKG	10	PC	8,700	
ZF4TFG-10	Ferrule 1/4"	PTFE, Glass-filled 25%, 10/pkg	PKG	10	PC	7,000	
ZF4V1-5	Ferrule 1/4"	Polyimide, Virgin, 5/pkg	PKG	5	PC	33,000	
ZF4V-5	Ferrule 1/4"	Polyimide, Valcon, 5/pkg	PKG	5	PC	17,400	
ZF6PK-10	Ferrule 3/8", PEEK, 10/pkg		PKG	10	PC	17,400	
ZF6TF-10	Ferrule 3/8"	PTFE, Virgin, 10/pkg	PKG	10	PC	7,800	
ZF6TFG-10	Ferrule 3/8"	PTFE, Glass-filled, 10/pkg	PKG	10	PC	11,300	
ZF8PK-10	Ferrule 1/2", PEEK, 10/pkg		PKG	10	PC	61,000	
ZF8TF-10	Ferrule 1/2"	PTFE, Virgin, 10/pkg	PKG	10	PC	14,800	
ZF8TFG-10	Ferrule 1/2"	PTFE, Glass-filled, 10/pkg	PKG	10	PC	52,000	

備考: O= Obsolete ; OR = On Request

上記金額は税別です。予告なく変更される場合があります。

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
ZGF.5PK	Ferrule double grip, 1/32"	PEEK	PC			870	
ZGF.5PK-10	Ferrule double grip, 1/32", PEEK, 10/pkg		PKG	10	PC	8,700	
ZGF1PK-10	Ferrule double grip, 1/16", PEEK, 10/pkg		PKG	10	PC	8,700	
ZLA-.5	Female luer adapter	to 1/32" fittings	PC			5,000	
ZLA-1	Female luer adapter	to 1/16" fittings	PC			3,500	
ZLA-2	Female luer adapter	to 1/8" fittings	PC			6,700	
ZLCA1PK	Cheminert adaptor, 1/4-28 to 10-32 ZDV	0.5mm bore, PEEK	PC			5,200	
ZLTA41	Tube adaptor 1/4"*1/16", 1.8" (45.72 mm) long	1/16" bore, SS	PC			3,500	
ZN.5-10	Nut 1/32", standard, SS, 10/pkg		PKG	10	PC	4,200	
ZN.5FPK-10	Nut 1/32", fingertight, 10.7 mm long	PEEK, 10/pkg	PKG	10	PC	17,400	
ZN1-10	Nut 1/16", standard, SS, 10/pkg		PKG	10	PC	2,500	
ZN1FPK-10	Nut 1/16", fingertight, 22.4mm long	PEEK, 10/pkg	PKG	10	PC	8,400	
ZN1PK-10	Nut 1/16", hex, 11.4 mm long	PEEK, 10/pkg	PKG	10	PC	8,400	
ZN1R	Nut 1/16", length .43", radiused	SS	PC			460	
ZN1RFPK	Nut 1/16" fingertight, controlled radius,	PEEK	PC			2,300	
ZN1RPK	Nut 1/16" controlled radius,	PEEK	PC			7,000	
ZN2-10	Nut 1/8", standard, SS, 10/pkg		PKG	10	PC	5,000	
ZN2PK-10	Nut 1/8", hex, 15.7mm long	PEEK, 10/pkg	PKG	10	PC	10,000	
ZN2R	Nut 1/8" standard, hex, controlled radius	SS	PC			920	
ZNF.5FPK-5	Nut 1/32", No Twist fingertight, PEEK	with PEEK ferrule, 5/pkg	PKG	5	PC	12,200	
ZNF.5FPKG-5	Nut 1/32", No Twist fingertight, PEEK	with glass-filled PEEK ferrule, 5/pkg	PKG	5	PC	12,200	
ZNF1FKF-5	Nut 1/16", No Twist fingertight, PEEK	with CTFE ferrule, 5/pkg	PC			16,700	
ZNF1FPK-5	Nut 1/16", No Twist fingertight, PEEK	with PEEK ferrule, 5/pkg	PKG	5	PC	13,000	
ZNF1FPKG-5	Nut 1/16", No Twist fingertight, PEEK	with glass-filled PEEK ferrule, 5/pkg	PKG	5	PC	17,400	
ZNF1KF-5	Nut 1/16", No Twist hex short, PEEK	with CTFE ferrule, 5/pkg	PKG	5	PC	13,900	
ZNF1PK-5	Nut 1/16", No Twist hex short, PEEK	with PEEK ferrule, 5/pkg	PKG	5	PC	12,500	
ZNF1PKG-5	Nut 1/16", No Twist hex short, PEEK	with glass-filled PEEK ferrule, 5/pkg	PC			12,500	
ZNFT	Tightening Tool for PEEK hex-head	1/16" nuts, blue	PC			3,500	
ZP.5	Plug 1/32" 12.5 mm	SS	PC			2,000	
ZP.5FPK	Plug 1/32", fingertight, PEEK		PC			2,600	
ZP.5H	Plug 1/32", high pressure, 12.5 mm	SS	PC			2,800	
ZP1	Plug 1/16", 19.1 mm long	SS	PC			840	
ZP1FPK	Plug 1/16", fingertight, PEEK		PC			2,500	
ZP1H	Plug 1/16", high pressure, 17.5 mm	316SS	PC			2,500	
ZP2	Plug 1/8", 25.4 mm long	SS	PC			1,500	
ZP2H	Plug 1/8", high pressure, 24.4 mm long	SS	PC			2,700	
ZP2PK	Plug 1/8", hex, PEEK		PC			3,900	
ZRF1.5PK-5	Internal reducing ferrule 1/16"*1/32"	PEEK, 5/pkg	PKG	5	PC	3,400	
ZRF1.5TFG-5	Internal reducing ferrule 1/16"*1/32"	PTFE, Glass-filled 25%, 5/pkg	PKG	5	PC	6,300	
ZRF1.5V-5	Internal reducing ferrule 1/16"*1/32"	Polyimide, Valcon, 5/pkg	PKG	5	PC	7,800	
ZRU1.5	Reducing union 1/16"*1/32"	.25mm bore, SS	PC			5,000	
ZRU1.5FPK	Reducing union 1/16"*1/32"	.25mm bore, PEEK	PC			7,000	
ZRU1.5L	Reducing union 1/16"*1/32"	.5mm bore, SS	PC			5,000	
ZRU1.5T	Reducing union 1/16"*1/32"	1/32" through bore, SS	PC			5,000	
ZRU1.5TFPK	Reducing union 1/16"*1/32"	1/32" through bore, PEEK	PC			10,400	
ZRU1.5XC	Reducing union 1/16"*1/32"	.15mm bore, SS	PC			8,300	
ZRU21	Reducing union 1/8"*1/16"	.75mm bore, SS	PC			6,700	
ZRU21C	Reducing union 1/8"*1/16"	.25mm bore, SS	PC			5,400	O
ZRU21FPK	Reducing union 1/8"*1/16"	.75mm bore, PEEK	PC			10,400	
ZRU21T	Reducing union 1/8"*1/16"	1/16" through bore, SS	PC			3,900	
ZRU41T	Reducing union 1/4"*1/16"	1/16" through bore, SS	PC			7,500	
ZRUFR21	Reducing filter union 1/8"*1/16"	.75mm bore, removable 2 um screen, SS	PC			10,100	
ZSN1R	Nut 1/16", length .30", controlled radius	SS	PC			2,300	
ZT.5	Tee 1/32", .25mm bore, SS		PC			8,700	
ZT1	Tee 1/16", .75mm bore, SS		PC			5,700	
ZT1C	Tee 1/16", .25mm bore, SS		PC			8,400	
ZT1L	Tee 1/16", 1.0mm bore, SS		PC			6,000	
ZT1LFPK	Tee 1/16", fingertight	1mm bore, PEEK	PC			13,900	
ZT1M	Tee 1/16", .50mm bore, SS		PC			7,000	
ZT1XCS6	Tee 1/16", .15mm bore, 316SS		PC			12,500	
ZT2	Tee 1/8", .75mm bore, SS		PC			8,000	
ZT2L	Tee 1/8"	2mm bore, SS	PC			8,900	
ZTA41	Tube adaptor 1/4"*1/16", 0.700" (17.8 mm) long	1/16" bore, SS	PC			3,400	
ZU.5	Union 1/32"	25mm bore, SS	PC			5,500	
ZU.5L	Union 1/32"	.5mm bore, SS	PC			5,400	
ZU.5T	Union 1/32"	1/32" through bore, SS	PC			5,500	
ZU.5XC	Union 1/32"	.15mm bore, SS	PC			6,500	
ZU1	Union 1/16"	.75mm bore, SS	PC			4,200	
ZU1C	Union 1/16"	25mm bore, SS	PC			4,600	
ZU1CFPK	Union 1/16", fingertight	.25mm bore, PEEK	PC			8,700	
ZU1CPK	Union 1/16", hex	.25mm bore, PEEK	PC			8,700	
ZU1FPK	Union 1/16", fingertight	.75mm bore, PEEK	PC			6,700	
ZU1FPK.5	Filter 1/16", fingertight 0.5 micron filter TI	.5mm bore, PEEK	PC			37,000	
ZU1L	Union 1/16"	1mm bore, SS	PC			4,000	
ZU1M	Union 1/16"	.5mm bore, SS	PC			4,100	
ZU1MFPK	Union 1/16", fingertight	.5mm bore, PEEK	PC			11,500	
ZU1PK	Union 1/16", hex	.75mm bore, PEEK	PC			6,700	
ZU1T	Union 1/16"	1/16" through bore, SS	PC			4,200	
ZU1XC	Union 1/16"	.15mm bore, SS	PC			6,400	
ZU2	Union 1/8"	.75mm bore, 316SS	PC			4,700	
ZU2L	Union 1/8"	2mm bore, 316SS	PC			6,000	
ZU2T	Union 1/8"	1/8" through bore, SS	PC			7,500	
ZUF1	Filter union 1/16"	.75mm bore, pressed 2 um frit, SS	PC			4,800	
ZUFR1	Filter union, 1/16"	.50mm bore, removable 2 um screen, SS	PC			7,700	
ZUFR1CF	Filter union 1/16"	.25mm bore, removable 2 um frit, 316SS	PC			9,800	
ZUFR1F	Filter union 1/16"	.5mm bore, removable 2um frit, 316SS	PC			7,000	

Part No.	Description 1	Description 2	Unit	Pack size	Pack unit	参考価格	備考
ZUFR2	Filter 1/8"	2mm bore, removable 2 um screen, SS	PC			13,800	O
ZX1	Cross 1/16", .75mm bore, SS		PC			8,400	
ZX1C	Cross 1/16"	.25mm bore, SS	PC			10,900	
ZX1L	Cross 1/16", 1.0mm bore	SS	PC			8,400	
ZX1M	Cross 1/16", .50mm bore, SS		PC			9,600	
ZX1XCS6	Cross 1/16"	.15mm bore, SS316	PC			15,000	
ZXLTA41	Tube adaptor 1/4"*1/16", 2.800" (71.12 mm) long	1/16" bore, SS	PC			13,400	